10-3930-611-35 P

TECHNICAL MANUAL

DIRECT AND GENERAL SUPPORT AND DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LISTS

TRUCK, FORK LIFT, ELECTRIC, SOLID RUBBER TIRES, 6000 LB CAPACITY, 180 IN. LIFT (DREXEL DYNAMICS MODEL FL60-EE5600) (ARMY MODEL MHE206) FSN 3930-935-7867

This copy is a reprint which includes current pages from Change 3.

HEADQUARTERS, DEPARTMENT OF THE ARMY

APRIL 1971

D 101.11:

READEX FICHE best copy available

CHANGE
NO. 3

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, DC, *15 August, 1980*

Direct Support, General Support, and Depot Maintenance Repair Parts and Special Tools Lists For TRUCK, FORK LIFT, ELECTRIC, SOLID RUBBER TIRES, 4000 LB CAPACITY, 144 IN. LIFT DREXEL DYNAMICS MODEL FL-40-EE600M ARMY MODEL MHE 206 NSN 3930-00-347-6175

Current as of 15 March 1980

TM 10-3930-611-34P, 7 April 1971, is changed as follows:

Page iii, following subparagraph 3*a* add the following:

NOTE

Two types of SMR codes are used in this manual. An explanation of the latest SMR codes is given in subparagraph 3*a*.1.

Page iv, following subparagraph 3*a* add the following:

a.1. *Explanation of Source, Maintenance, and Recoverability Codes (SMR).*

(1) *Source code.* Source codes indicate the manner of acquiring support items for maintenance, repair, or overhaul of end items. Source codes are entered in the first and second positions of the Uniform SMR Code format as follows:

Code	*Definition*
PA —	Item procured and stocked for anticipated or known usage.
PB —	Item procured and stocked for insurance purpose because essentiality dictates that a minimum quantity be available in the supply system.
PC —	Item procured and stocked and which otherwise would be coded PA except that it is deteriorative in nature.
PD —	Support item, excluding support equipment, procured for initial use or outfitting and stocked only for subsequent or additional initial issues or outfittings. Not subject to automatic replenishment.
PE —	Support equipment procured and stocked for initial issue or outfitting to specified maintenance repair activities.
PF —	Support equipment which will not be stocked but which will be centrally procured on demand.
PG —	Item procured and stocked to provide for sustained support for the life of the equipment. It is applied to an item peculiar to the equipment which, because of probable discontinuance or shutdown of production facilities, would prove uneconomical to reproduce at a later time.
KD —	An item of a depot overhaul/repair kit and not purchased separately. Depot kit defined as a kit that provides item required at the time of overhaul or repair.
KF —	An item of a maintenance kit and not purchased separately. Maintenance kit defined as a kit that provides an item that can be replaced at organizational or intermediate levels of maintenance.
KB —	Item included in both a depot overhaul/repair kit and a maintenance kit.
MO —	Item to be manufactured or fabricated at organizational level.
MF —	Item to be manufactured or fabricated at direct support maintenance level.
MH —	Item to be manufactured or fabricated at the general support maintenance level.
MD —	Item to be manufactured or fabricated at the depot maintenance level.
AO —	Item to be assembled at organizational level.
AF —	Item to be assembled at direct support maintenance level.
AH —	Item to be assembled at general support maintenance level.
XA —	Item is not procured or stocked because the requirements for the item will result in the replacement of the next higher assembly.
XB —	Item is not procured or stocked. If not available through salvage, requisition.
XC —	Installation drawing, diagram, instruction sheet, field

*This change supersedes C 1, 15 February 1973 and C 2, 9 October 1974.

Code	*Definition*
	service drawing, that is identified by manufacturers' part number.
XD —	A support item that is not stocked. When required, item will be procured through normal supply channels.

NOTE

Cannibalization or salvage may be used as a source of supply for any items coded above except those coded XA and aircraft support items restricted by AR 700-42.

(2) *Maintenance code.* Maintenance codes are assigned to indicate the levels of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the Uniform SMR Code format as follows:

(a) The maintenance code entered in the third position will indicate the lowest maintenance level authorized to remove, replace, and use the support item. The maintenance code entered in the third position will indicate one of the following levels of maintenance:

Code	*Application/Explanation*
C —	Crew or operator maintenance performed within organizational maintenance.
O —	Support item is removed, replaced, used at the organizational level.
F —	Support item is removed, replaced, used at the direct support level.
H —	Support item is removed, replaced, used at the general support level.
D —	Support items that are removed, replaced, used at depot, mobile depot, or specialized repair activity only.

(b) The maintenance code entered in the fourth position indicates whether the item is to be repaired and identifies the lowest maintenance level with the capability to perform complete repair (i.e., all authorized maintenance functions). This position will contain one of the following codes:

O —	The lowest maintenance level capable of complete repair of the support item is the organizational level.
F —	The lowest maintenance level capable of complete repair of the support item is the direct support level.
H —	The lowest maintenance level capable of complete repair of the support item is the general support level.
D —	The lowest maintenance level capable of complete repair of the support item is the depot level.
Z —	Nonrepairable. No repair is authorized.
B —	No repair is authorized. The item must be reconditioned by adjusting, lubricating, etc., at the user level. No parts or special tools are procured for the maintenance of this item.

(3) *Recoverability code.* Recoverability codes are assigned to support items to indicate the disposition action on unserviceable items. The recoverability code is entered in the fifth position of the Uniform SMR Code format as follows:

Recoverability Codes	*Definition*
Z —	Nonrepairable item. When unserviceable, condemn and dispose at the level indicated in position 3.
O —	Repairable item. When uneconomically repairable, condemn and dispose at organizational level.
F —	Repairable item. When uneconomically repairable, condemn and dispose at the direct support level.
H —	Repairable item. When uneconomically repairable, condemn and dispose at the general support level.
D —	Repairable item. When beyond lower level repair capability, return to depot. Condemnation and disposal not authorized below depot level.
L —	Repairable item. Repair, condemnation, and disposal not authorized below depot/specialized repair activity level.
A —	Item requires special handling or condemnation procedures because of specific reasons (i.e., precious metal content, high dollar value, critical material or hazardous material). Refer to appropriate manuals/directives for specific instructions.

Page vi, paragraph 7 is superseded as follows:

7. Reporting Errors and Recommending Improvements

You can help to improve this manual. If you find any mistakes or if you know of a way to improve the procedures, please let us know. Mail your letter or DA 2028 (Recommended Changes to Publications and Blank Forms) direct to: Commander, US Army Tank-Automotive Materiel Readiness Command, ATTN: DRSTA-MBP, Warren, MI 48090. A reply will be furnished direct to you.

Page 1, figure 1.

Item 3.

Column (2). Change "5305-576-5810" to "5305-00-059-3657".

Column (3). Add "MS51958-61 (96906)".

Item 7.

Column (1). Change "PO" to "XBOZZ".

Column (2). Delete "5310-985-4181".

Item 8.

Column (2). Change "5310-559-0070" to "5310-00-045-3299".

Column (3). Change "MS35333-38" to "MS35333-42".

Item 18, column (2). Change "6220-150-6375" to "6220-00-482-6916".

Page 2, figure 3, item 11, column (2). Change "5305-852-6899" to "5305-00-958-5245".

Page 4, figure 5.

Item 10.

Column (2) change "5310-543-5089" to "5310-00-768-0318."

Column (3) change "MS35690-802" to "MS51967-14."

Item 19.

Column (2). Change "5315-276-4347" to "5315-00-223-6167".

Column (3). Delete "MS35690-802 (96906)".

Page 5, figure 5, item 38, column (2). Change

"2520-778-0090" to "2530-00-628-1018".

Page 6, figure 6.

Item 8.

Column (1). Change "PO" to "XBOZZ".

Column (2). Delete "5310-042-6908".

Item 15.

Column (1). Change "PO" to "XBOZZ".

Column (2). Delete "5310-133-4130".

Page 7, figure 7.

Item 1.

Column (2). Change "5305-559-9202" to "5305-00-068-0500".

Column (3). Change "MS35297-3" to "MS90725-3".

Item 4.

Column (2). Change "5305-791-0518" to "5305-00-042-4335".

Column (3). Delete "AN520-10-8 (88044)".

Item 6, column (2). Change "5355-668-3768" to "5355-00-359-7656".

Item 8, column (2). Change "5310-182-5753" to "5310-00-402-4703".

Item 10, column (2). Change "6220-632-1538" to "5999-00-786-6822".

Page 8.

Figure 7.

Item 26, column (2). Change "5340-755-4999" to "5340-00-375-0505".

Item 28, column (2). Change "5305-590-3146" to "5305-00-984-4983".

Figure 8.

Item 3.

Column (2). Change "5305-978-9392" to "5305-00-269-3211".

Column (3). Change "SOCKET" to "HEXAGON".

Column (3). Change "MS16997-97" to "MS90725-60".

Item 6.

Column (2). Change "5305-680-4256" to "5305-00-724-5910".

Column (3). Change "MS35297-162" to "MS90725-162".

Page 9, figure 8, item 17.

Column (2). Change "5305-550-1310" to "5305-00-269-3211".

Column (3). Change "MS35297-60" to "MS90725-60".

Page 10, figure 9, item 21, column (2). Change "4730-082-5965" to "4730-00-018-9566".

Page 11.

Figure 9, following item 22 add the following:

Column (1), add "XBFZZ".

Column (3), add "SPACER".

Column (4), add "EA".

Column (5), add "1".

Column (10)(a), add "9".

Column (10)(b), add "23".

Figure 10.

Item 7.

Column (2). Change "5310-685-8213" to "5310-00-763-8912".

Column (3). Change "MS35691-1422" to "MS51968-25".

Item 15.

Column (1). Change "PH" to "XBHZZ".

Column (2). Delete "5305-855-3999".

Column (3). Change "MS35297-64" to "MS16997-101".

Page 12, figure 10.

Item 29.

Column (1). Change "X2H" to "PAHZZ".

Column (2). Add "5305-00-958-5246".

Column (3). Change "SCREW, MACHINE:" to "SCREW, MACHINE, FLAT HEAD:".

Column (3). Change "AN505UB416-12 (88044)" to "MS35190-289 (96906)".

Item 30.

Column (1). Change "X2H" to "PAHZZ".

Column (2). Add "5305-00-958-5246".

Column (3). Change "SCREW, MACHINE: BEARING PAD TO MAST AN5UB416-10 (88044)" to "SCREW, MACHINE, FLAT HEAD STL: BEARING PAD TO MAST, 1/420 THD SIZE, 3/4 IN. LG MS35190-289 (96906)".

Item 33.

Column (2). Change "5310-543-4971" to "5310-00-761-6882".

Column (3). Change "MS35960-411" to "MS51967-2".

Page 13.

Figure 10, item 50.

Column (2). Change "5310-721-5964" to "5310-00-763-8920".

Column (3). Change "MS35690-1005" to "MS51967-20".

Figure 11, item 2.

Column (2). Change "5305-253-8020" to "5305-00-725-0164".

Column (3). Change "MS51017-139" to "MS51963-139".

Page 14, figure 12, line 4.

Column (1). Change "P2F" to "XBFZZ".

Column (2). Delete "5961-488-9960".

Page 15, figure 12, item 27.

Column (1). Change "PF" to "XBFZZ".

Column (2). Delete "5910-400-9874".

Page 17, figure 13, line 9.

Column (1). Change "PF" to "XBFZZ".

Column (2). Delete "5950-402-9164".

Page 19, figure 13, item 43, column (2). Change "5940-406-7418" to "5940-00-497-1994".

Page 20, figure 13.

Item 61.

Column (2). Change "5305-558-7361" to

"5305-00-889-3002".

Column (3). Change "MS35223-42" to "MS35206-242".

Item 62, column (2) change "5310-559-0700" to "5310-00-559-0070".

Page 21, figure 14, item 4, column (2). Change "5970-156-7766" to "5970-00-156-7756".

Page 25.

Figure 15.

Item 6.

Column (2). Change "5305-591-3324" to "5305-00-989-7435".

Column (3). Change "AN505-416-12 (88044)" to "MS35207-264 (96906)".

Item 13.

Column (1). Change "PO" to "XBOZZ".

Column (2). Delete "5920-952-4080".

Figure 16, line 18.

Column (1). Change "P2F" to "XBFZZ".

Column (2). Delete "5950-402-9163".

Page 29, figure 17, item 2, column (2). Change "5935-384-0375" to "5975-00-284-6976".

Page 31, figure 17.

Item 38.

Column (2). Change "5306-550-1318" to "5306-00-637-9674".

Column (3). Delete "MS35297-36 (96906)".

Line 19, column (2). Change "5940-406-7411" to "5975-00-826-5701".

Page 32, line 20, column (2). Add "5970-00-431-8599".

Page 34, figure 18.

Item 18, column (2). Change "2590-403-0908" to "2590-00-221-8924".

Item 19.

Column (2). Change "5310-722-5284" to "5310-00-934-9747".

Column (3). Change "MS35649-42" to "MS35649-262".

Page 35, figure 19.

Item 3, column (2). Change "5315-662-9585" to "5315-00-845-4232".

Item 10.

Column (2). Change "5315-935-0632" to "5315-00-823-8747".

Column (3). Add "MS16562-218 (96906)".

Page 37, figure 20, item 28, column (3). Change "MRIS800A (20989)" to "S800A2 (07047)".

Page 39.

Figure 21, item 9, column (2). Change "5930-099-2203" to "5930-00-089-2203".

Figure 22.

Item 2.

Column (1). Change "PO" to "XBOZZ".

Column (2). Delete "5340-927-9076".

Item 11, column (2). Change "3930-375-1445" to "5330-00-948-6482".

Item 14, column (2). Change "5310-012-3221" to "5310-00-732-0558".

Page 40, figure 22, item 21, column (2). Change "3930-867-1464" to "5305-00-471-3909".

Page 42.

Figure 23, item 22, column (2). Change "5340-435-2455" to "5340-00-985-0823".

Figure 24, item 2, column (2). Change "5330-599-3203" to "5330-00-291-6658".

Page 46, figure 26, item 45, column (2). Change "4730-489-5729" to "4730-00-089-2515".

Page 48, figure 28.

Item 5, column (2). Change "4730-691-2481" to "4730-00-954-1281".

Item 22, column (2). Change "5330-168-5996" to "5330-00-168-5496".

Page 49, figure 29, item 5, column (2). Add "3020-00-431-6344".

Page 50, figure 30, item 14.

Column (1). Change "PF" to "XBFZZ".

Column (2). Delete "5315-261-3585".

Page 51, figure 31.

Item 20, column (2). Change "5305-791-0518" to "5305-00-989-7434".

Item 23, column (2). Add "5315-00-182-5738".

Item 25, column (2). Add "3110-00-109-1155".

Page 52, figure 31, item 50.

Column (1). Change "PF" to "XBFZZ".

Column (2). Delete "5970-406-7401".

Page 53, figure 32, item 2.

Column (2). Change "5310-655-9375" to "5310-00-842-7783".

Column (3). Change "MS35692-1022" to "MS35692-53".

Page 54, figure 33.

Item 2, column (2). Change "5305-855-3999" to "5305-00-988-7846".

Item 6.

Column (2). Change "5305-855-0947" to "5305-00-068-0522".

Column (3). Change "AN504-6-10 (88044)" to "MS35206-260 (96906)".

Item 8, column (2). Change "5310-275-0904" to "5310-00-220-6740".

Item 19.

Column (1). Change "PO" to "XBOZZ".

Column (2). Delete "5815-412-8824".

Page 55, figure 33.

Item 21.

Column 2. Change "5305-281-5890" to "5305-00-050-6909".

Column (3). Change "145111 (52788)" to "MS24621-66 (96906)".

Item 30, column (2) change "5310-012-4929" to "5310-00-835-2036".

Page 56.

Figure 33, item 43, column (2) change "2530-026-3988" to "3110-00-100-6152".

Figure 34.

Item 9, column (2). Change "5310-813-0407" to "5310-00-835-2140".

Item 12, column (2). Change "2530-483-4491" to "2530-00-483-4991".

Page 57, figure 34, item 35.

Column (1). Change "PF" to "XBFZZ".

Column (2). Delete "5310-247-4298".

Page 58, figure 34, item 48, column (2). Change "2520-741-6784" to "3110-00-949-1438".

Page 59, figure 35. Following item 8 add the following:

Column (1), add "PAFZZ".

Column (2), add "5310-00-809-5997".

Column (3), add "WASHER, FLAT ROUND: GENERAL PURPOSE, 7/16 ID, MS27183-17 (96906)".

Item 14.

Column (2). Change "5305-056-9959" to "5305-00-984-6208".

Column (3). Change "MS35240-7" to "MS35206-261".

Item 20, column 2. Change "5330-078-5279" to "5330-00-168-5491".

Page 60, figure 35.

Item 25.

Column (2). Change "5310-019-0491" to "5315-00-234-1627".

Column (3). Change "MS24665-372" to "MS24665-391".

Item 30, column (2). Change "3040-488-8545" to "2530-00-678-3909".

Item 33.

Column (2). Change "5305-256-9423" to "5305-00-724-5884".

Column (3). Change "MS51017-103" to "MS51963-103".

Item 41.

Column (2). Change "5306-182-1399" to "5306-00-151-3252".

Column (3). Change "AN178-13" to "AN178-13A".

Page 61.

Figure 36, item 4.

Column (2) change "5305-725-0147" to "5305-00-724-6832".

Column (3) change "MS90727-142" to "MS90726-142".

Figure 37, item 2.

Column (2) change "5305-579-0975" to "5305-00-984-4982".

Column (3), Change "AN515-6-3 (88044)" to "MS35206-225 (96906)".

Page 62, figure 37.

Item 13, column (2) change "5305-791-0518" to "5305-00-989-7434".

Item 18.

Column (1) change "PF" to "PAFZZ".

Column (2) add "3110-00-109-1155".

Page 63, figure 37.

Item 36.

Column (1) change "PF" to "PAFZZ".

Column (2) add "5935-00-432-0105".

Item 37.

Column (1) change "PF" to "PAFZZ".

Column (2) add "5935-00-432-0106".

Item 41.

Column (1) change "PF" to "XBFZZ".

Column (2) delete "5970-406-7401".

Page 64, figure 38, item 5, column (2). Change "5315-791-6108" to "5315-00-931-8629".

Page 65, figure 38.

Item 20.

Column (1). Change "PF" to "PAFZZ".

Column (2). Add "5360-00-230-1905".

Item 23.

Column (2). Change "5310-880-7747" to "5310-00-880-7744".

Column (3). Change "MS35690-502" to "MS51967-5".

Page 66, figure 39, item 12, column (2). Change "2530-489-5866" to "2530-00-312-0762".

Page 67, figure 39, item 27.

Column (2). Change "5306-208-1025" to "5306-00-637-9675".

Column (3). Change "S256 (78599)" to "MS35307-32 (96906)".

Page 70, figure 39.

Item 73, column (2). Change "2530-848-1305" to "3110-00-100-0220".

Item 75, column (2). Change "2520-303-7860" to "2520-00-303-9860".

Page 71, figure 40.

Item 27, column (2). Change "2520-499-9007" to "3020-00-847-9911".

Item 34.

Column (2). Change "4730-010-3875" to "4730-00-221-2140".

Column (3). Change "P212 (78500)" to "MS20913-6S (96906)".

Page 73, figure 41, item 31.

Column (2). Change "5320-281-9044" to "5320-00-147-1552".

Column (3). Delete "MS20426A8-8 (96906)".

Page 76, line 24, column (2). Change "2530-489-5794" to "2530-00-529-4209".

Page 85. Figure 9 is superseded as follows.



Figure 9. Lift cylinder

All changes, additions, or deletions of stock numbers, manufacturer's codes, and part numbers with this change should be appropriately reflected in the index.

By Order of the Secretary of the Army:

E. C. MEYER
General, United States Army
Chief of Staff

Official:

J. C. PENNINGTON
Major General, United States Army
The Adjutant General

Distribution:
To be distributed in accordance with DA Form 12-25A, Direct and General Support Maintenance requirements for Warehouse Equipment.

TECHNICAL MANUAL
No. 10-3930-611-35P

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D.C., *7 April 1971*

DIRECT AND GENERAL SUPPORT AND DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LISTS

TRUCK, FORK LIFT, ELECTRIC, SOLID RUBBER TIRES, 6000 LB CAPACITY, 180 IN. LIFT (DREXEL DYNAMICS MODEL FL60-EE5600) (ARMY MODEL MHE206) FSN 3930-935-7867

Current as of 30 March 1971

			Listing Page	Illus Figure
SECTION	I.	INTRODUCTION	iii	
	II.	REPAIR PARTS FOR DS, GS, AND DEPOT MAINTENANCE	1	
Group	01	Lights	1	
		Vehicle lights		01
	02	Overhead Guard, Seat, and Floor Plates	2	
		Overhead guard		02
		Floor plates and accelerator pedal		03
		Operators seat		04
		Seat support and safety controls		05
	03	Manual Controls	6	
		Directional switch control cable		06
		Directional switch		07
	04	Mast and Carriage	8	
		Lift forks and cylinder yoke		08
		Lift Cylinder		09
		Lift Mast		10
		Lift fork carrier		11
	05	Control box and wiring	13	
		Silicon control rectifier		12
		Forward-reverse contactor		13
		Line and pump contactors		14
		Fuse blocks		15
		Shorting contactor		16
		Control box assembly		17
	06	Console	33	
		Console, horn and emergency switch		18
		Accelerator controls		19
		Accelerator switch		20
		Stack valve installation		21
		Stack valve assembly		22
	07	Service brake controls	41	
		Brake controls and tubing		23
		Master brake cylinder		24
	08	Hydraulic system	43	
		Hydraulic filter		25
		Hydraulic lines and fittings		26
		Tilt cylinder		27
		Hydraulic reservoir		28
		Hydraulic pump coupling		29
		Hydraulic pump		30

		Listing Page	Illus Figure
	Hydraulic pump motor		31
Group 09	Steering system	53	
	Steering drag link		32
	Steering gear		33
	Steering booster		34
	Steering axle assembly		35
10	Drive axle	61	
	Drive axle assembly		36
	Drive axle motor assembly		37
	Drive axle brake and motor support		38
	Drive wheel, brakes and outer housing		39
	Drive axle gears and pinion		40
11	Frame and Battery Compartment	72	
	Frame, battery and compartment		41
12	Kits and sets	74	
SECTION III.	SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT FOR DS, GS, AND DEPOT MAINTENANCE (Not applicable).		
IV.	FEDERAL STOCK NUMBER AND REFERENCE NUMBER INDEX	118	

SECTION I

INTRODUCTION

1. Scope

This manual lists repair parts required for the performance of direct support, general support, and depot maintenance of the truck, fork lift.

2. General

This Repair Parts and Special Tools List is divided into the following sections:

a. Repair Parts—Section II. A list, in figure and item number sequence, of repair parts authorized for the performance of maintenance at the direct support, general support, and depot level, including those items which must be removed for replacement of the authorized item. Items, except kits and sets, are listed by assembly groups in top down breakdown sequence. Repair parts kits and sets are listed separately as Group 12 at the end of the Repair Parts List without regard to the assembly group to which they belong. Components of the kits and sets are listed in their proper sequence in the assembly group to which they belong and are referenced to the FSN of the kit or set.

b. Special Tools, Test and Support Equipment —Section III. (Not applicable).

c. Federal Stock Number and Reference Number Index—Section IV. A list of Federal stock numbers in ascending numerical sequence followed by a list of reference numbers in ascending alpha-numeric sequence, cross-referenced to the illustration figure number and item number.

NOTE

Items not illustrated are cross-referenced to group number.

3. Explanation of Columns

The following provides an explanation of columns in the tabular lists in sections II.

a. Source, Maintenance and Recoverability Code (SMR).

(1) Source code indicates the source for the listed items. Source Codes are:

Code	*Explanation*
P	Repair parts supplied from GSA/DSA, or Army supply system, and authorized for use at indicated maintenance categories.
P2	Repair Parts which are procured and stocked for insurance purposes because the combat or military essentiality of the end item dictates that a minimum quantity be available in the supply system.
M	Repair Parts, which are not procured or stocked, as such, in the supply system but are to be manufactured at indicated maintenance levels.
A	Assemblies which are not procured or stocked as such, but are made up of two or more units. Such component units carry individual stock numbers and descriptions, are procured and stocked separately and can be assembled to form the required assembly at indicated maintenance categories.
X	Parts and assemblies that are not procured or stocked because the failure rate is normally below that of the applicable end item or component. The failure of such part or assembly should result in retirement of the end item from the supply system.
X1	Repair parts which are not procured or stocked. The requirement for such items will be filled by the next higher assembly or component.
X2	Repair Parts which are not stocked and have no foreseen mortality. The indicated maintenance category requiring such repair parts will attempt to obtain the parts through cannibalization or salvage, the item may be requisitioned with exception data, from the end item manager, for immediate use.
G	Major assemblies that are procured with PEMA funds for initial issue only as exchange assemblies at DSU and GSU level. These assemblies will not be stocked above DS and GS level or returned to depot supply level.

(2) Maintenance code indicates the lowest category of Maintenance authorized to install the listed item. The maintenance level codes are:

Code	*Explanation*
C	Operator/Crew maintenance
O	Organizational Maintenance
F	Direct Support maintenance
H	General support maintenance
D	Depot maintenance

(3) Recoverability code indicates whether unserviceable items should be returned for re-

covery or salvage. Items not coded are expendable. Recoverability codes are:

Code	Explanation
R	Applied to repair parts, (assemblies and components) which are considered economically reparable at direct and general support maintenance levels. When the item is no longer economically reparable, it is normally disposed of at the GS level. When supply consideration dictate, some of the repair parts may be listed for automatic return to supply for depot level repair as set forth in AR 710–50. When so listed, they will be replaced by supply on an exchange basis.
S	Repair Parts and assemblies which are economically reparable at DSU and GSU activities and which normally are furnished by supply on an exchange basis. When items are determined by a GSU to be uneconomically reparable, they will be evacuated to a depot for evaluation and analysis before final disposition.
T	Higher dollar value recoverable repair parts which are subject to special handling and are issued on an exchange basis. Such items will be repaired or overhauled at depot maintenance activities only. No repair may be accomplished at lower levels.
U	Repair Parts specifically selected for salvage by reclamation units because of precious metal content, critical materials, high dollar value or reusable casings or castings.

b. Federal Stock Number. This column indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.

c. Description. This column indicates the Federal item name and a minimum characteristic description required to describe the item. Assembly components and subassemblies are indented under major assemblies. A part number or other reference number is followed by the applicable five-digit Federal supply code for manufacturer in parenthesis. Repair part quantities included in kits and sets are shown in front of the repair part name. Material required for manufacture or fabrication is identified.

d. Unit of Measure (U/M). A two-character alphabetic abbreviation indicating the amount or quantity of the item, as used, upon which the allowances are based, e.g., ft, ea, pr, etc.

e. Quantity Incorporated in Unit. This column indicates the quantity of the item used in the assembly group. A "V" appearing in this column in lieu of a quantity indicates that a definite quantity cannot be indicated (e.g., shims, spacers, etc.).

f. Thirty-Day DS/GS Maintenance Allowances.

NOTE

Allowances in the GS column are for GS maintenance only.

(1) The allowance columns are divided into three subcolumns. Indicates in each subcolumn, opposite the first appearance of each item, is the total quantity of items authorized for the number of equipments supported. Subsequent appearances of the same item will have the letters "REF" in the applicable allowance columns indicating total allowance quantities will be shown with the first appearance of the item. To locate the referenced item, locate the FSN or reference number in the index. The earliest figure and item number is the referenced item. Items authorized for use as required but not for initial stockage are identified with an asterisk in the allowance column.

(2) The quantitive allowances for DS/GS levels of maintenance will represent initial stockage for a 30-day period for the number of equipments supported.

(3) To determine allowances when supporting more than 100 of these equipments: First, divide the number of equipments supported by 100 by moving the decimal two places left; second, multiply the result by the quantity in the 51–100 density column. Example, authorized allowances for 51–100 equipments is 40; for 150 equipments multiply 40 by 1.50 or 60 parts required.

g. One-Year Allowances Per 100 Equipments/ Contingency Planning Purposes. This column indicates opposite the first appearance of each item the total quantity required for distribution and contingency planning purposes. Subsequent appearances of the same item will have the letters "REF" in this column. To locate the referenced item, locate the FSN or reference number in the index. The earliest figure and item number is the referenced item. The range of items indicates total quantities of all authorized items required to provide adequate support of 100 equipment for one year.

h. Depot Maintenance Allowance Per 100 Equipments. This column indicates opposite the first appearance of each item the total quantity authorized for depot maintenance of 100 equipments. Subsequent appearances of the same item will have the letters "REF" in the allowance column. To locate the referenced item, locate the FSN or reference number in the index. The earliest figure and item number is the referenced item. Items authorized for use as required but not for initial stockage are identified with an asterisk in the allowance column.

i. Illustration. This column is divided as follows:

(1) *Figure number.* Indicates the figure number of the illustration on which the item is shown.

(2) *Item number.* Indicates the callout number used to reference the item in the illustration.

4. Special Information

a. Repair parts mortality has been based on 3000 hours of operation per year.

b. Parts which require manufacture or assembly at a category higher than that authorized for installation will indicate in the source column the higher category.

c. Action change codes indicated in the lefthand margin of the listing page denote the following:
(Not applicable).

d. The following publications pertain to the truck, fork lift and its components:

LO-10-3930-611-12	Lubrication Order
TM 10-3930-611-12	Operator and organizational maintenance manual
TM 10-3930-611-20P	Organizational maintenance repair parts and special tools lists
TM 10-3930-611-35	Direct support, general support and depot maintenance manual

5. How to Locate Repair Parts

a. When Federal Stock Number, or Reference Number or Part Number is Unknown:

(1) Using the table of contents, determine the assembly group within which the repair part belongs. This is necessary since illustrations are prepared for assembly groups, and listings are divided into the same groups.

(2) Find the illustration covering the assembly group to which the repair part belongs.

(3) Identify the repair part on the illustration and note the illustration figure number and item number of the repair part.

(4) Using the Repair Parts Listing, find the assembly group to which the repair part belongs and locate the illustration figure and item number noted on the illustration.

b. When the Federal Stock Number, Reference Number, or Part Number is Known:

(1) Using the Index of Federal Stock Numbers, Reference Numbers, and/or Part Numbers find the pertinent Federal stock number, reference number, and/or part number. This index is in ascending FSN sequence followed by a list of reference numbers or part numbers in ascending alpha-numeric sequence, cross-referenced to the illustration figure number and item number.

(2) Using the Repair Parts Listing, find the assembly group of the repair part and the illustration figure number and item number referenced in the Index of Federal stock Numbers, Reference Numbers, or Part Numbers.

c. When the Federal Stock Number, Reference Number, or Part Number is Known and the Repair Part is not Illustrated:

(1) Using the Index of Federal Stock Numbers, reference Numbers, or Part number in the section titled Items not Illustrated and note the group number. This section is in ascending FSN sequence followed by a list of reference numbers or part numbers in alpha-numeric sequence, cross-referenced to assembly group number.

(2) Using the Table of Contents, locate the assembly group number and page number.

(3) Using the applicable group number and page number, locate the pertinent FSN, reference number, or part number in the Repair Parts Listing. Items which are not illustrated are listed at the end of the assembly group to which they belong.

6. Federal Supply Codes for Manufacturers

Code	*Manufacturer*
01288	General Electric Co.
01599	Reid Tool Supply Co.
02989	General Electric Co.
03743	Appleton Electric Co.
03890	Markel L. Frank and Sons
04255	Weatherhead Co., The
07443	Drexel Dynamics Corp.
09704	Seats Inc.
12190	Pawl and Munroe Hydraulics Inc.
13174	Eastman Division Imperial-Eastman Group I-T-T Imperial Corp.
14859	Texas Instrument Inc. Dept. of Control Products Div.
14892	Bendix Corp. The Brake and Steering Division
15840	Danly Machine Corp.
21003	Sparton Mfg. Co.
22132	Dyson Jos. and Sons Inc.
24617	General Motors Corp.
27473	Oil Filter Co. Inc.
32676	B and H Machine Inc.
41625	Morse Controls Inc.
43334	New Departure-Hyatt Bearings Division General Motors Corp.
43766	Nice Ball Bearing Co.
52788	Saginaw Steering Gear Division of General Motors Corp.
59730	Thomas and Betts Co., The
60038	Timken Roller Bearing Co.
60399	Torin Corp.
62983	Vickers Aerospace Division of Vickers Division of Sperry Rand Corp.

Code	Manufacturer
63477	Wagner Electric Corp. Wagner Division
70901	Beemer Engineering Co.
70903	Belden Corp.
71041	Boston Gear Works Div. of North American Rockwell Corp.
71400	Bussmann Mfg. Div. of McGraw & Edison Co.
71843	Porter H K Co. Inc.
73680	Garlock Inc.
74400	Hobbs, John W.
76255	Eaton Yale and Towne Inc. McQuay & Norris Division
77915	Sheller-Globe Corp. Steering Wheel Div.
78422	Speaker JW
78500	North American Rockwell Corp. Transmission and Axle Div.
79136	Waldes Kohinoor Inc.
80204	American National Standards Institute
80495	Anderson Power Products Inc.
81349	Military Specifications
81487	Square D Co. Industrial Controller Div.
82879	ITT Wire and Cable Div.
84830	Lee Spring Co. Inc.
85757	Moore, Samuel and Co.
88044	Aeronautical Standards Group
88486	Plastic Wire and Cable Corp.
91929	Honeywell Inc. Building Controls and Components Group
92850	Anchor Industries Inc.
92867	Orschel Brake Lever Mfg. Co.
92985	L and L Mfg. Co.
96906	Military Standards
98403	Agastat Div. of Amerace Esna Corp.

7. Recommendations for Maintenance Publication Improvements

Report of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications), and forwarded direct to Commanding General, U.S. Army Mobility Equipment Command, ATTN: AMSME-MPP, 4300 Goodfellow Boulevard, St. Louis, MO 63120.

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
		SECTION II - REPAIR PARTS FOR DS, GS, AND DEPOT MAINTENANCE													
		GROUP 01-LIGHTS													
P	O	5310-042-6903	NUT, PLAIN, HEXAGON: CABLE CLAMP, NO. 10-32 THD SIZE	EA	1	*	*	*	*	*	*	*	*	1	1
P	O	5310-576-5752	WASHER, LOCK: CABLE CLAMP MTG, NO. 10 SCREW SIZE MS35333-39 (96906)	EA	6	*	*	*	*	*	*	*	*	1	2
P	O	5305-576-5810	SCREW, MACHINE: CABLE CLAMP MTG, NO. 10-32 THD SIZE, 3/8 IN. LG	EA	6	*	*	*	*	*	*	*	*	1	3
X2	O		CLAMP, CABLE: HEADLIGHT 5626-73 (07443)	EA	6									1	4
P	O	6220-183-0742	HEADLIGHT: 36V KG5520 (78422)	EA	1	*	1	1	*	1	1	12	10	1	5
P	O	6240-635-4406	LAMP, SEALED UNIT: HEADLIGHT 4589 (80204)	EA	1	1	2	4	1	2	4	48	20	1	6
P	O	5310-985-4181	NUT, PLAIN, HEXAGON: CABLE CLAMP MTG, NO. 8-32 THD SIZE	EA	4	*	*	*	*	*	*	*	*	1	7
P	O	5310-559-0070	WASHER, LOCK: CABLE CLAMP MTG, NO. 8 SCREW SIZE MS35333-38 (96906)	EA	4	*	*	*	*	*	*	*	*	1	8
P	O	5305-984-6191	SCREW, MACHINE: CABLE CLAMP MTG, NO. 8-32 THD SIZE, 3/8 IN. LG MS35206-243 (96906)	EA	4	*	*	*	*	*	*	*	*	1	9
X2	O		CLAMP, CABLE: TAILLIGHT CABLE 5626-73 (07443)	EA	4									1	10
P	O	5305-068-0501	SCREW, CAP, HEXAGON HEAD: TAILLIGHT BRACKET TO FRAME, 1/4-20 THD SIZE, 5/8 IN. LG MS90725-5 (96906)	EA	4	*	*	*	*	*	*	*	*	1	11
P	O	5310-582-5965	WASHER, LOCK: TAILLIGHT BRACKET TO FRAME, 1/4 IN. SCREW SIZE AN935-416 (88044)	EA	4	*	*	*	*	*	*	*	*	1	12
P	O	5310-761-6882	NUT, PLAIN, HEXAGON: TAILLIGHT TO BRACKET, 1/4-20 THD SIZE MS51967-2 (96906)	EA	2	*	*	*	*	*	*	*	*	1	13
P	O	5310-582-5965	WASHER, LOCK: TAILLIGHT TO BRACKET, 1/4 IN. SCREW SIZE AN935-416 (88044)	EA	2	*	*	*	*	*	*	*	*	1	14
P	O	5325-276-6228	GROMMET, RUBBER: TAILLIGHT LEAD MS35489 (96906)	EA	1	1	2	4	1	2	4	48	100	1	15
X2	O		BRACKET, TAILLIGHT 5702 (07443)	EA	1									1	16
P	O	6220-183-0363	TAILLIGHT: VECHICULAR, 36 V 5626-69 (07443)	EA	1	*	*	1	*	*	1	6	12	1	17
P	O	6220-150-6375	LENS, TAILLIGHT 3042 (78422)	EA	1	*	1	1	*	1	1	12	20	1	18
P	O	6240-931-6679	LAMP, INCANDESCENT: TAILLIGHT 110 (02989)	EA	1	1	2	4	1	2	4	48	20	1	19

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P O	6240-299-3985	LAMP, INCANDESCENT: STOPLIGHT 1150 (02989)	EA	1	1	2	4	1	2	4	48	20	1	20
		GROUP 02-OVERHEAD GUARD, SEAT AND FLOOR PLATES												
P O	5305-988-1721	SCREW, MACHINE: EXTINGUISHER MTG, 1/4-20 THD SIZE, 3/8 IN. LG MS35206-277 (96906)	EA	2	*	*	*	*	*	*	*	*	2	1
P O	5310-543-2628	NUT, PLAIN, HEXAGON: OVERHEAD GUARD MTG, 3/8-16 THD SIZE MS35690-602 (96906)	EA	4	*	*	*	*	*	*	*	*	2	2
P O	5310-637-9541	WASHER, LOCK: OVERHEAD GUARD MTG, 3/8 IN. SCREW SIZE AN935-616 (88044)	EA	4	*	*	*	*	*	*	*	*	2	3
P O	5305-269-3219	SCREW, CAP, HEXAGON HEAD: OVERHEAD GUARD MTG, 3/8-16 THD SIZE, 2-3/4 IN. LG MS90725-69 (96906)	EA	4	*	*	*	*	*	*	*	*	2	4
X2 O		GUARD, OVERHEAD 5113 (07443)	EA	1									2	5
P O	5315-815-1405	PIN, COTTER: ACCELERATOR PEDAL TO ROD MS24665-15 (96906)	EA	1	*	*	*	*	*	*	*	*	3	1
P O	5315-429-1561	PIN, STRAIGHT HEADED: ACCELERATOR PEDAL TO SHAFT, 5/16 IN. DIA, 15/16 IN. LG MS20392-4C31 (96906)	EA	1	*	*	*	*	*	*	*	*	3	2
P O	5305-068-0500	SCREW, CAP, HEXAGON HEAD: ACCELERATOR PEDAL MTG, 1/4-20 THD SIZE, 1/2 IN. LG MS90725-3 (96906)	EA	2	*	*	*	*	*	*	*	*	3	3
P O	5310-582-5965	WASHER, LOCK: ACCELERATOR PEDAL MTG, 1/4 IN. SCREW SIZE AN935-416 (88044)	EA	2	*	*	*	*	*	*	*	*	3	4
P O	2540-402-8320	PEDAL, ACCELERATOR 5708 (07443)	EA	1	*	*	1	*	*	1	6	6	3	5
P O	5310-761-6882	NUT, PLAIN, HEXAGON: FLOORPLATE MTG, 1/4-20 THD SIZE MS51967-2 (96906)	EA	2	*	*	*	*	*	*	*	*	3	6
P O	5310-582-5965	WASHER, LOCK: FLOORPLATE MTG, 1/4 IN. SCREW SIZE AN935-416 (88044)	EA	6	*	*	*	*	*	*	*	*	3	7
P O	5310-809-4058	WASHER, FLAT: FLOORPLATE MTG, 1/4 IN. SCREW SIZE MS27183-10 (96906)	EA	6	*	*	*	*	*	*	*	*	3	8
P O	5305-068-0502	SCREW, CAP, HEXAGON HEAD: FLOORPLATE MTG, 1/4-20 THD SIZE, 3/4 IN. LG MS90725-6 (96906)	EA	2	*	*	*	*	*	*	*	*	3	9
P O	5305-068-7837	SCREW, CAP, HEXAGON HEAD: FLOORPLATE MTG, 1/4-20 THD SIZE, 5/8 IN. LG MS90728-5 (96906)	EA	4	*	*	*	*	*	*	*	*	3	10
P O	5305-852-6899	SCREW, MACHINE: FLOORPLATE MTG, 1/4-20 THD SIZE, 5/8 IN. LG	EA	2	*	*	*	*	*	*	*	*	3	11
X2 O		PLATE, FLOOR: REAR 5632-1 (07443)	EA	1									3	12

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
X2 O		PLATE, FLOOR: LEFT SIDE FRONT 5632-3 (07443)	EA	1									3	13
P O	4720-459-2682	HOSE, RUBBER, SLOTTED: FLOORPLATE 5632-6 (07443)	EA	1	*	1	1	*	1	1	12	100	3	14
P O	5310-543-2628	NUT, PLAIN, HEXAGON: ACCELERATOR PEDAL STOP 3/8-16 THD SIZE MS35690-602 (96906)	EA	2	*	*	*	*	*	*	*	*	3	15
P O	5305-269-3215	SCREW, CAP, HEXAGON HEAD: ACCELERATOR PEDAL STOP, 3/8-16 THD SIZE, 1-3/4 IN. LG MS90725-4 (96906)	EA	1	*	*	*	*	*	*	*	*	3	16
X2 O		PLATE, FLOOR: RIGHT HAND 5632-2 (07443)	EA	1									3	17
X2 O		SEAT, ASSEMBLY: OPERATOR 5685 (07443)	EA	1									4	
P O	5310-880-7746	NUT, PLAIN, HEXAGON: SEAT SLIDE TO PLATE, 5/16-24 THD SIZE MS51968-5 (96906)	EA	4	*	*	*	*	*	*	*	*	4	1
P O	5310-407-9566	WASHER, LOCK: SEAT SLIDE TO PLATE, 5/16 IN. SCREW SIZE AN935-516 (88044)	EA	4	*	*	*	*	*	*	*	*	4	2
P O	5310-177-0978	WASHER, FLAT: SEAT SLIDE TO FRAME, 5/16 IN. SCREW SIZE MS25440-5 (96906)	EA	.4	*	*	*	*	*	*	*	*	4	3
P O	5305-696-5110	SCREW, ASSEMBLED WASHER: SEAT AND BACKREST MTG, 1/4-20 THD SIZE, 3/4 IN. LG 7-196 (09704)	EA	5	*	*	*	*	*	*	*	*	4	4
P O	2540-195-0225	CUSHION, SEAT 905-15447C (09704)	EA	1	*	*	*	*	*	*	5	10	4	5
P O	2540-488-8608	BACKREST, SEAT 905-15447B (09704)	EA	1	*	*	*	*	*	*	5	10	4	6
X2 O		SCREW, FILLISTER HEAD: SLIDE TO SHELL, 5/16-24 THD SIZE, 7/8 IN. LG 7-55 (09704)	EA	4									4	7
X2 O		SHELL, SEAT 905-15447K (09704)	EA	1									4	8
X2 O		SLIDE, LEFT HAND 12716 (09704)	EA	1									4	9
P O	5340-118-6459	SPRING, SPECIAL: SLIDE ADJUSTOR 24XSP (09704)	EA	1	*	1	1	*	1	1	12	6	4	10
X2 O		ADJUSTOR SLIDE: RIGHT HAND 6732WR (09704)	EA	1									4	11
P O	5305-983-7461	SCREW, CAP, SOCKET HEAD: SEAT SUPPORT MTG, 1/2-13 THD SIZE, 1-1/4 IN. LG MS16997-142 (96906)	EA	2	*	*	*	*	*	*	*	*	5	1
P O	5310-809-5998	WASHER, FLAT: SEAT SUPPORT MTG, 1/2 IN. SCREW SIZE MS27183-18 (96906)	EA	2	*	*	*	*	*	*	*	*	5	2
X2 O		PLATE, SEAT 5718 (07443)	EA	1									5	3

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO.	(b) ITEM NO.
X2 O		SUPPORT, SEAT 5068 (07443)		EA	1									5	4
P O	5930-823-2054	SWITCH, SENSITIVE: SEAT ACTIVATED BZE6-2RN2 (91929)		EA	1	*	1	1	*	1	1	12	6	5	5
P O	5305-984-6223	SCREW, MACHINE: SWITCH MTG, NO. 6-32 THD SIZE, 1-1/2 IN. LG AN515-6-24 (88044)		EA	2	*	*	*	*	*	*	*	*	5	6
X2 O		WASHER, LOCK: SWITCH MTG NO. 6 SCREW SIZE DD10002 (91929)		EA	2									5	7
P O	5315-815-1405	PIN, COTTER: CABLE TO BRAKE CRANK MS24665-148 (96906)		EA	2	*	*	*	*	*	*	*	*	5	8
P O	5315-291-2098	PIN, CLEVIS: CABLE TO BRAKE CRANK 2708-1-2-4A (71843)		EA	2	*	*	*	*	*	*	*	*	5	9
P O	5310-543-5089	NUT, PLAIN, HEXAGON: SUPPORT TO FRAME, 1/2-13 THD SIZE MS35690-802 (96906)		EA	4	*	*	*	*	*	*	*	*	5	10
P O	5310-584-5272	WASHER, LOCK: SUPPORT TO FRAME, 1/2 IN. SCREW SIZE AN935-816 (88044)		EA	4	*	*	*	*	*	*	*	*	5	11
P O	5305-782-9495	SCREW, CAP, HEXAGON HEAD: SUPPORT TO FRAME, 1/2-13 THD SIZE, 1-1/4 IN. LG MS90725-111 (96906)		EA	4	*	*	*	*	*	*	*	*	5	12
P O	5310-543-2628	NUT, PLAIN, HEXAGON: PULLEY TO SEAT BRACKET, 3/8-16 THD SIZE MS35690-602 (96906)		EA	1	*	*	*	*	*	*	*	*	5	13
P O	5310-637-9541	WASHER, LOCK: PULLEY TO SEAT BRACKET, 3/8 IN. SCREW SIZE AN935-616 (88044)		EA	1	*	*	*	*	*	*	*	*	5	14
P O	5306-207-8373	BOLT, MACHINE: PULLEY TO SEAT BRACKET, 3/8-16 THD SIZE, 3 IN. LG		EA	1	*	*	*	*	*	*	*	*	5	15
X2 O		SPACER, PULLEY 5682-81 (07443)		EA	1									5	16
P O	3020-402-8238	PULLEY: CONTROL CABLE 2012-1 (43766)		EA	2	*	1	1	*	1	1	12	12	5	17
P O	5315-815-1405	PIN, COTTER: CABLE TO ROD PIN MS24665-145 (96906)		EA	1	*	*	*	*	*	*	*	*	5	18
P O	5315-276-4347	PIN, CLEVIS: CABLE TO ROD 2708-1-2-1A (71843)		EA	1	*	*	*	*	*	*	*	*	5	19
X2 O		CABLE ASSEMBLY: BRAKE CRANK TO SEAT BRAKE CONTROL ROD 5337-1 (07443)		EA	1									5	20
P O	5340-917-6631	CLEVIS, ROD END: CABLE 2708-2A (71843)		EA	1	*	1	1	*	1	1	12	12	5	21
P O	5310-769-0319	NUT, PLAIN, HEXAGON: CABLE, 1/4-28 THD SIZE MS51968-2 (96906)		EA	1	*	*	*	*	*	*	*	*	5	22
P O	5315-234-1863	PIN, COTTER: ROD AND LEVER MS24665-299 (96906)		EA	2	*	*	*	*	*	*	*	*	5	23
P O	5310-080-6004	WASHER, FLAT: LEVER TO SEAT BRACKET, 0.406 IN. ID MS27183-14 (96906)		EA	1	*	*	*	*	*	*	*	*	5	24

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P O	5315-291-2098	PIN, CLEVIS: CONTROL ROD TO LEVER 2708-1-2-4A (71843)		EA	1	X	X	X	X	X	X	X	X	5	25
P O	5310-543-2628	NUT, PLAIN, HEXAGON: BEARING MTG, 3/8-16 THD SIZE MS35690-602 (96906)		EA	1	X	X	X	X	X	X	X	X	5	26
P O	5310-637-9541	WASHER, LOCK: BEARING MTG, 3/8 IN. SCREW SIZE AN935-616 (88044)		EA	1	X	X	X	X	X	X	X	X	5	27
P O	3110-114-9614	BEARING, BALL, ANNULAR: LEVER 404-16 (43766)		EA	1	1	1	2	1	1	2	24	36	5	28
X2 O		LEVER: SEAT ACTUATED 5073 (07443)		EA	1									5	29
P O	5360-182-6680	SPRING: CONTROL ROD 9-1648-11 (15840)		EA	1	X	1	1	X	1	1	12	12	5	30
P O	5310-809-5998	WASHER, FLAT: CONTROL ROD 1/2 IN. SCREW SIZE MS27183-18 (96906)		EA	1	X	X	X	X	X	X	X	X	5	31
X2 O		ROD, CONTROL 5052 (07443)		EA	1									5	32
P O	5315-234-1863	PIN, COTTER: PULLEY TO SEAT BRACKET MS24665-299 (96906)		EA	1	X	X	X	X	X	X	X	X	5	33
P O	3020-402-8238	PULLEY: CONTROL CABLE 2012-1 (43766)		EA	1	REF	REF	REF	REF	REF	REF	REF	REF	5	34
P O	5310-543-2628	NUT, PLAIN, HEXAGON: BRAKE LEVER ASSEMBLY MTG, 3/8-16 THD SIZE MS35690-602 (96906)		EA	2	X	X	X	X	X	X	X	X	5	35
P O	5310-637-9541	WASHER, LOCK: BRAKE LEVER ASSEMBLY MTG, 3/8 IN. SCREW SIZE AN935-616 (88044)		EA	2	X	X	X	X	X	X	X	X	5	36
P O	5305-269-3216	SCREW, CAP, HEXAGON HEAD: BRAKE LEVER ASSEMBLY MTG, 3/8-16 THD SIZE, 2 IN. LG MS90725-66 (96906)		EA	2	X	X	X	X	X	X	X	X	5	37
P O	2520-778-0090	LEVER ASSEMBLY, BRAKE 6100C26-599 (92867)		EA	1	X	X	1	X	X	1	6	6	5	38
P O	5315-234-1863	PIN, COTTER: LEVER ASSY MS24665-300 (96906)		EA	1	X	X	X	X	X	X	X	X	5	39
P O	5310-081-4219	WASHER, FLAT: LEVER ASSEMBLY, 5/16 IN. SCREW SIZE MS27183-12 (96906)		EA	1	X	X	X	X	X	X	X	X	5	40
P O	5315-903-5943	PIN, CLEVIS: LEVER ASSEMBLY, 5/16 IN. OD, 1-7/16 IN. LG MS20392-4C39 (96906)		EA	1	X	X	X	X	X	X	X	X	5	41
P Q	5315-815-1405	PIN, COTTER: LINK PIN MS24665-148 (96906)		EA	1	X	X	X	X	X	X	X	X	5	42
P O	5315-276-4347	PIN, CLEVIS: LEVER 2708-1-2-1A (71843)		EA	1	X	X	X	X	X	X	X	X	5	43
X2 O		LINK: CONTROL CABLE TO BRAKE LEVER 5336 (07443)		EA	2									5	44
P O	2590-488-8611	CABLE ASSEMBLY, CONTROL: HAND LEVER TO BRAKE CRANK 5338-1 (07443)		EA	1	X	X	1	X	X	1	6	6	5	45

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P O	5340-917-6631	CLEVIS, ROD END: CABLE 2708-2A (71843)		EA	1	REF	REF	REF	REF	REF	REF	REF	REF	5	46
P O	5310-768-0319	NUT, PLAIN, HEXAGON: CABLE, 1/4-28 THD SIZE MS51968-2 (96906)		EA	1	*	*	*	*	*	*	*	*	5	47
X2 O		BRACKET: SEAT MTG 5704 (07443)		EA	1									5	48
		GROUP 03-MANUAL CONTROLS													
P O	5310-013-1493	NUT, CROWN: CABLE, NO. 10-32 THD SIZE MS24679-63 (96906)		EA	1	*	*	*	*	*	*	*	*	6	1
X2 O		CONTROL ASSEMBLY, MANUAL: RECTIONAL CABLE 5682 (07443)		EA	1									6	2
P O	5310-012-0614	NUT, PLAIN, HEXAGON: CONTROL CABLE TO SEAT BRAKE, NO. 10-32 THD SIZE		EA	1	*	*	*	*	*	*	*	*	6	3
P O	5315-815-1405	PIN, COTTER: CABLE TO DIRECTIONAL SWITCH MS24665-145 (96906)		EA	1	*	*	*	*	*	*	*	*	6	4
P O	5315-276-4347	PIN, CLEVIS: DIRECTIONAL SWITCH CABLE 2708-1-2-1A (71843)		EA	1	*	*	*	*	*	*	*	*	6	5
P O	5340-969-6407	CLEVIS, ROD END: DIRECTIONAL SWITCH MS35812-1 (96906)		EA	1	*	*	1	*	*	1	6	6	6	6
P O	2590-488-8609	CABLE ASSEMBLY, CONTROL: DIRECTIONAL SWITCH TO SEAT 32876 (41625)		EA	1	*	*	1	*	*	1	6	6	6	7
P O	5310-042-6908	NUT, PLAIN, HEXAGON: CABLE, NO. 10-32 THD SIZE		EA	2	*	*	*	*	*	*	*	*	6	8
P O	5330-168-5686	SEAL, ROD, WITH WIPER: CONTROL CABLE A40820 (41625)		EA	2	1	1	2	1	1	2	24	36	6	9
P O	5330-168-5489	SEAL, SLEEVE A32371 (41625)		EA	2	1	2	3	1	2	3	36	36	6	10
P O	5310-880-7745	NUT, PLAIN, HEXAGON: CONTROL CABLE ASSEMBLY MTG MS51968-11 (96906)		EA	4	*	*	*	*	*	*	*	*	6	11
P O	5310-809-4085	WASHER, FLAT: CONTROL CABLE ASSEMBLY MTG, 7/16 IN. SCREW SIZE MS27183-16 (96906)		EA	4	*	*	*	*	*	*	*	*	6	12
P O	5310-809-8546	WASHER, FLAT: SPRING RETAINING, NO. 10 SCREW SIZE MS27183-8 (96906)		EA	2	*	*	*	*	*	*	*	*	6	13
P O	5360-168-7101	SPRING, COMPRESSION: CONTROL CABLE TO SEAT BRAKE LC059G12 (84830)		EA	1	1	1	2	1	1	2	24	36	6	14
P O	5310-133-4130	WASHER, FLAT: SEAL PROTECTOR, NO. 10 SCREW SIZE		EA	3	*	*	*	*	*	*	*	*	6	15
P O	5310-558-5960	WASHER, BEVEL: CONTROL CABLE TO CONSOLE, 7/16 IN. ID		EA	2	*	*	*	*	*	*	*	*	6	16

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE a (1-20)	b (21-50)	c (51-100)	(7) 30-DAY GS MAINT ALLOWANCE a (1-20)	b (21-50)	c (51-100)	(8) 1 YR ALW PER 100 EQUIP (ONE SET)	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P F	5930-488-9967	SWITCH, DIRECTIONAL CONTROL CD5A (81487)	EA	1	*	*	1	*	*	1	6	6	7	
P F	5305-559-9202	SCREW, CAP, HEXAGON HEAD: CLAMP, DIRECTIONAL SWITCH, 1/4-20 THD SIZE, 1/2 IN. LG MS35297-3 (96906)	EA	4	*	*	*	*	*	*	*	*	7	1
P F	5310-582-5965	WASHER, LOCK: CLAMP, 1/4 IN. SCREW SIZE AN935-416 (88044)	EA	4	*	*	*	*	*	*	*	*	7	2
P F	5340-168-6586	CLAMP, SPRING STEEL: SWITCH MTG 2870C9X2 (81487)	EA	1	*	1	1	*	1	1	12	36	7	3
P F	5305-791-0518	SCREW, ASSEMBLED WASHER: HANDLE MTG, NO. 10-32 THD SIZE, 1/2 IN. LG AN520-10-8 (88044)	EA	1	*	*	*	*	*	*	*	*	7	4
P F	3930-307-6362	LEVER ASSEMBLY, OPERATING 2870C5G1 (81487)	EA	1	*	*	1	*	*	1	6	6	7	5
P F	5355-668-3768	KNOB, LEVER 9203W7 (81487)	EA	1	*	1	1	*	1	1	12	24	7	6
P F	5305-298-4365	SCREW, FILLISTER HEAD: COVER TO HOUSING, NO. 10-32 SIZE, 3/4 IN. LG	EA	2	*	*	*	*	*	*	*	*	7	7
P F	5310-182-5753	WASHER, CORPRENE: COVER TO HOUSING 2358X6 (81487)	EA	2	1	1	2	1	1	2	24	48	7	8
X2 F		COVER 287083X2 (81487)	EA	1									7	9
P F	6220-632-1538	CONTACT, ELECTRICAL: DIRECTIONAL SWITCH 2870D1G1 (81487)	EA	2	*	1	1	*	1	1	12	12	7	10
P F	5340-755-4998	SPRING, HELCIAL, COMPRESSION: CONTACT FINGER 2870X1 (81487)	EA	1	*	1	1	*	1	1	12	24	7	11
P F	5305-619-6004	SCREW, ASSEMBLED WASHER: TERMINAL BOARD MTG, NO. 6-32 THD SIZE, 1/4 IN. LG	EA	2	*	*	*	*	*	*	*	*	7	12
X1		BOARD ASSEMBLY 2870D5G1 (81487)	EA	1									7	13
X1		BOARD ASSEMBLY 2870D5G2 (81487)	EA	1									7	14
P F	5310-013-4530	NUT, PLAIN, HEXAGON: TRIP SHAFT MTG, NO. 6-32 THD SIZE MS35649-62 (96906)	EA	1	*	*	*	*	*	*	*	*	7	15
P F	5310-045-4007	WASHER, LOCK: TRIP SHAFT MTG, NO. 6 SCREW SIZE MS35338-41 (96906)	EA	1	*	*	*	*	*	*	*	*	7	16
P F	5310-082-1404	WASHER, FLAT: TRIP SHAFT MTG, NO. 6 SCREW SIZE MS27183-6 (96906)	EA	1	*	*	*	*	*	*	*	*	7	17
X2 F		LEVER, TRIP 2870D23X1 (81487)	EA	1									7	18
P F	3930-307-6363	SHAFT ASSEMBLY, LEVER 2870D24G1 (81487)	EA	1	*	1	1	*	1	1	12	6	7	19
P F	5305-978-9369	SCREW, CAP, SOCKET HEAD: OPERATING SHAFT, NO. 8-32 THD SIZE, 3/8 IN. LG MS16997-31 (96906)	EA	1	*	*	*	*	*	*	*	*	7	20

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY OS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P F	5310-167-0661	WASHER, LOCK: OPERATING SHAFT, NO. 8 SCREW SIZE AN935-8 (88044)		EA	1	*	*	*	*	*	*	*	*	7	21
P F	5310-809-8544	WASHER, FLAT: OPERATING SHAFT, NO. 8 SCREW SIZE MS27183-7 (96906)		EA	1	*	*	*	*	*	*	*	*	7	22
X2 F		SPACER, SHAFT 2870X10 (81487)		EA	1									7	23
P F		WASHER, SPECIAL: OPERATING SHAFT 306D3X18 (81487)		EA	1	*	1	1	*	1	1	12	12	7	24
P F	5930-308-4192	SHAFT ASSEMBLY, OPERATING 2870B5C1 (81487)		EA	1	*	*	1	*	*	1	6	12	7	25
P F	5340-755-4999	SPRING: ROLLER ARM ASSY 2870X2 (81487)		EA	2	*	*	*	*	*	*	*	*	7	26
P F	5930-373-0373	CARRIER ASSEMBLY: MOVABLE CONTACT 2870C3G1 (81487)		EA	1	*	*	1	*	*	1	6	12	7	27
P F	5305-590-3146	SCREW, MACHINE: HINGE PIN CLIP AN515-6-4 (88044)		EA	2	*	*	*	*	*	*	*	*	7	28
P F	5310-045-4007	WASHER, LOCK: HINGE PIN, CLIP, NO. 6 SCREW SIZE AN935-6 (88044)		EA	2	*	*	*	*	*	*	*	*	7	29
P F	5315-612-8745	CLIP: HINGE PIN 2870X6 (81487)		EA	2	1	1	2	1	1	2	24	28	7	30
P F	5315-182-5755	PIN, HINGE 2870X4 (81487)		EA	2	*	1	1	*	1	1	12	24	7	31
X1		ARM ASSEMBLY 2870C1G1 (81487)		EA	2									7	32
P F	3130-182-7987	HOUSING AND BEARING ASSEMBLY 2870B8G2 (81487)		EA	1	*	1	1	*	1	1	12	24	7	33
		GROUP 04-MAST AND CARRIAGE													
P O	5315-282-1448	PIN, COTTER: MAST TO TILT CYLINDER PIN MS24665-515 (96906)		EA	4	*	*	*	*	*	*	*	*	8	1
X2 O		PIN, CYLINDER, TILT: MAST TO TILT CYLINDER 5039 (07443)		EA	2									8	2
P F	5305-978-9392	SCREW, CAP, SOCKET HEAD: PIVOT PIN TO MAST, 3/8-16 THD SIZE, 3/4 IN. LG MS16997-97 (96906)		EA	2	*	*	*	*	*	*	*	*	8	3
P F	5310-637-9541	WASHER, LOCK: PIVOT PIN TO MAST, 3/8 IN. SCREW SIZE AN935-616 (88044)		EA	2	*	*	*	*	*	*	*	*	8	4
X2 F		PIN, PIVOT, MAST 5751 (07443)		EA	2									8	5
X2 F		MAST ASSEMBLY 5650 (07443)		EA	1										
P O	5305-680-4256	SCREW, CAP, HEXAGON HEAD: LOAD BACKREST MTG, 5/8-11 THD SIZE, 1-1/2 IN. LG MS35297-162 (96906)		EA	4	*	*	*	*	*	*	*	*	8	6

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC. IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P O	5310-167-0682	WASHER, LOCK: LOAD BACKREST MTG, 5/8 IN. SCREW SIZE AN935-1016 (88044)	EA	4	*	*	*	*	*	*	*	*	8	7
X2 O		BACKREST, LOAD S606 (07443)	EA	1									8	8
P O	3930-197-5299	FORK, LIFTING S604 (07443)	EA	2	*	*	1	*	*	1	6	2	8	9
P F	3930-488-8536	LATCH ASSEMBLY: FORK LOCKING 101ABC (22132)	EA	2	*	*	1	*	*	1	6	6	8	10
X2 F		PIN, SPRING: LATCH HANDLE 107ABC (22132)	EA	2									8	11
X2 F		HANDLE, LATCH 105ABC (22132)	EA	2									8	12
X2 F		PIN, LOCKING: FORK 103B (22132)	EA	2									8	13
P F	5360-182-6679	SPRING, LATCH 106ABC (22132)	EA	2	*	1	1	*	1	1	12	10	8	14
P F	5305-071-2069	SCREW, CAP, HEXAGON HEAD: CYLINDER YOKE TO LIFT CYLINDER, 1/2-13 THD SIZE 1-1/2 IN. LG MS90728-113 (96906)	EA	4	*	*	*	*	*	*	*	*	8	15
P F	5310-584-5272	WASHER, LOCK: CYLINDER YOKE TO LIFT CYLINDER 1/2 IN. SCREW SIZE AN935-816 (88044)	EA	4	*	*	*	*	*	*	*	*	8	16
P F	5305-550-1310	SCREW, CAP, HEXAGON HEAD: GUIDE WEAR PLATE TO CYLINDER YOKE, 3/8-16 THD SIZE, 1 IN. LG MS35297-60 (96906)	EA	4	*	*	*	*	*	*	*	*	8	17
P F	5310-637-9541	WASHER, LOCK: GUIDE WEARPLATE TO CYLINDER YOKE, 3/8 IN. SCREW SIZE AN935-616 (88044)	EA	4	*	*	*	*	*	*	*	*	8	18
X2 F		WEARPLATE, GUIDE: CYLINDER YOKE TO MAST 5014-2 (07443)	EA	2									8	19
P F	5315-059-0491	PIN, COTTER: CYLINDER YOKE IDLER MS24665-372 (96906)	EA	4	*	*	*	*	*	*	*	*	8	20
X2 F		PIN, IDLER: CYLINDER YOKE 5732 (07443)	EA	2									8	21
P F		IDLER, BALL BEARING: CYLINDER YOKE 907194TYPEIV (43334)	EA	2	1	2	4	1	2	4	42	16	8	22
X2 F		SCREW, CAP, SOCKET HEAD: STOP LATCH 5769 (07443)	EA	2									8	23
P F	5310-167-0682	WASHER, LOCK: STOP LATCH SCREW, 5/8 IN. SCREW SIZE AN935-1016 (88044)	EA	2	*	*	*	*	*	*	*	*	8	24
X2 F		YOKE, CYLINDER 5661 (07443)	EA	1									8	25
P2 FR	3930-488-8538	CYLINDER ASSEMBLY, LIFT 5605 (07443)	EA	1	*	*	*	*	*	*	3	3	9	

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P F	3930-488-8542	BREATHER, CYLINDER C211-40 (32676)		EA	1	M	M	1	M	M	1	6	3	9	1
P F	5335-182-6623	SCREEN, FILTER C211-40A (32676)		EA	1	M	M	1	M	M	1	6	12	9	2
P F	5305-249-0511	SETSCREW: GLAND TO ROD MS51017-63 (96906)		EA	1	M	M	M	M	M	M	M	M	9	3
X2 F		GLAND C211-8B (32676)		EA	1									9	4
X1		WIPER C211-55B (32676) (PART OF KIT, FSN 3930-407-4932)		EA	1									9	5
X1		RETAINER 5605-7 (07443) (PART OF KIT, FSN 3930-407-4932)		EA	1									9	6
X1		SEAL SET C211-45 (32676) (PART OF KIT, FSN 3930-407-4932)		EA	1									9	7
X1		SLEEVE 5605-9 (07443) (PART OF KIT, FSN 3930-407-4932)		EA	1									9	8
X2 F		ROD, CYLINDER C211-5B (32676)		EA	1									9	9
P F	5305-249-0511	SETSCREW: HEAD LOCKING MS51017-63 (96906)		EA	1	M	M	M	M	M	M	M	M	9	10
X2 F		GLAND, ROD C211-8A (32676)		EA	1									9	11
X1		WIPER C211-55A (32676) (PART OF KIT, FSN 3930-407-4932)		EA	1									9	12
X1		SEAL SET C211-46 (32676) (PART OF KIT, FSN 3930-407-4932)		EA	1									9	13
P F	5305-249-0511	SETSCREW: HEAD TO BARREL MS51017-63 (96906)		EA	1	M	M	M	M	M	M	M	M	9	14
X2 F		HEAD, CYLINDER C211-1 (32676)		EA	1									9	15
X1		O RING C211-47 (32676) (PART OF KIT, FSN 3930-407-4932)		EA	1									9	16
X1		RING C211-48 (32676) (PART OF KIT, FSN 3930-407-4932)		EA	1									9	17
P F	5365-168-6588	BUSHING, ROD C211-9 (32676)		EA	1	M	1	1	M	1	1	12	36	9	18
X2 F		ROD C211-5A (32676)		EA	1									9	19
P F	5365-182-6719	RING, WEAR C211-19 (32676)		EA	1	M	M	1	M	M	1	6	12	9	20
P F	4730-082-5965	PLUG, PIPE: BARREL MS49005-2 (96906)		EA	1	M	M	M	M	M	M	M	M	9	21

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
X2 P		BARREL, CYLINDER C211-3 (32676)	EA	1									9	22
P O	5315-815-1405	PIN, COTTER: LIFT CHAIN CLEVIS PIN MS24665-151 (96906)	EA	8	X	X	X	X	X	X	X	X	10	1
X2 O		PIN, CLEVIS: CHAIN ATTACHING 4456-1 (07443)	EA	4									10	2
X2 O		SPACER: CHAIN END 5650-30 (07443)	EA	4									10	3
X2 O		CHAIN, LIFT BL634 (43334)	EA	2									10	4
P O	5310-497-3895	NUT, SELF-LOCKING, HEXAGON: ROD TO MAST, 7/8-14 THD SIZE MS21044N14 (96906)	EA	2	X	X	X	X	X	X	X	X	10	5
X2 O		CLEVIS, CHAIN TO ROD 5726-1 (07443)	EA	2									10	6
P O	5310-685-8213	NUT, JAM: CLEVIS TO TIE ROD, 7/8-14 THD SIZE MS35691-1422 (96906)	EA	2	X	X	X	X	X	X	X	X	10	7
X2 O		ROD: CHAIN TO MAST SV26-3 (07443)	EA	2									10	8
P H	5305-983-7461	SCREW, CAP, SOCKET HEAD: STOP PAD TO MAST, 1/2-13 THD SIZE, 1 1/4 IN. LG MS16997-142 (96906)	EA	4				X	X	X	X	X	10	9
P H	5310-584-5272	WASHER, LOCK: STOP PAD TO MAST, 1/2 IN. SCREW SIZE AN935-816 (88044)	EA	4				X	X	X	X	X	10	10
X2 H		PAD, STOP: FIXED MAST 5679 (07443)	EA	2									10	11
X2 H		SHIM: STOP PAD TO MAST 5768 (07443)	EA	2									10	12
P H	5305-983-7460	SCREW, CAP, SOCKET HEAD: STOP BLOCK TO 2ND STAGE MAST, 1/2-13 THD SIZE, 1 IN. LG MS16997-141 (96906)	EA	6				X	X	X	X	X	10	
X2 H		BLOCK, STOP: 2ND STAGE MAST 5680 (07943)	EA	2									10	14
P H	5305-855-3999	SCREW, CAP, SOCKET HEAD: BRACE TO 1ST STAGE MAST, 3/8-16 THD SIZE, 1 1/2 IN LG MS35297-64 (96906)	EA	4				X	X	X	X	X	10	15
P H	5310-637-9541	WASHER, LOCK: BRACE TO 1ST STAGE MAST, 3/8 IN. SCREW SIZE MS35338-46 (96906)	EA	4				X	X	X	X	X	10	16
X2 H		BRACE: 1ST STAGE MAST 5669 (07443)	EA	1									10	17
X2 H		SHIM: BRACE TO MAST 5673 (07443)	EA	V									10	18
P H	5315-059-0491	PIN, COTTER: IDLER PIN TO MAST, 1/8 IN. DIA; 1 1/4 IN. LG MS24665-372 (96906)	EA	12				X	X	X	X	X	10	19
X2 H		PIN, IDLER: TO MAST 5732 (07443)	EA	6									10	20

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO.	(b) ITEM NO.
P H		IDLER, BALL BEARING: MAST CHAIN 907194TYPEIV (43334)		EA	6				REF	REF	REF	REF	REF	10	21
P H	5305-068-0502	SCREW, CAP, HEXAGON HEAD: BEARING PAD TO MAST, 1/4-20 THD SIZE, 3/4 IN. LG MS90725-6 (96906)		EA	16				*	*	*	*	*	10	22
P H	5310-582-5965	WASHER, LOCK: BEARING PAD TO MAST, 1/4 IN. SCREW SIZE AN935-416 (88044)		EA	16				*	*	*	*	*	10	23
P H	3930-459-3068	PAD, BEARING: MAST 5724 (07443)		EA	8				1	1	2	24	32	10	24
X2 H		SHIM, BEARING PAD 5734 (07443)		EA	8									10	25
X2 H		SCREW, FLATHEAD: MAST 1/4-20 THD SIZE, 5/8 IN. LG AN505UB416-10 (88044)		EA	16									10	26
P H	3930-459-3070	PAD, BEARING: MAST 5673 (07443)		EA	8				1	1	2	24	32	10	27
X2 H		SHIM: BEARING PAD TO MAST 5731 (07443)		EA	8									10	28
X2 H		SCREW, MACHINE: BEARING PAD TO MAST, 1/4-20 THD SIZE, 3/4 IN. LG AN505UB416-12 (88044)		EA	4									10	29
X2 H		SCREW, MACHINE: BEARING PAD TO MAST AN505UB416-10 (88044)		EA	4									10	30
P H	3930-470-4181	PAD, BEARING 5721 (07443)		EA	4				*	1	1	12	16	10	31
X2 H		SHIM, BEARING PAD 5729 (07443)		EA	4									10	32
P H	5310-543-4971	NUT, PLAIN, HEXAGON: PAD TO MAST, 1/4-20 THD SIZE MS35690-411 (96906)		EA	4				*	*	*	*	*	10	33
P H	5310-809-4058	WASHER, FLAT: PAD TO MAST, 1/4 IN. SCREW SIZE MS27183-10 (96906)		EA	4				*	*	*	*	*	10	34
X2 H		SCREW, FLATHEAD, BRASS: 1/4-20 THD SIZE, 5/8 IN. LG AN505UB416-10 (88044)		EA	2									10	35
P H	3930-459-3069	PAD, BEARING 5727 (07443)		EA	2				*	*	1	6	12	10	36
X2 H		SHIM, BEARING PAD 5733 (07443)		EA	2									10	37
P H	5310-543-4971	NUT, HEXAGON: BEARING PAD TO MAST, 1/4-20 THD SIZE MS35690-411 (96906)		EA	4				*	*	*	*	*	10	38
P H	5310-582-5965	WASHER, LOCK: BEARING PAD TO MAST, 1/4 IN. SCREW SIZE AN935-416 (88044)		EA	4				*	*	*	*	*	10	39
P H	5310-809-4058	WASHER, FLAT: BEARING PAD TO MAST, 1/4 IN. SCREW SIZE MS27183-10 (96906)		EA	4				*	*	*	*	*	10	40

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO.	(b) ITEM NO.
X2 H		SCREW, MACHINE: BEARING PAD TO MAST AN505UB416-18 (88044)		EA	4									10	41
P H	3930-433-0760	PAD, BEARING: TOP FIXED MAST 5728 (07443)		EA	2				*	*	1	6	12	10	42
X2 H		SHIM: BEARING PAD TO MAST 5722 (07443)		EA	2									10	43
P H	3930-488-8551	LATCH, LOCKING 5757 (07443)		EA	1				*	*	1	6	6	10	44
P H	3930-488-8553	LATCH, LOCKING: 1ST STAGE MAST TO 2ND STAGE MAST 5757-1 (07443)		EA	1				*	*	1	6	6	10	45
X2 H		MAST, TELESCOPIC: 1ST STAGE 5636 (07443)		EA	1									10	46
P H	3930-488-8552	LATCH, LOCKING: 1ST STAGE LATCH TO 2ND STAGE MAST 5694 (07443)		EA	1				*	*	1	6	6	10	47
P H		LATCH, LOCKING: 1ST STAGE MAST TO 2ND STAGE 5752-2 (07443)		EA	1				*	*	1	6	6	10	48
X2 H		MAST, TELESCOPE: 2ND STAGE 5666 (07443)		EA	1									10	49
P H	5310-721-5964	NUT, PLAIN, HEXAGON: FIXED MAST, 5/8-11 THD SIZE MS35690-1005 (96906)		EA	1				*	*	*	*	*	10	50
P H	5310-167-0682	WASHER, LOCK: FIXED MAST, 5/8 IN. SCREW SIZE AN935-1016 (88044)		EA	1				*	*	*	*	*	10	51
X2 H		SCREW, CAP, SOCKET HEAD: FIXED MAST 5769 (07443)		EA	1									10	52
X2 H		MAST, FIXED 5635 (07443)		EA	1									10	53
X2 H		SCREW, CAP, SOCKET HEAD: MODIFIED, STOP 5762 (07443)		EA	1									11	1
P H	5305-253-8020	SETSCREW: SIDE BEARING ADJUSTING MS51017-139 (96906)		EA	4				*	*	*	*	*	11	2
P H	5340-286-8020	RING, RETAINING: ROLLER RETAINER 5100-177 (79136)		EA	4				*	*	1	8	6	11	3
P H	3110-182-8018	ROLLER, BALL BEARING 5184 (07443)		EA	4				*	1	1	12	8	11	4
P H		BEARING, SIDE 5136 (07443)		EA	4				*	1	1	12	8	11	5
P H		DISC, BACK-UP: SIDE BEARING 5630-33 (07443)		EA	4				*	1	1	12	8	11	6
X2 H		CARRIER, FORK 5640 (07443)		EA	1									11	7
		GROUP 05-CONTROL BOX AND WIRING													
P F	5310-880-7744	NUT, PLAIN, HEXAGON: CONTROL RECTIFIER MTG, 5/16-18 THD SIZE MS51967-5 (96906)		EA	3	*	*	*	*	*	*	*	*	12	1

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P F	5310-407-9566	WASHER, LOCK: CONTROL RECTIFIER MTG, 5/16 IN. SCREW SIZE AN935-516 (88044)		EA	3	*	*	*	*	*	*	*	*	12	2
P F	5310-081-4219	WASHER, FLAT: CONTROL RECTIFIER MTG, 5/16 IN. SCREW SIZE MS27183-12 (96906)		EA	3	*	*	*	*	*	*	*	*	12	3
P F	5306-550-1318	BOLT, MACHINE: CONTROL RECTIFIER MTG, 5/16-18 THD SIZE, 1 1/4 IN. LG MS35297-36 (96906)		EA	3	*	*	*	*	*	*	*	*	12	4
P2 F	5961-488-9960	CONTROL RECTIFIER, SILICON IC4483F273X670G4 (02989)		EA	1	*	*	*	*	*	*	3	3	12	
P F	5305-889-3000	SCREW, MACHINE: TERMINAL BOARD MTG, NO. 6-32 THD SIZE, 1/2 IN. LG MS35206-230 (96906)		EA	4	*	*	*	*	*	*	*	*	12	5
P F	5310-045-4007	WASHER, LOCK: TERMINAL BOARD MTG, NO. 6 SCREW SIZE AN935-6 (88044)		EA	4	*	*	*	*	*	*	*	*	12	6
X2 F		BOARD, TERMINAL 167A8468P4 (02989)		EA	2									12	7
X2 F		BRACKET: TERMINAL BOARD MTG 194A7950 (02989)		EA	2									12	8
P F	5310-013-4530	NUT, PLAIN, HEXAGON: RECTIFIER TERMINAL, NO. 6-32 THD SIZE MS35649-62 (96906)		EA	1	*	*	*	*	*	*	*	*	12	9
P F	5310-045-4007	WASHER, LOCK: RECTIFIER TERMINAL, NO. 6 SCREW SIZE AN935-6 (88044)		EA	2	*	*	*	*	*	*	*	*	12	10
P F	5310-082-1404	WASHER, FLAT: RECTIFIER TERMINAL, NO. 6 SCREW SIZE MS27183-6 (96906)		EA	2	*	*	*	*	*	*	*	*	12	11
P F	5305-984-4988	SCREW, MACHINE: RECTIFIER TERMINAL, NO. 6-32 THD SIZE, 3/8 IN. LG MS35206-228 (96906)		EA	2	*	*	*	*	*	*	*	*	12	12
P F	5305-984-4988	SCREW, MACHINE: LOCK MTG, NO. 6-32 THD SIZE, 3/8 IN. LG MS35206-228 (96906)		EA	1	*	*	*	*	*	*	*	*	12	13
P F	5310-045-4007	WASHER, LOCK: LOCK MTG, NO. 6 SCREW SIZE AN935-6 (88044)		EA	1	*	*	*	*	*	*	*	*	12	14
P F	5310-082-1404	WASHER, FLAT: LOCK MTG, NO. 6 SCREW SIZE MS27183-6 (96906)		EA	1	*	*	*	*	*	*	*	*	12	15
X2 F		LOCK: CONTROL RECTIFIER 205A710SP2 (02989)		EA	1									12	16
P F	5961-401-6389	SEMICONDUCTOR DEVICE 205A5981P10 (02989)		EA	1	*	1	1	*	1	1	12	6	12	17
P F	5305-984-6223	SCREW, MACHINE: SEMICONDUCTOR DEVICE MTG, NO. 6-32 THD SIZE, 1 1/2 IN. LG MS35206-236 (96906)		EA	2	*	*	*	*	*	*	*	*	12	18

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P F	5310-045-4007	WASHER, LOCK: SEMICONDUCTOR DEVICE MTG, NO. 6 SCREW SIZE AN935-6 (88044)	EA	2	*	*	*	*	*	*	*	*	12	19
P F	5310-082-1404	WASHER, FLAT: SEMICONDUCTOR DEVICE MTG, NO. 6 SCREW SIZE MS27183-6 (96906)	EA	2	*	*	*	*	*	*	*	*	12	20
P F	5961-401-6392	SEMICONDUCTOR DEVICE: CHOKE 205A5986G2 (02989)	EA	1	*	*	1	*	*	1	6	3	12	21
P F	5310-042-6903	NUT, PLAIN, HEXAGON: CAPACITOR MTG, NO. 10-32 THD SIZE	EA	2	*	*	*	*	*	*	*	*	12	22
P F	5310-045-3296	WASHER, LOCK: CAPACITOR MTG, NO. 10 SCREW SIZE AN935-10 (88044)	EA	2	*	*	*	*	*	*	*	*	12	23
X2 F		SCREW, SPECIAL: CAPACITOR MTG, NO. 10-32 SCREW SIZE, 4 5/8 IN. LG NS7P1607486 (02989)	EA	2									12	24
X2 F		BRACKET: CAPACITOR 188A5137P1 (02989)	EA	1									12	25
P F	5910-400-9875	CAPACITOR, FIXED 205A7130P1 (02989)	EA	1	*	*	1	*	*	1	6	3	12	26
P F	5910-400-9874	INSULATION: CAPACITOR TO BASE MTG 194A7547P1 (02989)	EA	1	*	1	1	*	1	1	12	48	12	27
P F	5305-984-4988	SCREW, MACHINE: FUSEHOLDER BRACKET MTG, NO. 6-32 THD SIZE, 3/8 IN. LG MS35206-228 (96906)	EA	2	*	*	*	*	*	*	*	*	12	28
P F	5310-045-4007	WASHER, LOCK: FUSEHOLDER BRACKET MTG, NO. 6 SCREW SIZE AN935-6 (88044)	EA	2	*	*	*	*	*	*	*	*	12	29
P O	5920-253-5219	FUSE, ELECTRICAL: RECTIFIER 573A392P16 (02989)	EA	2	8	17	33	8	17	33	400	90	12	30
X2 F		FUSEHOLDER 573A389P1 (02989)	EA	1									12	31
X2 F		BRACKET: FUSEHOLDER MTG 205A4760P6 (02989)	EA	1									12	32
P F	5310-761-6882	NUT, PLAIN, HEXAGON: RESISTOR STRIP MTG, 1/4-20 THD SIZE MS51967-2 (96906)	EA	1	*	*	*	*	*	*	*	*	12	33
P F	5310-582-5965	WASHER, LOCK: RESISTOR, STRIP MTG, 1/4 IN. SCREW SIZE AN935-416 (88044)	EA	2	*	*	*	*	*	*	*	*	12	34
P F	5310-809-4058	WASHER, FLAT: RESISTOR, STRIP MTG, 1/4 IN. SCREW SIZE MS27183-10 (96906)	EA	1	*	*	*	*	*	*	*	*	12	35
X2 F		SCREW, SPECIAL: RESISTOR STRIP MTG, 1/4-20 THD SIZE, 1/2 IN. LG N26P2100886 (02989)	EA	2									12	36
P F	5310-033-6926	WASHER, FLAT: RESISTOR STRIP MTG, 1/4 IN. SCREW SIZE	EA	1	*	*	*	*	*	*	*	*	12	37
P F		RESISTOR, STRIP 194A7582P1 (02989)	EA	1	*	1	1	*	1	1	12	6	12	38

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P F	5925-250-7913	PROTECTOR, THERMAL 205A7104G1 (02989)	EA	1	*	*	1	*	*	1	6	6	12	39
P F	5305-984-6191	SCREW, MACHINE: CONTROL RECTIFIER LOCK, NO. 8-32 THD SIZE, 3/8 IN. LG MS35206-243 (96906)	EA	3	*	*	*	*	*	*	*	*	12	40
P F	5310-167-0661	WASHER, LOCK: CONTROL RECTIFIER LOCK, NO. 8 SCREW SIZE AN935-8 (88044)	EA	3	*	*	*	*	*	*	*	*	12	41
P F	5310-809-8544	WASHER, FLAT: CONTROL RECTIFIER LOCK, NO. 8 SCREW SIZE MS27183-7 (96906)	EA	3	*	*	*	*	*	*	*	*	12	42
X2 F		LOCK: CONTROL RECTIFIER 205A7105P1 (02989)	EA	4									12	43
P F	5961-488-9961	CONTROL RECTIFIER, SILICON 205A5981P13 (02989)	EA	2	*	1	1	*	1	1	12	6	12	44
P F	5961-401-6391	SEMICONDUCTOR, DEVICE 205A5981P15 (02989)	EA	1	*	*	1	*	*	1	6	6	12	45
P F	5961-401-6388	SEMICONDUCTOR, DEVICE 205A5981P1 (02989)	EA	1	*	*	1	*	*	1	6	6	12	46
X2 F		SCREW, SPECIAL: TRANSFORMER MTG, NO. 10-32 THD SIZE, 4 IN. LG N57P1606486 (02989)	EA	2									12	47
P F	5310-045-3296	WASHER, LOCK: TRANSFORMER MTG, NO. 10 SCREW SIZE AN935-10 (88044)	EA	2	*	*	*	*	*	*	*	*	12	48
P F	5310-809-8546	WASHER, FLAT: TRANSFORMER MTG, NO. 10 SCREW SIZE MS27183-8 (96906)	EA	2	*	*	*	*	*	*	*	*	12	49
P F	5310-582-5965	WASHER, LOCK: CONNECTION TO TRANSFORMER, 1/4 IN. SCREW SIZE AN935-416 (88044)	EA	4	*	*	*	*	*	*	*	*	12	50
P F	5310-809-4058	WASHER, FLAT: CONNECTION TO TRANSFORMER, 1/4 IN. SCREW SIZE MS27183-10 (96906)	EA	4	*	*	*	*	*	*	*	*	12	51
P F	5950-401-6387	TRANSFORMER, ELECTRICAL 157B2744G1 (02989)	EA	1	*	*	1	*	*	1	6	3	12	52
P F	5305-984-6193	SCREW, MACHINE: OSCILLATOR MIXER MTG, NO. 8-32 THD SIZE, 1/2 IN. LG MS35206-245 (96906)	EA	2	*	*	*	*	*	*	*	*	12	53
P F	5310-167-0661	WASHER, LOCK: OSCILLATOR-MIXER MTG, NO. 8 SCREW SIZE AN935-8 (88044)	EA	2	*	*	*	*	*	*	*	*	12	54
X2 F		SCREW, SPECIAL: OSCILLATOR-MIXER PLUG MTG, NO. 4-40 THD SIZE, 1-1/2 IN. LG N57P901886 (02989)	EA	2									12	55
P F	5310-933-8118	WASHER, LOCK: OSCILLATOR-MIXER PLUG MTG, NO. 4 SCREW SIZE AN935-4 (88044)	EA	2	*	*	*	*	*	*	*	*	12	56
P F	5310-950-1310	WASHER, FLAT: OSCILLATOR-MIXER PLUG MTG, NO. 4 SCREW SIZE MS27183-4 (96906)	EA	2	*	*	*	*	*	*	*	*	12	57

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO.	(b) ITEM NO.
X2 F		SPACER: OSCILLATOR-MIXER TO PLUG MTG 151A1247P6 (02989)		EA	2									12	58
P2 F	5962-489-5088	OSCILLATOR-MIXER, MICRO ELECTRICAL 1C4484A170 (02989)		EA	1	::	::	::	::	::	::	3	3	12	59
P F	5310-582-5965	WASHER, LOCK: CONNECTION, 1/4 IN. SCREW SIZE AN935-416 (88044)		EA	1	::	::	::	::	::	::	::	::	12	60
P F	5310-809-4058	WASHER, FLAT: CONNECTION, 1/4 IN. SCREW SIZE MS27183-10 (96906)		EA	1	::	::	::	::	::	::	::	::	12	61
X2 F		HARNESS, WIRE: CONTROL RECTIFIER 7115R80 (02989)		EA	1									12	62
X2 F		BASE ASSEMBLY: WITH HEAT SINKS AND SCREWS 205A5963G4 (02989)		EA	1									12	63
P F	5305-225-3839	SCREW, CAP, HEXAGON HEAD: FORWARD AND REVERSE CONTACTOR MTG, 1/4-20 THD SIZE, 1 IN. LG MS35297-8 (96906)		EA	3	::	::	::	::	::	::	::	::	13	1
P F	5310-582-5965	WASHER, LOCK: FORWARD AND REVERSE CONTACTOR MTG, 1/4 IN. SCREW SIZE AN935-416 (88044)		EA	3	::	::	::	::	::	::	::	::	13	2
P F	5950-402-9164	CONTACTOR ASSEMBLY: FORWARD AND REVERSE 1C2800M124A412X52 (02989)		EA	1	::	::	::	::	::	::	3	3	13	
X2 F		INSULATION: CONTACTOR ASSEMBLY TO PANEL MTG 233B316P1 (02989)		EA	1									13	3
P F	5305-889-3000	SCREW, MACHINE: SWITCH TO SUPPORT MTG, NO. 6-32 THD SIZE, 1/2 IN. LG MS35206-230 (96906)		EA	4	::	::	::	::	::	::	::	::	13	4
P F	5310-045-4007	WASHER, LOCK: SWITCH TO SUPPORT MTG, NO. 6 SCREW SIZE AN935-6 (88044)		EA	4	::	::	::	::	::	::	::	::	13	5
X1		SWITCH 119A4259P3 (02989) (PART OF KIT, FSN 5945-410-7666)		EA	2									13	6
P F	5305-989-7434	SCREW, MACHINE: SWITCH AND ARMATURE SUPPORT MTG, NO. 10-32 THD SIZE, 1/2 IN. LG MS35207-263 (96906)		EA	4	::	::	::	::	::	::	::	::	13	7
P F	5310-045-3296	WASHER, LOCK: SWITCH AND ARMATURE SUPPORT MTG, NO. 10 SCREW SIZE AN935-10 (88044)		EA	4	::	::	::	::	::	::	::	::	13	8
P F	5310-809-8546	WASHER, FLAT: SWITCH AND ARMATURE SUPPORT MTG, NO. 10 SCREW SIZE MS27183-8 (96906)		EA	4	::	::	::	::	::	::	::	::	13	9
X2 F		SUPPORT: SWITCH MTG 151A7816P1 (02989)		EA	2									13	10
P F		SCREW, SPECIAL, HEXAGON HEAD, SLOTTED: TERMINAL MTG, 5/16-18 THD SIZE, 1/2 IN. LG N26P2300886 (02989)		EA	2	1	2	4	1	2	4	50	48	13	11

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P F	5310-407-9566	WASHER, LOCK: TERMINAL MTG, 5/16 IN. SCREW SIZE AN935-516 (88044)		EA	2	*	*	*	*	*	*	*	*	13	12
P F	5305-637-9036	SCREW, MACHINE: TERMINAL AND SHUNT MTG, 1/4-20 THD SIZE, 5/8 IN. LG N26P2101086 (02989)		EA	2	1	2	5	1	2	5	54	54	13	13
P F	5310-582-5965	WASHER, LOCK: TERMINAL AND SHUNT MTG, 1/4 IN. SCREW SIZE AN935-416 (88044)		EA	2	*	*	*	*	*	*	*	*	13	14
P F	5310-809-4058	WASHER, FLAT: TERMINAL AND SHUNT MTG, 1/4 IN. SCREW SIZE MS27183-10 (96906)		EA	2	*	*	*	*	*	*	*	*	13	15
X2 F		TERMINAL 909239584 (02989)		EA	2									13	16
X2 F		CLIP, TERMINAL 205A5968P1 (02989)		EA	2									13	17
P F	5305-068-0498	SCREW, CAP, HEXAGON HEAD: SHUNT TO MOVABLE SUPPORT, 1/4-20 THD SIZE, 3/8 IN. LG MS35297-1 (96906)		EA	2	*	*	*	*	*	*	*	*	13	18
P F	5310-582-5965	WASHER, LOCK: TERMINAL AND SHUNT MTG, 1/4 IN. SCREW SIZE AN935-416 (89044)		EA	2	*	*	*	*	*	*	*	*	13	19
X1		LEAD 9756574G1 (02989) (PART OF KIT, FSN 5945-410-7666)		EA	2									13	20
P F	5306-531-1798	BOLT, MACHINE: CONNECTION, 5/16-18 THD SIZE, 1 IN. LG MS35297-34 (96906)		EA	1	*	*	*	*	*	*	*	*	13	21
P F	5310-407-9566	WASHER, LOCK: CONNECTION, 5/16 IN. SCREW SIZE AN935-516 (88044)		EA	1	*	*	*	*	*	*	*	*	13	22
X2 F		SPACER: CONNECTION SCREW 9644942B1 (02989)		EA	1									13	23
P F	5305-989-7434	SCREW, MACHINE: PLATE TO SUPPORT MTG, NO. 10-32 THD SIZE, 1/2 IN. LG MS35207-263 (96906)		EA	2	*	*	*	*	*	*	*	*	13	24
P F	5310-045-3296	WASHER, LOCK: PLATE TO SUPPORT MTG, NO. 10 SCREW SIZE AN935-10 (88044)		EA	2	*	*	*	*	*	*	*	*	13	25
P F	5340-263-3831	RING, RETAINING: PIN TO MOVABLE CONTACT TIP MS16633-25 (96906)		EA	2	1	2	4	1	2	4	45	60	13	26
P F	5310-402-2789	SEAT, SPRING: RETAINING PIN 161A7306 (02989)		EA	4	1	3	5	1	3	5	60	45	13	27
P F	5340-755-4991	SPRING, HELICAL COMPRESSION: RETAINING PIN 574A746 (02989)		EA	2	1	3	5	1	3	5	60	45	13	28

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P F	5315-182-5735	PIN, RETAINING: COMPRESSION SPRING 167A9938P1 (02989)		EA	2	1	3	5	1	3	5	60	45	13	29
P F	5310-836-4310	NUT, SELF-LOCKING, HEXAGON: CONTACT TIP TO PLATE MTG, 5/16-18 THD SIZE		EA	8	*	*	*	*	*	*	*	*	13	30
P F	5310-407-9566	WASHER, LOCK: CONTACT TIP TO PLATE MTG, 5/16 IN. SCREW SIZE AN935-516 (88044)		EA	8	*	*	*	*	*	*	*	*	13	31
X1		CONTACT 167A5789G1 (02989) (PART OF KIT, FSN 5945-410-7666)		EA	8									13	32
X2 F		PLATE: STATIONARY CONTACT TIP 129B5712P3 (02989)		EA	1									13	33
X2 F		SUPPORT: MOVABLE CONTACT TIP MTG 129B5712P4 (02989)		EA	2									13	34
P F	5305-637-9036	SCREW, MACHINE: BRACKET AND SUPPORT MTG, 1/4-20 THD SIZE, 5/8 IN. LG N26P21010B6 (02989)		EA	4	REF	REF	REF	REF	REF	REF	REF	REF	13	35
P F	5310-582-5965	WASHER, LOCK: BRACKET AND SUPPORT MTG, 1/4 IN. SCREW SIZE AN935-416 (88044)		EA	4	*	*	*	*	*	*	*	*	13	36
P F	5310-809-4058	WASHER, FLAT: BRACKET TO SUPPORT MTG, 1/4 IN. SCREW SIZE MS27183-10 (96906)		EA	2	*	*	*	*	*	*	*	*	13	37
X2 F		SUPPORT: STATIONARY CONTACT TIP MTG 167A9808 (02989)		EA	1									13	38
X2 F		BRACKET: STATIONARY CONTACT TIP MTG 9723634P1 (02989)		EA	1									13	39
P F		SCREW, SPECIAL: CONTACT SUPPORT STRIP MTG, 5/16-18 THD SIZE, 1/2 IN. LG N26P23008B6 (02989)		EA	2	REF	REF	REF	REF	REF	REF	REF	REF	13	40
P F	5310-407-9566	WASHER, LOCK: CONTACT SUPPORT STRIP MTG, 5/16 IN. SCREW SIZE AN935-516 (88044)		EA	2	*	*	*	*	*	*	*	*	13	41
P F	5310-081-4219	WASHER, FLAT: CONTACT SUPPORT STRIP MTG, 5/16 IN. SCREW SIZE MS27183-12 (96906)		EA	1	*	*	*	*	*	*	*	*	13	42
P F	5940-406-7418	STRIP, CONNECTION: STATIONARY CONTACT SUPPORT 9756578P8 (02989)		EA	1	1	1	2	1	1	2	24	48	13	43
P F	5305-995-3444	SCREW, MACHINE: STATIONARY CONTACT SUPPORT TO BASE MTG, NO. 10-32 THD SIZE, 7/8 IN. LG MS35207-266 (96906)		EA	4	*	*	*	*	*	*	*	*	13	44

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P F	5310-045-3296	WASHER, LOCK: STATIONARY CONTACT SUPPORT TO BASE MTG, NO. 10 SCREW SIZE AN935-10 (88044)	EA	4	*	*	*	*	*	*	*	*	13	45
P F	5310-809-8546	WASHER, FLAT: STATIONARY CONTACT SUPPORT TO BASE MTG, NO. 10 SCREW SIZE MS27183-8 (96906)	EA	4	*	*	*	*	*	*	*	*	13	46
X2 F		SUPPORT: STATIONARY CONTACT TIP MTG 129B5712P1 (02989)	EA	2									13	47
X2 F		SHIM: SUPPORT TO BASE MTG 167A9807P1 (02989)	EA	6									13	48
P F	5310-182-5754	NUT, SPECIAL: CONTACTOR ADJUSTING SCREW LHTE040 (02989)	EA	2	*	1	1	*	1	1	12	12	13	49
X2 F		SCREW, ADJUSTING: COMPRESSION SPRING 151A7822P2 (02989)	EA	2									13	50
X1		SPRING 2419480 (02989) (PART OF KIT, FSN 5945-410-7666)	EA	2									13	51
P F	5310-402-2789	SEAT, SPRING: RETAINING PIN AND ADJUSTING SCREW 161A7306 (02989)	EA	4	REF	REF	REF	REF	REF	REF	REF	REF	13	52
P F	5305-990-6444	SCREW, MACHINE: GUIDE TO FULCRUM MTG, NO. 10-32 THD SIZE, 3/8 IN. LG MS35207-261 (96906)	EA	4	*	*	*	*	*	*	*	*	13	53
P F	5310-045-3296	WASHER, LOCK: GUIDE TO FULCRUM MTG, NO. 10 SCREW SIZE AN935-10 (88044)	EA	4	*	*	*	*	*	*	*	*	13	54
X2 F		FULCRUM: ADJUSTING SCREW 578A552P2 (02989)	EA	2									13	55
X2 F		GUIDE, ARMATURE 151A7814P1 (02989)	EA	2									13	56
X2 F		SUPPORT, ARMATURE 9729158P4 (02989)	EA	2									13	57
P F	5340-804-7634	RING, RETAINING: OPERATING COIL 5100-87 (79136)	EA	2	1	1	2	1	1	2	25	48	13	58
P F	5950-403-2641	COIL, OPERATING 1D154G32A (02989)	EA	2	*	1	1	*	1	1	12	10	13	59
X2 F		WASHER, SPRING: OPERATING COIL MTG 8626009P3 (02989)	EA	2									13	60
P F	5305-558-7361	SCREW, MACHINE: OPERATING COIL CONNECTION, NO. 8-32 THD SIZE MS35223-42 (96906)	EA	4	*	*	*	*	*	*	*	*	13	61
P F	5310-559-0700	WASHER, LOCK: OPERATING COIL CONNECTION, NO. 8 SCREW SIZE MS35333-38 (96906)	EA	4	*	*	*	*	*	*	*	*	13	62

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P F	5305-989-7434	SCREW, MACHINE: MAGNET FRAME TO BASE MTG, NO. 10-32 THD SIZE, 1/2 IN. LG MS35207-263 (96906)	EA	4	*	*	*	*	*	*	*	*	13	63
X2 F		SHIM: ARMATURE MTG 129B5713G2 (02989)	EA	2									13	64
X2 F		BASE 129B5795P2 (02989)	EA	1									13	65
X2 F		FRAME, MAGNET: W/CORE 9729159G1 (02989)	EA	2									13	66
X2 F		ARMATURE 129B5713G2 (02989)	EA	2									13	67
P F	5305-958-5254	SCREW, CAP, HEXAGON HEAD: CONTACTOR MTG, 5/16-18 THD SIZE, 1 1/4 IN. LG MS35190-307 (96906)	EA	4	*	*	*	*	*	*	*	*	14	1
P F	5310-582-5965	WASHER, LOCK: CONTACTOR MTG, 1/4 IN. SCREW SIZE AN935-416 (88044)	EA	4	*	*	*	*	*	*	*	*	14	2
P F	5310-809-4058	WASHER, FLAT: CONTACTOR MTG, 1/4 IN. SCREW SIZE MS27183-10 (96906)	EA	4	*	*	*	*	*	*	*	*	14	3
P2 F	5945-250-7910	RELAY, ARMATURE: LINE CONTACTOR ASSEMBLY IC2800M120A414 (02989) (COMPONENTS SAME AS CONTACTOR FSN 5945-400-4872 EXCEPT WHERE INDIVIDUALLY ANNOTATED)	EA	1	*	*	*	*	*	*	3	6	14	
P2 F	5945-400-9872	RELAY, ARMATURE: PUMP CONTACTOR ASSEMBLY IC2800M120A412 (02989)	EA	1	*	*	*	*	*	*	3	6	14	
P F	5970-156-7766	INSULATION: CONTACTOR TO PANEL 2338316P2 (02989)	EA	2	1	2	4	1	2	4	48	36	14	4
P F		SCREW, SPECIAL, HEXAGON HEAD, SLOTTED: TERMINAL MTG, 5/16-18 THD SIZE, 1/2 IN. LG N26P2300886 (02989)	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	14	5
P F	5310-407-9566	WASHER, LOCK: TERMINAL MTG, 5/16 IN. SCREW SIZE AN935-516 (88044)	EA	2	*	*	*	*	*	*	*	*	14	6
P F	5305-637-9036	SCREW, MACHINE: TERMINAL AND SHUNT MTG, 1/4-20 THD SIZE, 5/8 IN. LG N26P21010B6 (02989)	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	14	7
P F	5310-582-5965	WASHER, LOCK: TERMINAL AND SHUNT MTG, 1/4 IN. SCREW SIZE AN935-416 (88044)	EA	2	*	*	*	*	*	*	*	*	14	8
P F	5310-809-4058	WASHER, FLAT: TERMINAL AND SHUNT MTG, 1/4 IN. SCREW SIZE MS27183-10 (96906)	EA	2	*	*	*	*	*	*	*	*	14	9
X2 F		TERMINAL 9092395P1 (02989)	EA	2									14	10
X2 F		CLIP, TERMINAL 205A5968P1 (02989)	EA	2									14	11

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P F	5305-068-0498	SCREW, CAP, HEXAGON HEAD: SHUNT TO MOVABLE SUPPORT MTG, 1/4-20 THD SIZE, 3/8 IN. LG MS90725-1 (96906)		EA	2	::	::	::	::	::	::	::	::	14	12
P F	5310-582-5965	WASHER, LOCK: SHUNT TO MOVABLE SUPPORT MTG, 1/4 IN. SCREW SIZE AN935-416 (88044)		EA	2	::	::	::	::	::	::	::	::	14	13
X1		LEAD 97S6574G1 (02989) (PART OF KIT, FSN 5945-433-1721)		EA	2									14	14
P F	5310-182-5754	NUT, SPECIAL: CONTACTOR ADJUSTING SCREW LHTE040 (02989)		EA	2	REF	REF	REF	REF	REF	REF	REF	REF	14	15
X2 F		SCREW, ADJUSTING: COMPRESSION SPRING 151A7822P2 (02989)		EA	2									14	16
X1		SPRING 2419480 (02989) (PART OF KIT, FSN 5945-433-1721)		EA	2									14	17
P F	5310-402-2789	SEAT, SPRING: COMPRESSION 161A7306 (02989)		EA	2	REF	REF	REF	REF	REF	REF	REF	REF	14	18
P F	5305-989-7434	SCREW, MACHINE: SWITCH AND ARMATURE SUPPORT MTG, NO. 10-32 THD SIZE, 1/2 IN. LG MS35207-263 (96906)		EA	4	::	::	::	::	::	::	::	::	14	19
P F	5310-045-3296	WASHER, LOCK: SWITCH AND ARMATURE SUPPORT MTG, NO. 10 SCREW SIZE AN935-10 (88044)		EA	4	::	::	::	::	::	::	::	::	14	20
P F	5310-809-8546	WASHER, FLAT: SWITCH AND ARMATURE SUPPORT MTG, NO. 10 SCREW SIZE MS27184-8 (96906)		EA	4	::	::	::	::	::	::	::	::	14	21
X2 F		SUPPORT, ARMATURE MS27183-8 (02989)		EA	2									14	22
P F	5305-990-6444	SCREW, MACHINE: GUIDE TO FULCRUM MTG, NO. 10-32 THD SIZE, 3/8 IN. LG MS35207-261 (96906)		EA	4	::	::	::	::	::	::	::	::	14	23
P F	5310-045-3296	WASHER, LOCK: GUIDE TO FULCRUM MTG, NO. 10 SCREW SIZE AN935-10 (88044)		EA	4	::	::	::	::	::	::	::	::	14	24
X2 F		FULCRUM: ADJUSTING SCREW 578A552P2 (02989)		EA	2									14	25
P F	5340-263-3831	RING, RETAINING: PIN TO MOVABLE CONTACT TIP MS16633-25 (96906)		EA	2	REF	REF	REF	REF	REF	REF	REF	REF	14	26
P F	5310-402-2789	SEAT, SPRING: COMPRESSION 161A7306 (02989)		EA	4	REF	REF	REF	REF	REF	REF	REF	REF	14	27
P F	5340-755-4991	SPRING, HELICAL, COMPRESSION: MOVABLE CONTACT TIP 574A746 (02989)		EA	2	REF	REF	REF	REF	REF	REF	REF	REF	14	28

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P F	5315-182-5735	PIN, RETAINING: COMPRESSION SPRING 167A9938P1 (02989)		EA	2	REF	REF	REF	REF	REF	REF	REF	REF	14	29
X2 F		GUIDE, ARMATURE 151A7814P1 (02989)		EA	2									14	30
P F	5310-836-4310	NUT, SELF-LOCKING, HEXAGON: CONTACT TIP TO SUPPORT MTG, 5/16-18 THD SIZE		EA	2	*	*	*	*	*	*	*	*	14	31
P F	5310-407-9566	WASHER, LOCK: CONTACT TIP TO SUPPORT MTG, 5/16 IN. SCREW SIZE AN935-516 (88044)		EA	2	*	*	*	*	*	*	*	*	14	32
X1		CONTACT 167A5789G1 (02989) (PART OF KIT, FSN 5945-433-1721)		EA	4									14	33
X2 F		SUPPORT: MOVABLE CONTACT TIP MTG 129B5712P4 (02989)		EA	2									14	34
P F		SCREW, SPECIAL, HEXAGON HEAD, SLOTTED: CABLE CONNECTION, 5/16-18 THD SIZE, 1/2 IN. LG N26P23008B6 (02989)		EA	2	REF	REF	REF	REF	REF	REF	REF	REF	14	35
P F	5310-407-9566	WASHER, LOCK: CABLE CONNECTION, 5/16 IN. SCREW SIZE AN935-516 (88044)		EA	2	*	*	*	*	*	*	*	*	14	36
P F	5305-995-3444	SCREW, MACHINE: STATIONARY SUPPORT TO BASE MTG, NO. 10-32 THD SIZE, 7/8 IN. LG MS35207-266 (96906)		EA	4	*	*	*	*	*	*	*	*	14	37
P F	5310-045-3296	WASHER, LOCK: STATIONARY SUPPORT TO BASE MTG, NO. 10 SCREW SIZE AN935-10 (88044)		EA	4	*	*	*	*	*	*	*	*	14	38
P F	5310-809-8546	WASHER, FLAT: STATIONARY SUPPORT TO BASE MTG, NO. 10 SCREW SIZE MS27183-8 (96906)		EA	4	*	*	*	*	*	*	*	*	14	39
X2 F		SUPPORT: STATIONARY CONTACT TIP MTG 129B5712P1 (02989)		EA	2									14	40
X2 F		SHIM: SUPPORT TO BASE MTG 167A9807P1 (02989)		EA	2									14	41
P F	5305-958-0672	SCREW, MACHINE: STOP TO POST, NO. 10-32 THD SIZE, 3 IN. LG		EA	4	*	*	*	*	*	*	*	*	14	42
P F	5310-045-3296	WASHER, LOCK: STOP TO POST MTG, NO. 10 SCREW SIZE AN935-10 (88044)		EA	4	*	*	*	*	*	*	*	*	14	43
X2 F		WASHER: ARMATURE STOP N401P69 (02989)		EA	4									14	44
X2 F		POST: ARMATURE STOP 167A9807P2 (02989)		EA	4									14	45
P F	5310-045-3296	WASHER, LOCK: ARMATURE STOP POST, NO. 10 SCREW SIZE AN935-10 (88044)		EA	4	*	*	*	*	*	*	*	*	14	46

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
X2 F		SPACER: SUPPORTING POST TO MAGNET FRAME 161A8482P3 (02989)		EA	12									14	47
P F	5305-558-7361	SCREW, MACHINE: OPERATING COIL CONNECTION, NO. 8-32 THD SIZE MS35223-42 (96906)		EA	4	*	*	*	*	*	*	*	*	14	48
P F	5310-167-0661	WASHER, LOCK: COIL CONNECTIONS, NO. 8 SCREW SIZE AN935-8 (88044)		EA	4	*	*	*	*	*	*	*	*	14	49
P F	5305-969-7434	SCREW, MACHINE: BASE TO MAGNET CORE MTG, NO. 10-32 THD SIZE, 1/2 IN. LG MS35207-263 (96906)		EA	4	*	*	*	*	*	*	*	*	14	50
P F	5310-045-3296	WASHER, LOCK: BASE TO MAGNET CORE MTG, NO. 10 SCREW SIZE AN935-10 (88044)		EA	4	*	*	*	*	*	*	*	*	14	51
X2 F		BASE 129B5795P1 (02989)		EA	2									14	52
P F	5340-804-7634	RING, RETAINING: OPERATING COIL 5100-87 (79136)		EA	2	REF	REF	REF	REF	REF	REF	REF	REF	14	53
X2 F		WASHER, SPRING: OPERATING COIL MTG 8626009P3 (02989)		EA	2									14	54
P F	5950-402-9162	COIL, OPERATING 1D154G33A (02989) (USED WITH RELAY, FSN 5945-250-7910, ONLY)		EA	1	*	*	1	*	*	1	6	5	14	55
P F	5950-403-2641	COIL OPERATING 1D154G32A (02989) (USED WITH RELAY, FSN 5945-400-9872, ONLY)		EA	1	REF	REF	REF	REF	REF	REF	REF	REF	14	55
X2 F		ARMATURE 129B5713G1 (02989)		EA	2									14	56
X2 F		SHIM: ARMATURE TO MAGNET FRAME MTG 129B5713G4 (02989)		EA	2									14	57
X2 F		FRAME, MAGNET: W/CORE 9729159G1 (02989)		EA	2									14	58
X2 F		FUSE BLOCK ASSEMBLY: PUMP MOTOR 5556 (07443)		EA	1									15	1
P O	5310-939-2653	NUT, PLAIN, HEXAGON: PUMP MOTOR FUSE MTG, 1/4-20 THD SIZE MS51969-1 (96906)		EA	6	*	*	*	*	*	*	*	*	15	2
P O	5310-022-8834	WASHER, LOCK: PUMP MOTOR FUSE MTG, 1/4 IN. SCREW SIZE		EA	6	*	*	*	*	*	*	*	*	15	3
P O	5920-131-9842	FUSE, CARTRIDGE: PUMP MOTOR ACK175 (71400)		EA	1	2	4	8	2	4	8	90	50	15	4
P O	5310-543-2560	WASHER, FLAT: PUMP MOTOR FUSE POST, 1/4 IN. SCREW SIZE		EA	2	*	*	*	*	*	*	*	*	15	5

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO.	(b) ITEM NO.
P F	5305-591-3324	SCREW, MACHINE: BASE TO PANEL MTG AN505-416-12 (88044)	EA	2	*	*	*	*	*	*	*	*	15	6
P F	5306-208-9890	BOLT, MACHINE: CONNECTING POST, 1/4-20 THD SIZE, 1-1/2 IN. LG	EA	2	1	1	2	1	1	2	24	50	15	7
X2 F		INSULATOR: BASE TO PANEL 5566 (07443)	EA	1									15	8
X2 F		BASE 5556-1 (07443)	EA	1									15	9
X2 F		FUSE BLOCK ASSEMBLY: DRIVE MOTOR 5764 (07443)	EA	1									15	10
P O	5310-903-3996	NUT, HEXAGON: DRIVE MOTOR FUSE MTG, 5/16-18 THD SIZE MS51969-2 (96906)	EA	7	*	*	*	*	*	*	*	*	15	11
P O	5310-019-0676	WASHER, LOCK: DRIVE MOTOR FUSE MTG, 5/16 IN. SCREW SIZE	EA	7	*	*	*	*	*	*	*	*	15	12
P O	5920-952-4080	FUSE, CARTRIDGE: DRIVE MOTOR ACK250 (71400)	EA	1	1	1	2	1	1	2	24	24	15	13
P O	5310-802-4701	WASHER, FLAT: DRIVE MOTOR FUSE POST, 5/16 IN. SCREW SIZE MS15795-313 (96906)	EA	2	*	*	*	*	*	*	*	*	15	14
P F	5305-591-3324	SCREW, FLAT HEAD: BASE TO PANEL AN505-416-12 (88044)	EA	2	*	*	*	*	*	*	*	*	15	15
P F	5306-916-4261	BOLT, MACHINE, HEXAGON HEAD: CONNECTING POST, 5/16 THD SIZE, 1-3/4 IN. LG MS35309-39 (96906)	EA	2	1	1	2	1	1	2	24	50	15	16
X2 F		INSULATOR: BASE TO PANEL 5566 (07443)	EA	1									15	17
X2 F		BASE 5764-1 (07443)	EA	1									15	18
P O	6150-407-1017	BAR, BUS: FUSE TO FUSE 5701 (07443)	EA	1	*	1	1	*	1	1	12	12	15	19
P F	5305-225-3839	SCREW, CAP, HEXAGON HEAD: CONTACTOR TO PANEL MTG, 1/4 THD SIZE, 1 IN. LG MS90725-8 (96906)	EA	2	*	*	*	*	*	*	*	*	16	1
P F	5310-582-5965	WASHER, LOCK: CONTACTOR TO PANEL MTG, 1/4 IN. SCREW SIZE AN935-416 (88044)	EA	2	*	*	*	*	*	*	*	*	16	2
P F	5310-809-4058	WASHER, FLAT: CONTACTOR TO PANEL MTG, 1/4 IN. SCREW SIZE MS27183-10 (96906)	EA	2	*	*	*	*	*	*	*	*	16	3
P2 F	5950-402-9163	CONTACTOR ASSEMBLY: 1A IC2800M120K412X51 (02989)	EA	1	*	*	*	*	*	*	3	3	16	
P F	5970-156-7766	INSULATION: CONTACTOR ASSEMBLY TO PANEL MTG 233B316P2 (02989)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	16	4

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P F	5305-889-3000	SCREW, MACHINE: SWITCH TO SUPPORT MTG, NO. 6-32 THD SIZE, 1/2 IN. LG MS35206-230 (96906)		EA	2	*	*	*	*	*	*	*	*	16	5
P F	5310-045-4007	WASHER, LOCK: SWITCH TO SUPPORT MTG, NO. 6 SCREW SIZE AN935-6 (88044)		EA	2	*	*	*	*	*	*	*	*	16	6
X1		SWITCH 119A4259P3 (02989) (PART OF KIT, FSN 5945-433-1720)		EA	1									16	7
P F		SCREW, SPECIAL, HEXAGON HEAD, SLOTTED: TERMINAL MTG, 5/16-18 THD SIZE, 1/2 IN. LG N26P23008B6 (02989)		EA	1	REF	REF	REF	REF	REF	REF	REF	REF	16	8
P F	5310-407-9566	WASHER, LOCK: TERMINAL 5/16 IN. SCREW SIZE AN935-516 (88044)		EA	1	*	*	*	*	*	*	*	*	16	9
P F	5305-637-9036	SCREW, MACHINE: TERMINAL AND SHUNT MTG, 1/4-20 THD SIZE, 5/8 IN. LG N26P21010B6 (02989)		EA	1	REF	REF	REF	REF	REF	REF	REF	REF	16	10
P F	5310-582-5965	WASHER, LOCK: TERMINAL AND SHUNT MTG, 1/4 IN. SCREW SIZE AN935-416 (88044)		EA	1	*	*	*	*	*	*	*	*	16	11
P F	5310-809-4058	WASHER, FLAT: TERMINAL AND SHUNT MTG, 1/4 IN. SCREW SIZE MS27183-10 (96906)		EA	1	*	*	*	*	*	*	*	*	16	12
X2 F		TERMINAL 9092395P1 (02989)		EA	1									16	13
X2 F		CLIP, TERMINAL 205A5968P1 (02989)		EA	1									16	14
P F	5305-068-0498	SCREW, CAP, HEXAGON HEAD: SHUNT TO MOVABLE SUPPORT MTG, 1/4-20 THD SIZE, 3/8 IN. LG MS90725-1 (96906)		EA	1	*	*	*	*	*	*	*	*	16	15
P F	5310-582-5965	WASHER, LOCK: SHUNT TO MOVABLE SUPPORT MTG, 1/4 IN. SCREW SIZE AN935-416 (88044)		EA	1	*	*	*	*	*	*	*	*	16	16
X1		LEAD 9756574G1 (02989) (PART OF KIT, FSN 5945-433-1720)		EA	1									16	17
P F	5305-989-7434	SCREW, MACHINE: SWITCH AND ARMATURE SUPPORT MTG, NO. 10-32 THD SIZE, 1/2 IN. LG MS35207-263 (96906)		EA	2	*	*	*	*	*	*	*	*	16	18
P F	5310-045-3296	WASHER, LOCK: SWITCH AND ARMATURE SUPPORT MTG, NO. 10 SCREW SIZE AN935-10 (88044)		EA	2	*	*	*	*	*	*	*	*	16	19
P F	5310-809-8546	WASHER, FLAT: SWITCH AND ARMATURE SUPPORT MTG, NO. 10 SCREW SIZE MS27183-8 (96906)		EA	2	*	*	*	*	*	*	*	*	16	20

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P F	5310-182-5754	NUT, SPECIAL: CONTACTOR ADJUSTING SCREW LHTE040 (02989)	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	16	21
P F	5310-402-2789	SEAT, SPRING: COMPRESSION 161A7306 (02989)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	16	22
X1		SPRING 2419480 (02989) (PART OF KIT, FSN 5945-433-1720)	EA	1									16	23
X2 F		SCREW, ADJUSTING: COMPRESSION SPRING 151A7822P2 (02989)	EA	1									16	24
X2 F		SUPPORT: SWITCH MTG 151A7816P1 (02989)	EA	1									16	25
P F	5305-990-6444	SCREW, MACHINE: GUIDE TO ARMATURE MTG, NO. 10-32 THD SIZE, 3/8 IN. LG MS35207-261 (96906)	EA	2	::	::	::	::	::	::	::	::	16	26
P F	5310-045-3296	WASHER, LOCK: GUIDE TO ARMATURE MTG, NO. 10 SCREW SIZE AN935-10 (88044)	EA	2	::	::	::	::	::	::	::	::	16	27
X2 F		FULCRUM: ADJUSTING SCREW 578A552P2 (02989)	EA	1									16	28
X2 F		SUPPORT: ARMATURE MTG 9729158P4 (02989)	EA	1									16	29
P F	5340-263-3831	RING, RETAINING: PIN TO MOVABLE CONTACT TIP MS16633-25 (96906)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	16	30
P F	5310-402-2789	SEAT, SPRING: COMPRESSION 161A7306 (02989)	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	16	31
X1		SPRING 574A746 (02989) (PART OF KIT, FSN 5945-433-1720)	EA	1									16	32
P F	5315-182-5735	PIN, RETAINING: COMPRESSION SPRING 167A9938P1 (02989)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	16	33
X2 F		SHIM: ARMATURE TO MAGNET FRAME MTG 129B5713G4 (02989)	EA	1									16	34
X2 F		GUIDE, ARMATURE 151A7814P1 (02989)	EA	1									16	35
X2 F		ARMATURE 129B5713G4 (02989)	EA	1									16	36
P F	5310-836-4310	NUT, SELF-LOCKING HEXAGON: CONTACT TIP TO SUPPORT, 5/16-18 SCREW SIZE	EA	2	::	::	::	::	::	::	::	::	16	37
P F	5310-407-9566	WASHER, LOCK: CONTACT TIP TO SUPPORT MTG, 5/16 IN. SCREW SIZE AN935-516 (88044)	EA	2	::	::	::	::	::	::	::	::	16	38
X1		CONTACT 167A5789G1 (02989) (PART OF KIT, FSN 5945-433-1720)	EA	2									16	39
X2 F		SUPPORT: MOVABLE CONTACT TIP MTG 129B5712P4 (02989)	EA	1									16	40

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P F	5305-995-3444	SCREW, MACHINE: STATIONARY SUPPORT TO BASE MTG, NO. 10-32 THD SIZE, 7/8 IN. LG MS35207-266 (96906)	EA	2	*	*	*	*	*	*	*	*	16	41
P F	5310-045-3296	WASHER, LOCK: STATIONARY SUPPORT TO BASE MTG, NO. 10 SCREW SIZE AN935-10 (88044)	EA	2	*	*	*	*	*	*	*	*	16	42
P F	5310-809-8546	WASHER, FLAT: STATIONARY SUPPORT TO BASE MTG, NO. 10 SCREW SIZE MS27183-8 (96906)	EA	2	*	*	*	*	*	*	*	*	16	43
P F		SCREW, SPECIAL, HEXAGON HEAD, SLOTTED: CABLE CONNECTION, 5/16-18 THD SIZE, 1/2 IN. LG N26P2300886 (02989)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	16	44
P F	5310-407-9566	WASHER, LOCK: CABLE CONNECTION, 5/16 IN. SCREW SIZE AN935-516 (88044)	EA	1	*	*	*	*	*	*	*	*	16	45
X2 F		SUPPORT: STATIONARY CONTACT TIP MTG 129B5712P1 (02989)	EA										16	46
X2 F		SHIM: SUPPORT TO BASE MTG 167A9807P1 (02989)	EA	1									16	47
P F	5305-990-6444	SCREW, MACHINE: STOP TO POST MTG, NO. 10-32 THD SIZE, 3/8 IN. LG MS35207-261 (96906)	EA	2	*	*	*	*	*	*	*	*	16	48
P F	5310-045-3296	WASHER, LOCK: STOP TO POST MTG, NO. 10 SCREW SIZE AN935-10 (88044)	E	2	*	*	*	*	*	*	*	*	16	49
X2 F		WASHER: STOP FOR ARMATURE N401P69 (02989)	EA	2									16	50
X2 F		POST: ARMATURE STOP 167A9807P2 (02989)	EA	2									16	51
X2 F		SPACER: SUPPORT POST TO MAGNET FRAME 161A8482P3 (02989)	EA	6									16	52
P F	5310-045-3296	WASHER, LOCK: STOP FOR ARMATURE, NO. 10 SCREW SIZE AN935-10 (88044)	EA	2	*	*	*	*	*	*	*	*	16	53
P F	5305-558-7361	SCREW, MACHINE: OPERATING COIL CONNECTIONS, NO. 8-32 THD SIZE MS35223-42 (96906)	EA	2	*	*	*	*	*	*	*	*	16	54
P F	5340-804-7634	RING, RETAINING: OPERATING COIL 5100-87 (79136)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	16	55
P F	5950-403-2641	COIL, OPERATING 1D154G32A (02989)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	16	56
X2 F		WASHER, SPRING: OPERATING COIL MTG 8626009P3 (02989)	EA	1									16	57
P F	5305-989-7434	SCREW, MACHINE: BASE TO MAGNET CORE MTG, NO. 10-32 THD SIZE, 1/2 IN. LG MS35207-263 (96906)	EA	2	*	*	*	*	*	*	*	*	16	58

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P F	5310-045-3296	WASHER, LOCK: BASE TO MAGNET CORE MTG, NO. 10 SCREW SIZE AN935-10 (88044)		EA	2	*	*	*	*	*	*	*	*	16	59
X2 F		BASE 129B5795P1 (02989)		EA	1									16	60
X2 F		FRAME, MAGNET: W/CORE 9729159G1 (02989)		EA	1									16	61
P F	5975-152-1075	LOCKNUT: ELECTRICAL OUTLETS 141 (59730)		EA	31	2	4	9	2	4	9	104	260	17	1
P F	5935-384-0375	CONNECTOR, STRAIGHT, ELECTRICAL: CONTROL BOX 2523 (53730)		EA	14	*	1	1	*	1	1	12	12	17	2
P F	5975-847-1244	CONNECTOR, ELBOW, ELECTRICAL CONTROL BOX 2268 (59730)		EA	11	*	1	1	*	1	1	15	25	17	3
P F	5330-588-0892	O RING, SEALING: CONNECTOR 5262 (59730)		EA	27	2	5	9	2	5	9	112	280	17	4
P F	5310-543-2628	NUT, PLAIN, HEXAGON: ELECTRICAL COMPONENTS BOX MTG, 3/8-16 THD SIZE MS35690-602 (96906)		EA	6	*	*	*	*	*	*	*	*	17	5
P F	5310-637-9541	WASHER, LOCK: ELECTRICAL COMPONENTS BOX MTG, 3/8 IN. SCREW SIZE AN935-616 (88044)		EA	6	*	*	*	*	*	*	*	*	17	6
P F	5305-269-3213	SCREW, CAP, HEXAGON HEAD: ELECTRICAL COMPONENTS BOX MTG, 3/8-16 THD SIZE, 1-1/4 IN. LG MS90725-62 (96906)		EA	6	*	*	*	*	*	*	*	*	17	7
X2 F		COMPONENTS ASSEMBLY, ELECTRICAL 5626 (07443)		EA	1									17	
P O	5305-988-1724	SCREW, MACHINE: COVER MTG, 1/4-20 THD SIZE, 5/8 IN. LG MS35206-280 (96906)		EA	6	*	*	*	*	*	*	*	*	17	8
P O	5310-582-5965	WASHER, LOCK: COVER MTG, 1/4 IN. SCREW SIZE AN935-416 (88044)		EA	6	*	*	*	*	*	*	*	*	17	9
X2 O		COVER 5689 (07443)		EA	1									17	10
P F	5310-880-7744	NUT, PLAIN, HEXAGON: PANEL MTG, 5/16-18 THD SIZE MS51967-5 (96906)		EA	6	*	*	*	*	*	*	*	*	17	11
P F	5310-407-9566	WASHER, LOCK: PANEL MTG, 5/16 IN. SCREW SIZE AN935-516 (88044)		EA	6	*	*	*	*	*	*	*	*	17	12
X2 F		PANEL, COMPONENTS 5691 (07443)		EA	1									17	13
P O	5920-011-7142	FUSE, CARTRIDGE AGC10AMP (71400)		EA	5	10	21	42	19	21	42	500	250	17	14
P F	5305-889-3001	SCREW, MACHINE: FUSEHOLDER MTG, NO. 6-32 THD SIZE, 5/8 IN. LG MS35206-231 (96906)		EA	2	*	*	*	*	*	*	*	*	17	15

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO	(b) ITEM NO.
P F	5310-579-0079	WASHER, LOCK: FUSEHOLDER MTG, NO. 6 SCREW SIZE MS35333-37 (96906)		EA	2	*	*	*	*	*	*	*	*	17	16
X2 F		FUSEHOLDER 5626-35 (07443)		EA	1									17	17
X2 F		SPACER: FUSEHOLDER TO PANEL 5665 (07443)		EA	1									17	18
P F	5305-889-3001	SCREW, MACHINE: TERMINAL BOARD MTG, NO. 6-32 THD SIZE, 5/8 IN. LG MS35206-231 (96906)		EA	8	*	*	*	*	*	*	*	*	17	19
P F	5310-579-0079	WASHER, LOCK: TERMINAL BOARD MTG, NO. 6 SCREW SIZE MS35333-37 (96906)		EA	8	*	*	*	*	*	*	*	*	17	20
P F	5940-983-6089	BOARD, TERMINAL 38TB12 (81349)		EA	2	*	1	1	*	1	1	12	12	17	21
P F	5305-984-4988	SCREW, MACHINE: TERMINAL BOARD CONNECTORS, NO. 6-32 THD SIZE, 3/8 IN. LG MS35206-228 (96906)		EA	48	*	*	*	*	*	*	*	*	17	22
P F	5310-579-0079	WASHER, LOCK: TERMINAL BOARD CONNECTORS, NO. 6 SCREW SIZE MS35333-37 (96906)		EA	48	*	*	*	*	*	*	*	*	17	23
P F	5305-984-6221	SCREW, MACHINE: FILTER MTG, NO. 6-32 THD SIZE 1 IN. LG MS35206-234 (96906)		EA	4	*	*	*	*	*	*	*	*	17	24
P F	5310-082-1404	WASHER, FLAT: FILTER MTG, NO. 6 SCREW SIZE MS27183-6 (96906)		EA	4	*	*	*	*	*	*	*	*	17	25
P F	5915-401-6384	FILTER, ELECTRICAL: HOURMETER AND HORN 14886203G22 (02989)		EA	1	*	1	1	*	1	1	12	12	17	26
P F		FILTER: TIME DELAY RELAY 14886203G14 (02989)		EA	1	*	*	1	*	*	1	6	12	17	27
P F	5305-576-5810	SCREW, MACHINE: RELAY MTG, NO. 10-32 THD SIZE, 3/8 IN. LG MS35206-261 (96906)		EA	2	*	*	*	*	*	*	*	*	17	28
P F	5310-045-3296	WASHER, LOCK: RELAY MTG, NO. 10 SCREW SIZE AN935-10 (88044)		EA	2	*	*	*	*	*	*	*	*	17	29
P F	5945-403-4180	RELAY, TIME DELAY 2422VN (98403)		EA	1	*	*	1	*	*	1	6	6	17	30
P O	5310-013-4530	NUT, PLAIN, HEXAGON: HOURMETER MTG, NO. 6-32 THD SIZE MS35649-62 (96906)		EA	3	*	*	*	*	*	*	*	*	17	31
P O	5310-579-0079	WASHER, LOCK: HOURMETER MTG, NO. 6 SCREW SIZE MS35333-37 (96906)		EA	3	*	*	*	*	*	*	*	*	17	32
P O	5305-889-3000	SCREW, MACHINE: HOURMETER MTG, NO. 6-32 THD SIZE, 1/2 IN. LG AN515-6-8 (88044)		EA	3	*	*	*	*	*	*	*	*	17	33
P O	6645-089-8842	METER, HOUR M5600 (74400)		EA	1	*	1	1	*	1	1	12	24	17	34

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION — REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P O	5330-168-5693	GASKET: HOURMETER MTG 5711 (07443)	EA	1	*	1	1	*	1	1	12	24	17	35
P O	5930-270-7044	SWITCH, PUSH-PULL: LIGHT 5626-45 (07443)	EA	1	*	1	1	*	1	1	12	24	17	36
P F	5310-880-7744	NUT, PLAIN, HEXAGON: BOX TO SUPPORT, 5/16-18 THD SIZE MS51967-5 (96906)	EA	6	*	*	*	*	*	*	*	*	17	37
P F	5306-550-1318	BOLT, MACHINE: PANEL MTG, 5/16-18 THD SIZE 1-1/4 IN. LG MS35297-36 (96906)	EA	6	*	*	*	*	*	*	*	*	17	38
P F	5310-543-2628	NUT, PLAIN, HEXAGON: BOX TO SUPPORT, 3/8-16 THD SIZE MS35690-602 (96906)	EA	2	*	*	*	*	*	*	*	*	17	39
P F	5310-637-9541	WASHER, LOCK: BOX TO SUPPORT, 3/8 IN. SCREW SIZE AN935-616 (88044)	EA	2	*	*	*	*	*	*	*	*	17	40
P F	5305-558-4181	SCREW, CAP, HEXAGON HEAD: BOX TO SUPPORT, 3/8-16 THD SIZE, 7/8 IN. LG MS90728-59 (96906)	EA	2	*	*	*	*	*	*	*	*	17	41
P F	5310-761-6882	NUT, PLAIN, HEXAGON: BOX TO SUPPORT, 1/4-20 THD SIZE MS51967-2 (96906)	EA	4	*	*	*	*	*	*	*	*	17	42
P F	5310-582-5965	WASHER, LOCK: BOX TO SUPPORT, 1/4 IN. SCREW SIZE AN935-416 (88044)	EA	4	*	*	*	*	*	*	*	*	17	43
P F	5305-068-0502	SCREW, CAP, HEXAGON HEAD: BOX TO SUPPORT, 1/4-20 THD SIZE, 3/4 IN. LG MS90725-6 (96906)	EA	4	*	*	*	*	*	*	*	*	17	44
X2 F		BOX, CONTROL 5625 (07443)	EA	1									17	45
X2 F		SUPPORT, CONTROL BOX 5686 (07443)	EA	1									17	46
P O	5940-073-6683	TERMINAL, QUICK DISCONNECT: AWG NO. 16 WIRE SIZE FB14-250F (59730)	EA	16	1	2	4	1	2	4	48	64		
P O	5940-106-9756	LUG, TERMINAL: PUMP FUSE 14RB14 (59730)	EA	2	*	1	1	*	1	1	12	24		
P O	5940-143-4774	LUG, TERMINAL 14RB8 (59730)	EA	15	1	3	5	1	3	5	60	120		
P O	5940-180-8053	LUG, TERMINAL: CONTACTORS, AWG NO. 4 WIRE SIZE 54139 (59730)	EA	11	1	2	4	1	2	4	48	86		
P O	5940-283-5280	LUG, TERMINAL: AWG NO. 14 WIRE SIZE 14RE6 (59730)	EA	125	3	5	10	3	5	10	125	500		
P O	5940-283-5281	LUG, TERMINAL: TRACTION FUSE, CONTACTORS, AWG NO. 16 WIRE SIZE 14RB516 (59730)	EA	5	1	1	2	1	1	2	25	25		
P F	5940-406-7411	FERRULES, GROUND STF125 (03743)	EA	2	1	2	4	1	2	4	48	48		

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P O	5940-557-4341	LUG, TERMINAL: AWG NO. 4 WIRE SIZE, FOR 1/4 IN. SCREW MS25036-123 (96906)		EA	6	2	3	6	2	3	6	72	72		
P O	5940-988-5076	LUG, TERMINAL: AWG NO. 4 WIRE SIZE FOR 3/8 IN. SCREW 54140 (59730)		EA	7	2	4	8	2	4	8	98	98		
P O	5940-998-6126	TERMINAL, ELECTRICAL: TAILLIGHT, AWG NO. 16 WIRE SIZE RB14-250 (59730)		EA	2	*	1	1	*	1	1	12	24		
M F		CONDUIT, SEALTITE: ELECTRIC LEAD TYPEEF1-1-4 (03743) MANUFACTURE FROM:		FT	2										
P F	5975-941-5039	CONDUIT, SEALTITE: 1 1/4 IN. ID		FT	V	2	4	8	2	4	8	100	200		
M F		CABLE, PORTABLE TYPESJO-16-2 (82879) MANUFACTURE FROM:		FT	95										
P F	6145-284-0067	CABLE, ELECTRICAL: 0.325 IN. OD, NEOPRENE		FT	V	20	42	84	20	42	84	1000	5000		
M F		CABLE, PORTABLE TYPESJO-16-3 (82879) MANUFACTURE FROM:		FT	13										
P F	6145-889-1491	CABLE, ELECTRICAL, 0.355 IN. OD		FT	V	5	10	21	5	10	21	250	1250		
M F		BRAID, COPPER: WIRING COVER 5626-86 (07443) MANUFACTURE FROM:		FT	60										
P F	6145-194-9829	BRAID, COPPER 2350-3-8 (07443)		FT	V	6	13	25	6	13	25	300	600		
M F		CABLE, ASSEMBLY: ACCELERATOR SWITCH TYPESO16-5 (82879) MANUFACTURE FROM:		EA	1										
P F	6145-889-1145	CABLE, ELECTRICAL 10 FT REQUIRED		FT	V	5	10	21	5	10	21	250	1000		
M F		CABLE, ASSEMBLY 31504 (70903) MANUFACTURE FROM:		EA	1										
P F	6145-177-4620	CABLE, ELECTRICAL: AWG NO. 4 WIRE SIZE, 0.390 IN. BLACK 27 FT REQUIRED		FT	V	6	13	25	6	13	25	300	2700		
M F		CABLE, FLEXIBLE CONTROL 260-616 (88486) MANUFACTURE FROM:		FT	39										
P F	6145-177-4653	CABLE, ELECTRICAL: AWG NO. 16 WIRE SIZE		FT	V	5	10	21	5	10	21	250	5000		
X2 F		TIES, CABLE 5046-51 (07443)		EA	V										
M F		TUBING: CONTACTOR CONTROL WIRES HT105 (03890) MANUFACTURE FROM:		FT	15										
P F		TUBING: 3/16 IN. ID BLACK		FT	V	6	13	25	6	13	25	300	600		

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
		GROUP 06-CONSOLE												
P F	5310-880-7744	NUT, PLAIN, HEXAGON: U-BOLT STEERING GEAR, 5/16-18 THD SIZE. MS51967-5 (96906)	EA	2	*	*	*	*	*	*	*	*	18	1
P F	5310-081-4219	WASHER, FLAT: U-BOLT, STEERING GEAR, 5/16 IN. SCREW SIZE MS27183-12 (96906)	EA	2	*	*	*	*	*	*	*	*	18	2
P F	5306-809-1360	U-BOLT: STEERING GEAR TO CONSOLE, 5/16-18 THD SIZE 5682-53 (07443)	EA	1	*	*	*	*	*	*	*	*	18	3
P F	5310-543-5089	NUT, PLAIN, HEXAGON: CONSOLE ASSEMBLY TO FRAME, 1/2-13 THD SIZE MS35690-802 (96906)	EA	4	*	*	*	*	*	*	*	*	18	4
P F	5310-584-5272	WASHER, LOCK: CONSOLE ASSEMBLY TO FRAME, 1/2 IN. SCREW SIZE AN935-816 (88044)	EA	4	*	*	*	*	*	*	*	*	18	5
P F	5305-044-4153	SCREW, CAP, HEXAGON HEAD: CONSOLE ASSEMBLY TO FRAME, 1/2-13 THD SIZE, 1 IN. LG MS90725-109 (96906)	EA	4	*	*	*	*	*	*	*	*	18	6
X2 F		CONSOLE ASSEMBLY 5699 (07443)	EA	1									18	
P O	5305-990-6444	SCREW, MACHINE: STACK VALVE ACCESS COVER MTG, NO. 10-32 THD SIZE, 3/8 IN. LG MS35207-261 (96906)	EA	6	*	*	*	*	*	*	*	*	18	7
P O	5310-045-3296	WASHER, LOCK: STACK VALVE ACCESS COVER MTG, NO. 10 SCREW SIZE AN935-10 (88044)	EA	6	*	*	*	*	*	*	*	*	18	8
X2 O		COVER, CONSOLE: STACK VALVE ACCESS 5697 (07443)	EA	1									18	9
P O	5310-042-6903	NUT, PLAIN, HEXAGON: HORN COVER MTG, NO. 10-32 THD SIZE	EA	4	*	*	*	*	*	*	*	*	18	10
P O	5310-045-3296	WASHER, LOCK: HORN COVER MTG, NO. 10 SCREW SIZE AN935-10 (88044)	EA	4	*	*	*	*	*	*	*	*	18	11
P O	5305-989-7434	SCREW, MACHINE: HORN COVER MTG, NO. 10-32 THD SIZE, 1/2 IN. LG MS35207-263 (96906)	EA	4	*	*	*	*	*	*	*	*	18	12
X2 O		COVER, HORN 5735 (07443)	EA	1									18	13
M O		LEAD, ELECTRICAL: HORN TO RELAY MANUFACTURE FROM:	EA	2									18	14
P O		TERMINAL, LUG: NO. 16 AWG, FOR NO. 6 SCREW MS25036-6 (96906)	EA	2	*	*	*	*	*	*	*	*		

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P O	5940-557-1627	TERMINAL, LUG: NO. 16 AWG FOR NO. 8 SCREW MS25036-53 (96906)	EA	2	*	*	*	*	*	*	*	*		
P O	6145-170-3521	WIRE, ELECTRICAL: 6 1/2 IN. REQUIRED FOR EA LEAD	FT	V	*	*	*	*	*	*	*	*		
P O	5310-042-6903	NUT, PLAIN, HEXAGON: HORN MTG, NO. 10-32 THD SIZE	EA	2	*	*	*	*	*	*	*	*	18	15
P O	5310-045-3296	WASHER, LOCK: HORN MTG, NO. 10 SCREW SIZE AN935-10 (88044)	EA	2	*	*	*	*	*	*	*	*	18	16
P O	5305-989-7435	SCREW, MACHINE: HORN MTG, NO. 10-32 THD SIZE, 5/8 IN. LG MS35207-264 (96906)	EA	2	*	*	*	*	*	*	*	*	18	17
P O	2590-403-0908	HORN, WARNING A24S50-36V (21003)	EA	1	*	*	1	*	*	1	6	12	18	18
P O	5310-722-5284	NUT, PLAIN, HEXAGON: HORN FILTER MTG, NO. 6-32 THD SIZE MS35649-42 (96906)	EA	2	*	*	*	*	*	*	*	*	18	19
P O	5310-082-1404	WASHER, FLAT: HORN FILTER MTG, NO. 6 SCREW SIZE MS27183-6 (96906)	EA	2	*	*	*	*	*	*	*	*	18	20
X2 O		SCREW, MACHINE: HORN FILTER MTG, NO. 6-32 THD SIZE, 1 IN. LG AN515-6-16 (88044)	EA	2									18	21
P O	5915-401-6384	FILTER, HORN 148B6203G22 (02989)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	18	22
P O	5310-934-9755	NUT, PLAIN, HEXAGON: EMERGENCY MICROSWITCH MTG, NO. 6-32 THD SIZE MS35650-62 (96906)	EA	2	*	*	*	*	*	*	*	*	18	23
P O	5310-579-0079	WASHER, LOCK: EMERGENCY MICROSWITCH MTG, NO. 6 SCREW SIZE MS35333-37 (96906)	EA	4	*	*	*	*	*	*	*	*	18	24
P O	5305-558-4285	SCREW, MACHINE: EMERGENCY MICROSWITCH MTG, NO. 6-32 THD SIZE, 1 3/8 IN. LG	EA	2	*	*	*	*	*	*	*	*	18	25
P F	5930-959-0077	SWITCH, SENSITIVE: EMERGENCY SWITCH BZE6-2RO (91929)	EA	1	1	1	2	1	1	2	24	36	18	26
P O	5305-984-6191	SCREW, MACHINE: EMERGENCY SWITCH BRACKET, NO. 8-32 THD SIZE, 3/8 IN. LG MS35206-243 (96906)	EA	2	*	*	*	*	*	*	*	*	18	27
P O	5310-167-0661	WASHER, LOCK: EMERGENCY SWITCH BRACKET MTG, NO. 8 SCREW SIZE AN935-8 (88044)	EA	2	*	*	*	*	*	*	*	*	18	28
X2 O		BRACKET, SWITCH 5700 (07443)	EA	1									18	29
P O	5930-132-2870	SWITCH, PUSH-BUTTON: EMERGENCY STOP CR2940UM200AC (02989)	EA	1	1	1	2	1	1	2	24	36	18	30

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P F	5325-185-0004	GROMMET, RUBBER: DIRECTIONAL CONTROL CABLE MS35489-40 (96906)	EA	1	*	*	*	*	*	*	*	*	18	31
X2 F		CONSOLE 5714 (07443)	EA	1									18	32
P O	5360-150-2656	SPRING, HELICAL, EXTENSION: ACCELERATOR RETURN LE69F8MW (84830)	EA	1	*	1	1	*	1	1	12	24	19	1
P O	5315-815-1405	PIN, COTTER: YOKE PIN TO ROD MS24665-150 (96906)	EA	1	*	*	*	*	*	*	*	*	19	2
P O	5315-662-9585	PIN, STRAIGHT, HEADED: ACCELERATOR SHAFT TO ROD, 5/16 IN. DIA, 13/16 IN. LG 2708-1-2-2A (71843)	EA	1	*	*	*	*	*	*	*	*	19	3
X2 O		ROD: ACCELERATOR SHAFT TO PEDAL 5197-1 (07443)	EA	1									19	4
P O	5305-723-9398	SETSCREW: COUPLING ACCELERATOR SHAFT TO SWITCH MS51017-47 (96906)	EA	1	*	*	*	*	*	*	*	*	19	5
P O	5305-989-7435	SCREW, MACHINE: PILLOW BLOCK TO CONSOLE, NO. 10-32 THD SIZE, 5/8 IN. LG MS35207-264 (96906)	EA	2	*	*	*	*	*	*	*	*	19	6
P O	5310-045-3296	WASHER, LOCK: PILLOW BLOCK TO CONSOLE, NO. 10 SCREW SIZE AN935-10 (88044)	EA	2	*	*	*	*	*	*	*	*	19	7
P O	5310-809-8546	WASHER, FLAT: PILLOW BLOCK TO CONSOLE, NO. 10 SCREW SIZE MS27183-8 (96906)	EA	2	*	*	*	*	*	*	*	*	19	8
X2 O		BLOCK, PILLOW: ACCELERATOR SHAFT PPB6 (71041)	EA	1									19	9
P O	5315-935-0632	PIN, SPRING: COUPLING TO ROD, 3/32 IN. DIA, 1 IN. LG	EA	1	*	*	*	*	*	*	*	*	19	10
X2 O		COUPLING: ACCELERATOR SHAFT TO SWITCH 5696 (07443)	EA	1									19	11
X2 O		SHAFT, ACCELERATOR 5693 (07443)	EA	1									19	12
P F	5305-068-0501	SCREW, CAP, HEXAGON HEAD: ACCELERATOR SWITCH TO CONSOLE, 1/4-20 THD SIZE, 5/8 IN. LG MS90725-5 (96906)	EA	3	*	*	*	*	*	*	*	*	19	13
P F	5310-582-5965	WASHER, LOCK: ACCELERATOR SWITCH TO CONSOLE, 1/4 IN. SCREW SIZE AN935-416 (88044)	EA	3	*	*	*	*	*	*	*	*	19	14
P F		SWITCH, ACCELERATOR: CONSOLE IC3012BH733AE01 (02989)	EA	1	*	*	1	*	*	1	6	6	19	15

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P F	5305-990-6444	SCREW, MACHINE: COVER MTG, NO. 10-32 THD SIZE, 3/8 IN. LG MS35207-261(96906)	EA	4	*	*	*	*	*	*	*	*	20	1
P F	5310-045-3296	WASHER, LOCK: COVER MTG, NO. 10 SCREW SIZE AN935-10 (88044)	EA	4	*	*	*	*	*	*	*	*	20	2
X2 F		COVER, CASE 149B3008P1 (02989)	EA	1									20	3
P F	5305-989-7435	SCREW, MACHINE: BRACKET MTG, NO. 10-32 THD SIZE, 5/8 IN. LG MS35207-264 (96906)	EA	2	*	*	*	*	*	*	*	*	20	4
P F	5310-045-3296	WASHER, LOCK: BRACKET MTG, NO. 10 SCREW SIZE AN935-10 (88044)	EA	2	*	*	*	*	*	*	*	*	20	5
P F	5305-984-4988	SCREW, MACHINE: TERMINAL STRIP MTG, NO. 6-32 THD SIZE, 1/2 IN. LG MS35206-228 (96906)	EA	2	*	*	*	*	*	*	*	*	20	6
P F	5310-045-4007	WASHER, LOCK: TERMINAL STRIP TO BRACKET, NO. 6 SCREW SIZE AN935-6 (88044)	EA	1	*	*	*	*	*	*	*	*	20	7
P F	5940-168-3323	STRIP, TERMINAL 167A8468P2 (02989)	EA	1	1	1	2	1	1	2	24	36	20	8
P F	5305-984-4982	SCREW, MACHINE: TERMINAL STRIP, NO. 6-32 THD SIZE, 3/16 IN. LG MS35223-25 (96906)	EA	4	*	*	*	*	*	*	*	*	20	9
P F	5305-990-6444	SCREW, MACHINE: TERMINAL STRIP BRACKET MTG, NO. 10-32 THD SIZE, 3/8 IN. LG MS35207-261 (96906)	EA	2	*	*	*	*	*	*	*	*	20	10
X2 F		BRACKET, TERMINAL: STRIP MTG 188A5258P1 (02989)	EA	1									20	11
P F	5305-619-6452	SCREW, CAP, SOCKET HEAD: PINION GEAR CLAMP, NO. 6-32 THD SIZE, 1/2 IN. LG MS24677-8 (96906)	EA	1	*	*	*	*	*	*	*	*	20	12
P F	5310-616-8575	WASHER, LOCK: PINION GEAR CLAMP, NO. 6 SCREW SIZE AN935-6 (88044)	EA	1	*	*	*	*	*	*	*	*	20	13
X2 F		CLAMP: PINION GEAR 181A3197P3 (02989)	EA	1									20	14
P F	3020-406-3287	GEAR, PINION 205A4009P1 (02989)	EA	1	*	1	1	*	1	1	12	36	20	15
P F	5305-990-6444	SCREW, MACHINE: POTENTIOMETER BRACKET MTG, NO. 10-32 THD SIZE, 3/8 IN. LG MS35207-261 (96906)	EA	1	*	*	*	*	*	*	*	*	20	16
X2 F		BRACKET, MOUNTING 205A7162G1 (02989)	EA	1									20	17

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-25	(b) 26-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-25	(b) 26-50	(c) 51-100	(8) 1 YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P F	5310-550-2329	NUT, PLAIN, HEXAGON: POTENTIOMETER TO BRACKET MTG, 3/8-32 THD SIZE MS25082-7 (96906)	EA	2	*	*	*	*	*	*	*	*	20	18
P F	5310-080-6004	WASHER, FLAT: POTENTIOMETER TO BRACKET MTG, 0.406 IN. ID MS27183-14 (96906)	EA	1	*	*	*	*	*	*	*	*	20	19
P F	5905-407-1919	POTENTIOMETER, CONTROL 17181956P1 (02989)	EA	1	*	1	1	*	1	1	12	36	20	20
X2 F		BRACKET, POTENTIOMETER 205A7157P1 (02989)	EA	1									20	21
P F	5310-877-5797	NUT, SELF-LOCKING, HEXAGON: SWITCH BRACKET MTG, NO. 10-32 THD SIZE MS21044N3 (96906)	EA	2	*	*	*	*	*	*	*	*	20	22
P F	5305-995-3444	SCREW, MACHINE: SWITCH BRACKET MTG, NO. 10-32 THD SIZE, 7/8 IN. LG MS35207-266 (96906)	EA	2	*	*	*	*	*	*	*	*	20	23
P F	5305-98[illegible]-7434	SCREW, MACHINE: SWITCH BRACKET MTG, NO. 10-32 THD SIZE, 1/2 IN. LG MS35207-263 (96906)	EA	2	*	*	*	*	*	*	*	*	20	24
P F	5310-045-3296	WASHER, LOCK: SWITCH BRACKET MTG, NO. 10 SCREW SIZE AN935-10 (88044)	EA	2	*	*	*	*	*	*	*	*	20	25
P F	5305-984-4983	SCREW, MACHINE: SWITCH MTG, NO. 6-32 THD SIZE, 1/4 IN. LG MS35206-226 (96906)	EA	4	*	*	*	*	*	*	*	*	20	26
P F	5310-045-4007	WASHER, LOCK: SWITCH MTG, NO. 6 SCREW SIZE AN935-6 (88044)	EA	4	*	*	*	*	*	*	*	*	20	27
P F	5930-403-2621	SWITCH MRIS800A (02989)	EA	2	*	1	1	*	1	1	12	36	20	28
X2 F		BRACKET: SWITCH MTG 205A5943P2 (02989)	EA	2									20	29
X2 F		SCREW, MACHINE: ADJUSTING, 1/4-20 THD SIZE, 1 1/4 IN. LG 188A6348P2 (02989)	EA	1									20	30
X2 F		SCREW, MACHINE: ADJUSTING, 1/4-20 THD SIZE, 1 IN. LG 188A6348P1 (02989)	EA	1									20	31
P F	5305-723-9387	SETSCREW: STOP TO SHAFT N70P2104B6 (02989)	EA	2	*	*	*	*	*	*	*	*	20	32
X2 F		SETSCREW: COLLAR TO SHAFT N179P2105B6 (02989)	EA	1									20	33
X2 F		SCREW, CAP, HEXAGON HEAD: CAM TO SHAFT, 1/4-20 THD SIZE, 7/8 IN. LG N57P2101086 (02989)	EA	2									20	34

(1) Supply Code	(2) Federal Stock Number	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) Unit of Meas	(5) Qty Inc in Unit	(6) 30-Day DS Maint Allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-Day GS Maint Allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-Yr Alw Per 100 Equip Cntgy	(9) Depot Maint Alw Per 100 Equip	(10) Illustration (a) Fig No	(b) Item No
P F	5310-582-5965	WASHER, LOCK: CAM TO SHAFT, 1/4 IN. SCREW SIZE AN935-416 (88044)	EA	1	*	*	*	*	*	*	*	*	20	35
P F	5310-809-4058	WASHER, FLAT: CAM TO SHAFT, 1/4 IN. SCREW SIZE MS27183-10 (96906)	EA	1	*	*	*	*	*	*	*	*	20	36
P F	3040-252-5488	SHAFT, OPERATING 157B2895P2 (02989)	EA	1	*	*	1	*	*	1	6	12	20	37
P F	5315-616-5515	KEY, WOODRUFF: COLLAR TO SHAFT MS35756-5 (96906)	EA	2	1	1	2	1	1	2	24	48	20	38
X2 F		STOP, SHAFT ROTATION 181A5694P2 (02989)	EA	1									20	39
P F	5945-403-4163	CAM, SWITCH, ACTUATING 177C869P500 (02989)	EA	1	*	1	1	*	1	1	12	36	20	40
P F	5945-403-4164	CAM, SWITCH: ACTUATING 177C869P60 (02989)	EA	1	*	1	1	*	1	1	12	36	20	41
P F	3020-413-3195	GEAR, SECTOR 205A4008P2 (02989)	EA	1	*	1	1	*	1	1	12	36	20	42
X2 F		HUB, GEAR 205A7156P1 (02989)	EA	1									20	43
X2 F		COLLAR, STOP 9098839 (02989)	EA	1									20	44
P F	5975-152-1075	LOCKNUT, CONDUIT 141 (59730)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	20	45
P F	5330-588-0892	O RING, SEALING: CONNECTOR 5262 (59730)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	20	46
P F	5975-804-0833	BOX, CONNECTOR, ELECTRICAL 2269 (59730)	EA	1	1	1	2	1	1	2	24	48	20	47
P F		CASE, ASSEMBLY 205A7159G3 (02989)	EA	1	*	*	1	*	*	1	6	6	20	48
X1		BUSHING 205A7159G3 (02989)	EA	2									20	49
P F	5310-543-2628	NUT, PLAIN, HEXAGON: STACK VALVE MTG, 3/8-16 THD SIZE MS35690-602 (96906)	EA	3	*	*	*	*	*	*	*	*	21	1
P F	5310-637-9541	WASHER, LOCK: STACK VALVE MTG, 3/8 IN. SCREW SIZE AN935-616 (88044)	EA	3	*	*	*	*	*	*	*	*	21	2
P F	5310-087-7493	WASHER, FLAT: STACK VALVE MTG, 3/8 IN. SCREW SIZE MS27183-13 (96906)	EA	2	*	*	*	*	*	*	*	*	21	3
P F	5305-269-3213	SCREW, CAP, HEXAGON HEAD: STACK VALVE MTG, 3/8-16 THD SIZE, 1 1/4 IN. LG MS90725-62 (96906)	EA	3	*	*	*	*	*	*	*	*	21	4
P F	5310-934-9755	NUT, PLAIN, HEXAGON: MICROSWITCH MTG, NO. 6-32 THD SIZE MS35650-62 (96906)	EA	4	*	*	*	*	*	*	*	*	21	5
P F	5310-579-0079	WASHER, LOCK: MICROSWITCH MTG, NO. 6 SCREW SIZE MS35333-37 (96906)	EA	4	*	*	*	*	*	*	*	*	21	6

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALW PER 100 EQUIP ENTRY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P F	5310-082-1404	WASHER, FLAT: MICROSWITCH MTG, NO. 6 SCREW SIZE MS27183-6 (96906)		EA	8	*	*	*	*	*	*	*	*	21	7
P F	5305-984-6223	SCREW, MACHINE: STACK MICROSWITCH MTG, NO. 6-32 THD SIZE, 1 1/2 IN. LG AN515-6-29 (88044)		EA	4	*	*	*	*	*	*	*	*	21	8
P F	5930-099-2203	SWITCH, SENSITIVE: STACK VALVE 8ZE6-2R08 (91929)		EA	2	*	1	1	*	1	1	12	36	21	9
P F	5930-252-4133	SWITCH, SENSITIVE: STACK VALVE 82-240784 (91929)		EA	2	1	1	2	1	1	2	24	24	21	10
X2 F		BRACKET, SWITCH: STACK VALVE 5698 (07443)		EA	1									21	11
P FR	3930-433-0762	VALVE, STACK: HYDRAULIC CONTROL CM11NO1R17TDE21 (62983)		EA	1	*	1	1	*	1	1	12	6	21	12
P O	5310-920-0838	WASHER, SPECIAL: LEVER PIVOT ROD 245482 (62983)		EA	2	1	1	2	1	1	2	24	48	22	1
P O	5340-927-9076	ROD: LEVER PIVOT 245492 (62983)		EA	1	*	*	1	*	*	1	6	12	22	2
X2 O		HANDLE, TILT 5114 (07443)		EA	1									22	3
P O	5355-182-5103	KNOB, CONTROL 819 (01599)		EA	1	*	1	1	*	1	1	12	12	22	4
X2 O		HANDLE, LIFT 5116 (07443)		EA	1									22	5
P O	5355-182-5103	KNOB, CONTROL 819 (01599)		EA	1	REF	REF	REF	REF	REF	REF	REF	REF	22	6
P O	5315-182-5734	PIN, HANDLE 248959 (62983)		EA	2	*	*	1	*	*	1	6	12	22	7
X2 F		ADAPTER, STRAIGHT, PIPE TO HOSE 254968 (62983)		EA	2									22	8
X2 F		O RING: ADAPTER 154131 (62983)		EA	2									22	9
P F	4730-674-6831	PLUG, MACHINE THREAD: RELIEF VALVE AND BODY FILLER 186580 (62983)		EA	2	*	1	1	*	1	1	12	12	22	10
P F	3930-375-1445	O RING: PLUG 154129 (62983)		EA	2	4	8	17	4	8	17	200	200	22	11
P F	3930-918-1920	SPRING: RELIEF SETTING 259871 (62983)		EA	1	1	1	2	1	1	2	24	100	22	12
P F	4820-034-1690	SUBASSEMBLY, RELIEF 232798 (62983)		EA	1	1	1	2	1	1	2	24	100	22	13
P F	5310-012-3221	NUT, PLAIN, HEXAGON: VALVE BODY, 3/8-16 THD SIZE 1454 (62983)		EA	4	*	*	*	*	*	*	*	*	22	14
X2 F		SCREW, CAP, HEXAGON HEAD: VALVE BODY, 3/8-16 THD SIZE, 3 1/2 IN. LG 214672 (62983)		EA	4									22	15

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P F	5365-182-6713	SHIM, BODY 307198 (62983)		FA	4	1	2	4	1	2	4	48	100	22	16
X1		RETAINER 237736 (62983) (PART OF KIT, FSN 5330-960-9332)		EA	1									22	17
X1		SEAL 223489 (62983) (PART OF KIT, FSN 5330-960-9332)		EA	1									22	18
X1		SEAL 223493 (62983) (PART OF KIT, FSN 5330-960-9332)		EA	1									22	19
X1		SEAL 226161 (62983) (PART OF KIT, FSN 5330-960-9332)		EA	1									22	20
P F	3930-867-1464	SCREW, SPECIAL: SPOOL RETAINER 282027 (62983)		EA	4	1	2	4	1	2	4	48	96	22	21
P F	5340-889-5209	RETAINER, SPOOL 284154 (62983)		EA	2	1	1	2	1	1	2	24	48	22	22
P F	2530-087-0369	SLEEVE 284155 (62983)		EA	2	1	1	2	1	1	2	24	48	22	23
X1		LIFT, CAM 5319 (07443)		EA	1									22	24
X1		TILT, CAM 5156 (07443)		EA	1									22	25
X1		O RING 187000 (62983) (PART OF KIT, FSN 5330-960-9332)		EA	2									22	26
X1		QUAD RING 282971 (62983) (PART OF KIT, FSN 5330-960-9332)		EA	2									22	27
P F	5310-867-1465	WASHER 284156 (62983)		EA	4	1	2	4	1	2	4	48	96	22	28
P F	5360-182-6698	SPRING, CENTERING 231780 (62983)		EA	2	1	1	2	1	1	2	24	48	22	29
P F	2530-087-0327	PLUG: POWER STEERING 222640 (62983)		EA	2	1	1	2	1	1	2	24	36	22	30
X1		RING 117717 (62983) (PART OF KIT, FSN 5330-960-9332)		EA	2									22	31
X1		O RING 154008 (62983) (PART OF KIT, FSN 5330-960-9332)		EA	2									22	32
P F	4810-953-5205	SPRING, HYDRAULIC VALVE 223388 (62983)		EA	2	1	1	2	1	1	2	24	100	22	33
P F	3930-899-4353	BALL, CONTROL VALVE 1655 (62983)		FA	2	1	1	2	1	1	2	24	36	22	34
X1		RING 286669 (62983) (PART OF KIT, FSN 5330-960-9332)		EA	2									22	35

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
X1		QUAD RING 283856 (62983) (PART OF KIT, FSN 5330-960-9332)	EA	2									22	36
X1		SECTION, OUTLET CM11N01R17D (62983)	EA	1									22	37
X1		SECTION, INLET "R" CM11N01R17T (62983)	EA	1									22	38
		GROUP 07-SERVICE BRAKE CONTROLS												
P O	5305-984-6212	SCREW, MACHINE: RAKE TUBE TO FRAME, NO. 10-24 THD SIZE, 3/4 IN. LG MS35206-265 (96906)	EA	1	*	*	*	*	*	*	*	*	23	1
P O	5340-535-6469	CLAMP, TUBE: BRAKE LINE MS21919G3 (96906)	EA	1	*	*	*	*	*	*	*	*	23	2
P O	4730-287-1706	TEE, TUBE: BRAKE LINE 702X3 (04255)	EA	1	*	*	*	*	*	*	*	*	23	3
P O	4730-222-1912	NUT, TUBE COUPLING: BRAKE LINE, 3/16 IN. TUBE, 7/16-20 THD SIZE	EA	5	*	*	*	*	*	*	*	*	23	4
P O	4730-464-4214	NUT, TUBING: WHEEL CYLINDER LINE, 3/16 IN. TUBE SIZE, 7/16-20 THD SIZE	EA	1	1	2	3	1	2	3	36	36	23	5
M O		TUBE, BRAKE LINE 5119-716-5692-8 (07443) MANUFACTURE FROM:	FT	7									23	6
P O	4710-488-8556	TUBE, METAL	FT	V	2	4	8	2	4	8	100	100		
P O	4730-277-8269	ELBOW, PIPE TO TUBE: BRAKE LINE 400X3 (04255)	EA	2	1	1	2	1	1	2	24	24	23	7
P O	4730-488-8324	ADAPTER, STRAIGHT: BRAKE CYLINDER TO TUBE, 1/4 IN. NPT, 3/16 IN. TUBE FC5735 (63477)	EA	1	*	1	1	*	1	1	12	12	23	8
P O	5310-247-4196	WASHER, FLAT: BRAKE CYLINDER ADAPTER GASKET FC17 (63477)	EA	1	2	4	8	2	4	8	100	100	23	9
P O	5360-150-2657	SPRING: BRAKE LEVER TO FRAME LE069F1MW (84830)	EA	1	*	1	1	*	1	1	12	36	23	10
P O	5315-234-1863	PIN, COTTER: LINK TO BRAKE AND CRANK LEVER MS24665-299 (96906)	EA	3	*	*	*	*	*	*	*	*	23	11
P O	5315-291-2098	PIN, CLEVIS: LINK TO BRAKE AND CRANK LEVER 2708-1-2-4A (71843)	EA	3	*	*	*	*	*	*	*	*	23	12
X2 O		CLEVIS, CAM: BRAKE CYLINDER 5179 (07443)	EA	1									23	13
P O	5315-236-8359	PIN, COTTER: BRAKE LEVER AND CRANK TO FRAME MS24665-370 (96906)	EA	2	*	*	*	*	*	*	*	*	23	14
X2 O		CRANK, BRAKE 5075 (07443)	EA	1									23	15
P O	5310-880-7744	NUT, PLAIN, HEXAGON: BRAKE PEDAL TO LEVER, 5/16-18 THD SIZE MS51967-5 (96906)	EA	1	*	*	*	*	*	*	*	*	23	16

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P O	5310-407-9566	WASHER, LOCK: BRAKE PEDAL TO LEVER, 5/16 IN. SCREW SIZE AN935-516 (88044)		EA	1	*	*	*	*	*	*	*	*	23	17
P O	5310-081-4219	WASHER, FLAT: BRAKE PEDAL TO LEVER, 5/16 IN. SCREW SIZE MS27183-12 (96906)		EA	1	*	*	*	*	*	*	*	*	23	18
P O	5306-531-1798	BOLT, MACHINE: BRAKE PEDAL TO LEVER, 5/16-18 THD SIZE, 7/8 IN. LG MS35297-34 (96906)		EA	1	*	*	*	*	*	*	*	*	23	19
P O	2540-488-8612	PEDAL BRAKE 27-3026 (92850)		EA	1	*	*	1	*	*	1	6	6	23	20
X2 O		LEVER, BRAKE 5074 (07443)		EA	1									23	21
P O	5340-435-2455	END, YOKE, ADJUSTING 2708-4A (71843)		EA	1	*	*	1	*	*	1	6	6	23	22
X2 O		NUT, PLAIN, HEXAGON: CLEVIS MS35691-622 (96906)		EA	2									23	23
X2 O		ROD, CAM: BRAKE CYLINDER 35394 (63477)		EA	1									23	24
P F	5310-013-4530	NUT, PLAIN, HEXAGON: MICRO SWITCH, NO. 6-32 THD SIZE MS35649-62 (96906)		EA	2	*	*	*	*	*	*	*	*	23	25
P F	5310-045-4007	WASHER, LOCK: MICRO SWITCH, NO. 6 SCREW SIZE AN935-6 (88044)		EA	2	*	*	*	*	*	*	*	*	23	26
P F	5305-984-6223	SCREW, MACHINE: MICRO SWITCH, NO. 6-32 THD SIZE, 1-1/2 IN. LG AN515-6-24 (88044)		EA	2	*	*	*	*	*	*	*	*	23	27
P F	5930-823-2054	SWITCH, SENSITIVE: FOOT BRAKE BZE6-2RN2 (91929)		EA	1	REF	REF	REF	REF	REF	REF	REF	REF	23	28
P F	5930-488-9968	ACTUATOR, REPLACEMENT: MICRO SWITCH 6PA2 (91929)		EA	1	*	1	1	*	1	1	12	24	23	29
P F	5930-614-7422	SWITCH, SENSITIVE: REPLACEMENT BZ2RN702 (91929)		EA	1	*	1	1	*	1	1	12	24	23	30
P O	5310-543-2628	NUT, PLAIN, HEXAGON: MASTER CYLINDER MTG, 3/8-16 THD SIZE MS35690-602 (96906)		EA	2	*	*	*	*	*	*	*	*	23	31
P O	5310-637-9541	WASHER, LOCK: MASTER CYLINDER MTG, 3/8 IN. SCREW SIZE AN935-616 (88044)		EA	2	*	*	*	*	*	*	*	*	23	32
P O	5305-269-3221	SCREW, CAP, HEXAGON HEAD: MASTER CYLINDER MTG, 3/8-16 THD SIZE, 3-1/4 IN. LG MS90725-71 (96906)		EA	2	*	*	*	*	*	*	*	*	23	33
P O	2530-738-7667	CYLINDER, HYDRAULIC: MASTER BRAKE FE3081 (63477)		EA	1	1	1	2	1	1	2	24	48	23	34
P O	2530-488-8323	COVER, CYLINDER 12103 (63477)		EA	1	*	1	1	*	1	1	12	48	24	1
P O	5330-599-3203	WASHER, NONMETALLIC: COVER FC6019 (63477)		EA	1	1	2	4	1	2	4	48	100	24	2

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO.	(b) ITEM NO.
X1		BOOT FC10901 (63477) (PART OF KIT, FSN 2530-359-0347)		EA	1									24	3
X1		RING FC2927 (63477) (PART OF KIT, FSN 2530-359-0347)		EA	1									24	4
P F	5310-262-4814	WASHER, FLAT FC14297 (63477)		EA	1	*	*	*	*	*	*	*	*	24	5
X1		PISTON ASSEMBLY FC2923 (63477) (PART OF KIT, FSN 2530-359-0347)		EA	1									24	6
X1		CUP FD2108 (63477) (PART OF KIT, FSN 2530-359-0347)		EA	1									24	7
X1		SPRING FC11744 (63477) (PART OF KIT, FSN 2530-359-0347)		EA	1									24	8
X1		VALVE FC46370 (63477) PART OF KIT, FSN 2530-359-0347)		EA	1									24	9
X2 F		HOUSING FD8832 (63477)		EA	1									24	10
		GROUP 08-HYDRAULIC SYSTEM													
M O		TUBE, OIL: FILTER TO TEE MANUFACTURE FROM:		EA	1									25	1
P O	4730-189-2742	NUT, TUBE COUPLING 10-37-15 (92985)		EA	2	1	2	4	1	2	4	48	48	25	2
P O	4710-278-1368	TUBE, STEEL, 8 IN. REQUIRED 5617-25-26-34-37 (07443)		FT	1	*	*	*	*	*	*	*	*	25	3
M O		TUBE, OIL: FILTER TO RESERVOIR MANUFACTURE FROM:		EA	1									25	4
P O	4730-189-2742	NUT, TUBE COUPLING 10-37-15 (92985)		EA	1	REF	REF	REF	REF	REF	REF	REF	REF	25	5
P O	4730-916-2002	NUT, TUBE COUPLING		EA	1	*	*	*	*	*	*	*	*	25	6
P O	4730-277-5357	SLEEVE, TUBE NUT		EA	1	*	*	*	*	*	*	*	*	25	7
P O	4710-278-1368	TUBE, STEEL, 13 IN. REQUIRED		FT	2	*	*	*	*	*	*	*	*	25	8
P O	4730-222-1796	ADAPTER, STRAIGHT, PIPE: FILTER INLET 10-37-2 (92985)		EA	1	*	1	1	*	1	1	12	12	25	9
P O	4730-231-3014	ELBOW PIPE TO TUBE: FILTER TO RESERVOIR LINE 10-37-6 (92985)		EA	1	*	1	1	*	1	1	12	12	25	10
P O	4730-618-8551	REDUCER: TUBE TO FILTER 16-8HB (92985)		EA	2	*	1	1	*	1	1	12	24	25	11
P O	5305-558-4181	SCREW, CAP, HEXAGON HEAD: FILTER MTG, 3/8-16 THD SIZE, 7/8 IN. LG MS90728-59 (96906)		EA	2	*	*	*	*	*	*	*	*	25	12

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P O	5310-637-9541	WASHER, LOCK: FILTER MTG, 3/8 IN. SCREW SIZE AN935-616 (88044)		EA	2	*	*	*	*	*	*	*	*	25	13
P O	4330-488-8613	FILTER ASSEMBLY, OIL OFM101-25 (62983)		EA	1	*	*	1	*	*	1	6	6	25	14
X1		BOLT 936947 (62983)		EA	1									25	15
X1		WASHER 936949 (62983)		EA	1									25	16
P O	4330-488-8614	FILTER ELEMENT 922788 (62983)		EA	1	6	13	25	6	13	25	300	300	25	17
P O	2520-914-2324	SPRING, HELICAL, COMPRESSION: ELEMENT 936955 (62983)		EA	1	1	1	2	1	1	2	24	24	25	18
X1		BODY 263231 (62983)		EA	1									25	19
P O	5340-792-1591	RING, RETAINING: SPRING AND POPPET 936855 (62983)		EA		1	1	2	1	1	2	24	24	25	20
P O	5310-118-6423	WASHER, SPECIAL 938375 (62983)		E	1	1	1	2	1	1	2	24	24	25	21
P O	2530-116-9822	SPRING, CHECK VALVE 939000 (62983)		EA	1	1	1	2	1	1	2	24	24	25	22
P O	2520-871-9492	POPPET, CHECK VALVE 936944 (62983)		EA	1	1	1	2	1	1	2	24	24	25	23
X1		BASE 936967 (62983)		A	1									25	24
X2 O		TIE, WRAP LOCK: HYDRAULIC LINES 5046-51 (07443)		EA	2									26	1
P O	4720-488-8254	HOSE ASSEMBLY: LIFT CYLINDER TO STACK VALVE 5123-14 (07443)		EA	1	*	1	1	*	1	1	12	24	26	2
P O	4730-488-8325	FITTING, HOSE 3901-08550 (85757)		EA	2	1	1	2	1	1	2	24	36	26	3
P O	4720-488-8258	HOSE ASSEMBLY: STACK VALVE TO PUMP 5123-47 (07443)		EA	1	*	1	1	*	1	1	12	24	26	4
P O	4730-488-8325	FITTING, HOSE 3901-08550 (85757)		EA	2	REF	REF	REF	REF	REF	REF	REF	REF	26	5
P O	4720-488-8261	HOSE ASSEMBLY: STACK VALVE TO TILT CYLINDER 5123-11 (07443)		EA	1	*	1	1	*	1	1	12	24	26	6
P O	4730-489-2512	FITTING, HOSE 3901-05546 (85757)		EA	2	1	1	2	1	1	2	24	48	26	7
P O	4720-197-5113	HOSE ASSEMBLY: STACK VALVE TO TILT CYLINDER 5123-12 (07443)		EA	1	*	1	1	*	1	1	12	24	26	8
P O	4730-194-9957	ORIFICE 5617-30 (07443)		EA	1	*	*	1	*	*	1	6	6	26	9
P O	4730-489-2512	FITTING, HOSE 3901-05546 (85757)		EA	2	REF	REF	REF	REF	REF	REF	REF	REF	26	10
P O	4720-488-8262	HOSE ASSEMBLY: STACK VALVE TO STEERING BOOSTER 5123-45 (07443)		EA	1	*	1	1	*	1	1	12	24	26	11

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP QNTTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P O	4730-488-8327	FITTING, HOSE 3901-06548 (85757)		EA	2	*	1	1	*	1	1	12	24	26	12
P O	4720-194-9958	HOSE ASSEMBLY: STACK VALVE TO FILTER AND STEERING BOOSTER 5123-43 (07443)		EA	1	*	1	1	*	1	1	12	24	26	13
P O	4730-488-8325	FITTING, HOSE 3901-08550 (85757)		EA	2	REF	REF	REF	REF	REF	REF	REF	REF	26	14
P O	4720-488-8266	HOSE ASSEMBLY: BOOSTER TO FILTER AND STACK VALVE 5123-46 (07443)		EA	1	*	1	1	*	1	1	12	24	26	15
P O	4730-488-8327	FITTING, HOSE 3901-06548 (85757)		EA	2	REF	REF	REF	REF	REF	REF	REF	REF	26	16
P O	4720-488-8263	HOSE ASSEMBLY: TILT CYLINDER CONNECTING, FRONT 5123-7 (07443)		EA	1	*	1	1	*	1	1	12	24	26	17
P O	4730-489-2512	FITTING, HOSE 3901-05546 (85757)		EA	2	REF	REF	REF	REF	REF	REF	REF	REF	26	18
P O	4720-488-8264	HOSE ASSEMBLY: TILT CYLINDER CONNECTING, REAR 5123-8 (07443)		EA	1	*	1	1	*	1	1	12	24	26	19
P O	4730-489-2512	FITTING, HOSE 3901-05546 (85757)		EA	2	REF	REF	REF	REF	REF	REF	REF	REF	26	20
P O	4720-488-8267	HOSE ASSEMBLY: PUMP TO RESERVOIR 5123-44 (07443)		EA	1	*	1	1	*	1	1	12	24	26	21
P O	4730-489-2513	FITTING, HOSE BE12-12NJ (13174)		EA	2	*	1	1	*	1	1	12	24	26	22
P O	4730-187-0488	UNION, HOSE TO TUBE: LIFT CYLINDER 10-37-4 (92985)		EA	2	1	1	2	1	1	2	24	24	26	23
M O		TUBE ASSEMBLY: HOSE TO LIFT CYLINDER MANUFACTURE FROM:		EA	1									26	24
P O	4730-189-2742	NUT, TUBE COUPLING 10-37-15 (92985)		EA	2	REF	REF	REF	REF	REF	REF	REF	REF	26	25
P O	4710-278-1368	TUBE, STEEL, 14 IN. REQUIRED		FT	2	*	*	*	*	*	*	*	*	26	26
P O	4730-917-4891	ELBOW, PIPE TO TUBE: LIFT CYLINDER LINE 10SW6 (92985)		EA	1	*	1	1	*	1	1	12	12	26	27
P O	4730-402-8239	ORIFICE, ELBOW 5617-31 (07443)		EA	1	*	*	1	*	*	1	6	6	26	28
P O	4730-225-0700	CONNECTOR, STRAIGHT: LIFT CYLINDER 10SA2 (92985)		EA	1	*	1	1	*	1	1	12	12	26	29
M O		TUBE ASSEMBLY: LIFT CYLINDER HOSE TO STACK VALVE MANUFACTURE FROM:		EA	1									26	30
P O	4730-916-2002	NUT, TUBE COUPLING		EA	1	REF	REF	REF	REF	REF	REF	REF	REF	26	31
P O	4730-277-5357	SLEEVE, TUBE NUT		EA	1	*	*	*	*	*	*	*	*	26	32
P O	4730-189-2742	NUT, TUBE COUPLING 10-37-15 (92985)		EA	1	*	*	*	*	*	*	*	*	26	33

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P O	4710-278-1368	TUBE, STEEL, 11 IN. REQUIRED		FT	1	*	*	*	*	*	*	*	*	26	34
P O		ELBOW, PIPE TO TUBE: STACK VALVE 5617-27 (07443)		EA	1	*	1	1	*	1	1	12	12	26	35
P O	5330-168-5690	O RING: LIFT CYLINDER CONNECTIONS 100R3 (92985)		EA	3	1	2	3	1	2	3	36	72	26	36
P O	4730-187-0488	UNION, HOSE TO TUBE: PUMP LINE 10-37-4 (92985)		EA	1	REF	REF	REF	REF	REF	REF	REF	REF	26	37
M O		TUBE ASSEMBLY: PUMP LINE HOSE TO STACK VALVE MANUFACTURE FROM:		EA	1									26	38
P O	4730-189-2742	NUT, TUBE COUPLING 10-37-15 (92985)		EA	2	REF	REF	REF	REF	REF	REF	REF	REF	26	39
P O	4710-278-1368	PIPE, STEEL, 10 IN. REQUIRED		FT	1	*	*	*	*	*	*	*	*	26	40
P O		TEE, PIPE TO TUBE: TILT CYLINDER, RIGHT SIDE 6SA9 (92985)		EA	2	*	1	1	*	1	1	12	24	26	41
P O	4730-789-3090	ELBOW, TUBE: TILT CYLINDER LEFT SIDE 6SA6 (92985)		EA	2	*	1	1	*	1	1	12	24	26	42
P O	5330-168-5691	O RING: TILT CYLINDER CONNECTIONS 60R3 (92985)		EA	4	2	3	6	2	3	6	72	144	26	43
P O	4730-488-8326	ELBOW, PIPE TO TUBE: VALVE, STACK PUMP LINE 5060-31 (07443)		EA	1	*	1	1	*	1	1	12	12	26	44
P O	4730-489-5729	PLUG, PIPE: PUMP TO STACK VALVE LINE 4HP (92985)		EA	1	*	1	1	*	1	1	12	12	26	45
P O	4730-231-3014	ELBOW, PIPE TO TUBE: HOSE TO STACK VALVE 10-37-6 (92985)		EA	1	REF	REF	REF	REF	REF	REF	REF	REF	26	46
X2 F		ELBOW: OUTLET TO STACK VALVE 5037-9 (07443)		EA	1									26	47
X2 F		ELBOW: INLET, FROM RESERVOIR 5037-10 (07443)		EA	1									26	48
X2 F		REDUCER: INLET FOR ELBOW 5037-11 (07443)		EA	1									26	49
P O		CONNECTOR, STRAIGHT: STEERING BOOSTER TO FILTER AND STACK VALVE 8-8-37-2 (92985)		EA	1	*	1	1	*	1	1	12	12	26	50
P O		TEE, TUBE: STEERING BOOSTER TO FILTER AND STACK VALVE 10-37-13 (92985)		EA	1	*	1	1	*	1	1	12	12	26	51
P O	4730-945-3880	ELBOW, TUBE TO BOSS: STEERING BOOSTER 8SALX6 (92985)		EA	1	*	1	1	*	1	1	12	24	26	52
P O		ELBOW: STEERING BOOSTER 8SA6 (92985)		EA	1	*	1	1	*	1	1	12	24	26	53
P O	5330-168-5497	O RING: BOOSTER CONNECTIONS 80R3 (92985)		EA	2	1	2	3	1	2	3	36	72	26	54

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P O		ELBOW, PIPE TO TUBE: TANK LINE 8-10SA6 (92985)	EA	1	*	1	1	*	1	1	12	12	26	55
P O	5315-282-1448	PIN, COTTER: CYLINDER PIN TO FRAME MTG MS24665-515 (96906)	EA	4	*	*	*	*	*	*	*	*	27	1
X2 O		PIN: CYLINDER TO FRAME MTG 5039 (07443)	EA	2									27	2
P OR	3930-488-8555	CYLINDER ASSEMBLY: TILT 5603 (07443)	EA	2	*	*	1	*	*	1	6	5	27	3
P F	5305-723-9383	SETSCREW: CLEVIS TO PISTON ROD MTG MS51017-67 (96906)	EA	2	*	*	*	*	*	*	*	*	27	4
X2 F		CLEVIS, ACTUATING ROD C210-14 (32676)	EA	2									27	5
P F	5305-723-9396	SETSCREW: GLAND TO HEAD MS51017-45 (96906)	EA	2	*	*	*	*	*	*	*	*	27	6
P F	5330-168-5531	GLAND C210-7 (32676)	EA	2	*	*	1	*	*	1	6	12	27	7
X1		WIPER C210-55 (32676) (PART OF KIT, FSN 3930-407-4933)	EA	2									27	8
X1		SEAL C210-46 (32676) (PART OF KIT, FSN 3930-407-4933)	EA	2									27	9
P F	5305-723-9396	SETSCREW: HEAD TO HOUSING MS51017-49 (96906)	EA	2	*	*	*	*	*	*	*	*	27	10
X2 F		HEAD C210-1 (32676)	EA	2									27	11
X1		BUSHING C210-9 (32676) (PART OF KIT, FSN 3930-407-4933)	EA	2									27	12
X1		RING C210-48 (32676) (PART OF KIT, FSN 3930-407-4933)	EA	2									27	13
X1		O RING C210-47 (32676) (PART OF KIT, FSN 3930-407-4933)	EA	2									27	14
X2 F		ROD, PISTON C210-5 (32676)	EA	2									27	15
P F	3930-402-8322	PISTON C210-4 (32676)	EA	2	*	*	1	*	*	1	6	6	27	16
X1		SEAL C210-45 (32676) (PART OF KIT, FSN 3930-407-4933)	EA	2									27	17
X2 F		HOUSING CYLINDER C210-3 (32676)	EA	2									27	18
P F	5305-269-3209	SCREW, CAP, HEXAGON HEAD: RESERVOIR MTG, 3/8-16 THD SIZE, 3/4 IN. LG MS90725-58 (96906)	EA	4	*	*	*	*	*	*	*	*	28	1

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P F	5310-637-9541	WASHER, LOCK: RESERVOIR MTG, 3/8 IN. SCREW SIZE AN935-616 (88044)		EA	4	*	*	*	*	*	*	*	*	28	2
P F	5310-080-6004	WASHER, FLAT: RESERVOIR MTG, 0.406 IN. ID MS27183-14 (96906)		EA	4	*	*	*	*	*	*	*	*	28	3
X2 F		RESERVOIR ASSEMBLY: HYDRAULIC FLUID 5610 (07443)		EA	1									28	4
P O	4730-691-2481	PLUG, DRAIN: RESERVOIR MS49005-4 (96906)		EA	1	*	*	*	*	*	*	*	*	28	5
P F	4730-222-1796	ADAPTER, STRAIGHT, PIPE: FILTER TO RESERVOIR 10-37-2 (92985)		EA	1	REF	REF	REF	REF	REF	REF	REF	REF	28	6
X2 F		REDUCER: SUMP FILTER 12-20PC12 (92985)		EA	1									28	7
P F	4330-402-8278	FILTER, SUMP M306 (27473)		EA	1	*	*	1	*	*	1	6	6	28	8
P O	2520-715-7260	BOOT: THERMOSTAT COVER FI2300 (63477)		EA	2	*	1	1	*	1	1	12	12	28	9
P O	5305-579-0975	SCREW, ROUNDHEAD: THERMOSTAT TO RESERVOIR AN515-6-3 (88044)		EA	4	*	*	*	*	*	*	*	*	28	10
P O	5310-045-4007	WASHER, LOCK: THERMOSTAT TO RESERVOIR, NO. 6 SCREW SIZE AN935-6 (88044)		EA	4	*	*	*	*	*	*	*	*	28	11
P O		THERMOSTAT: HYDRAULIC TANK 20400L (14859)		EA	2	1	1	2	1	1	2	24	36	28	12
P O	5305-836-8476	SCREW, TAPPING: FILLER TO TANK AN530-10-8 (88044)		EA	6	*	*	*	*	*	*	*	*	28	13
P O	2805-989-1496	BREATHER A100W (12190)		EA	1	*	*	1	*	*	1	6	6	28	14
X2 O		CAP ASSEMBLY A100-1W (12190)		EA	1									28	15
X2 O		ADAPTER A100-2 (12190)		EA	1									28	16
P O	2990-477-6117	GASKET, FILTER: MTG FLANGE TO ACCESS COVER A100-4 (12190)		EA	2	*	1	1	*	1	1	12	36	28	17
P O	2990-477-6116	SCREEN, FILTER: WITH MTG FLANGE A100-3 (12190)		EA	1	*	*	1	*	*	1	6	12	28	18
X2 O		SCREW, MACHINE: ACCESS COVER TO RESERVOIR AN515-416-10 (88044)		EA	4									28	19
P O	5310-582-5965	WASHER, LOCK: ACCESS COVER TO RESERVOIR, 1/4 IN. SCREW SIZE AN935-416 (88044)		EA	4	*	*	*	*	*	*	*	*	28	20
X2 O		COVER, ACCESS 5110 (07443)		EA	1									28	21
P O	5330-168-5996	GASKET: ACCESS COVER TO RESERVOIR 5111 (07443)		EA	1	*	*	1	*	*	1	6	12	28	22

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO.	(b) ITEM NO.
P F	5305-269-3213	SCREW, HEXAGON HEAD: PUMP TO MOTOR, 3/8-16 THD SIZE, 1-1/4 IN. LG MS90725-62 (96906)		EA	2	*	*	*	*	*	*	*	*	29	1
P F	5310-637-9541	WASHER, LOCK: PUMP TO MOTOR, 3/8 IN. SCREW SIZE AN935-616 (88044)		EA	2	*	*	*	*	*	*	*	*	29	2
P F	5305-723-9385	SETSCREW: CHAIN COUPLING TO SHAFTS MS51017-65 (96906)		EA	2	*	*	*	*	*	*	*	*	29	3
X2 F		COUPLING ASSEMBLY, CHAIN: PUMP TO MOTOR 5038 (07443)		EA	1									29	4
P F		CHAIN: DOUBLE ROLLER, 3/4 IN. PITCH 5038-3 (07443)		EA	1	*	1	1	*	1	1	12	24	29	5
P F	3040-488-8547	COUPLING, HALF: DRIVING 5038-1 (07443)		EA	1	*	1	1	*	1	1	12	24	29	6
P F	3040-488-8548	COUPLING, HALF: DRIVEN 5038-2 (07443)		EA	1	*	1	1	*	1	1	12	24	29	7
P F	4320-195-5615	PUMP, HYDRAULIC 5037-1 (07443)		EA	1	*	*	1	*	*	1	6	6	30	
P F	5305-637-9441	SCREW, CAP, HEXAGON HEAD: COVER MTG, 1/2-13 THD SIZE, 2-3/4 IN. LG 1329 (62983)		EA	4	*	*	*	*	*	*	*	*	30	1
X2 F		COVER 293373 (62983)		EA	1									30	2
P F	5340-896-1513	SPRING, SPECIAL: PRESSURE PLATE 275672 (62983)		EA	1	*	*	1	*	*	1	6	12	30	3
P F	3930-934-7873	PRESSURE PLATE, ASSEMBLY 280261 (62983)		EA	1	*	*	1	*	*	1	6	6	30	4
P F	5365-182-6714	BUSHING 280267 (62983)		EA	1	*	1	1	*	1	1	12	24	30	5
X1		O RING 154090 (62983) (PART OF KIT, P/N 922983)		EA	2									30	6
X1		RING 281279 (62983) (PART OF KIT, P/N 922983)		EA	1									30	7
P F	4320-489-5798	KIT, VANE 922978 (62983) (PART OF KIT, P/N 922983)		EA	1	1	1	2	1	1	2	24	36	30	8
X1		ROTOR 280484 (62983) (PART OF KIT, P/N 922983)		EA	1									30	9
P F	5315-775-2523	PIN, STRAIGHT, HEADLESS: COVER RING BODY AN150-296 (88044)		EA	2	*	1	1	*	1	1	12	24	30	10
P F	5340-805-6002	RING, RETAINING MS16624-78 (96906)		EA	1	*	*	1	*	*	1	6	24	30	11
P F	5340-359-4042	RING, RETAINING 109975 (62983)		EA	1	*	*	1	*	*	1	6	24	30	12
P F	3110-109-1123	BEARING, BALL, ANNULAR 98574 (62983)		EA	1	*	1	1	*	1	1	12	24	30	13

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P F	5315-261-3585	KEY, SHAFT 5881 (62983)		EA	1	*	*	*	*	*	*	*	*	30	14
X2 F		SHAFT 5674 (07443)		EA	1									30	15
P F	5330-995-6231	SEAL, PLAIN ENCASED 229235 (62983)		EA	1	*	1	1	*	1	1	12	24	30	16
X2 F		BODY 280689 (62983)		EA	1									30	17
P O	2520-715-7260	BOOT: THERMOSTAT, PUMP MOTOR FI2300 (63477)		EA	1	REF	REF	REF	REF	REF	REF	REF	REF	31	1
P O	5305-579-0975	SCREW, MACHINE: THERMOSTAT TO MOTOR, NO. 6-32 THD SIZE, 3/16 IN. LG AN515-6-3 (88044)		EA	2	*	*	*	*	*	*	*	*	31	2
P O	5310-045-4007	WASHER, LOCK: THERMOSTAT TO MOTOR, NO. 6 SCREW SIZE AN935-6 (88044)		EA	2	*	*	*	*	*	*	*	*	31	3
P O	5310-082-1404	WASHER, FLAT: THERMOSTAT MTG, NO. 6 SCREW SIZE MS27183-6 (96906)		EA	2	*	*	*	*	*	*	*	*	31	4
P O		THERMOSTAT: PUMP MOTOR 20400L (14859)		EA	1	REF	REF	REF	REF	REF	REF	REF	REF	31	5
X2 F		JUMPER: CONNECTION S1 TO A2 5681-12 (07443)		EA	1									31	6
X1		LUG 54140 (59730)		EA	2									31	7
P F	5310-543-2628	NUT, PLAIN, HEXAGON: PUMP AND MOTOR TO FRAME, 3/8-16 THD SIZE MS35690-602 (96906)		EA	4	*	*	*	*	*	*	*	*	31	8
P F	5310-637-9541	WASHER, LOCK: PUMP AND MOTOR TO FRAME, 3/8 IN. SCREW SIZE AN935-616 (88044)		EA	4	*	*	*	*	*	*	*	*	31	9
P F	5310-080-6004	WASHER, FLAT: PUMP AND MOTOR TO FRAME, 0.406 I IN. ID MS27183-14 (96906)		EA	4	*	*	*	*	*	*	*	*	31	10
P F	5305-269-3213	SCREW, CAP, HEXAGON HEAD: PUMP AND MOTOR TO FRAME, 3/8-16 THD SIZE, 1 1/4 IN. LG MS90725-62 (96906)		EA	4	*	*	*	*	*	*	*	*	31	11
P2 FR		MOTOR, PUMP, HYDRAULIC 5602 (07443)		EA	1	*	*	*	*	*	*	3	5	31	
P F	5306-558-8222	BOLT, MACHINE: FOOT TO YOKE AND BEARING SUPPORT MS35298-33 (96906)		EA	3	*	*	*	*	*	*	*	*	31	12
P F	5306-225-9091	BOLT, MACHINE: DRIVE END BEARING BRACKET TO FRAME, 5/16-24 THD SIZE, 1 1/4 IN. LG MS90726-36 (96906)		EA	8	*	*	*	*	*	*	*	*	31	13
P F	5310-407-9566	WASHER, LOCK: DRIVE END BEARING BRACKET TO FRAME, 5/16 IN. SCREW SIZE AN935-516 (88044)		EA	11	*	*	*	*	*	*	*	*	31	14

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO.	(b) ITEM NO.
X2 F		FOOT: MOTOR MTG 368546170-001 (01288)		EA	2									31	15
X2 F		BRACKET, BEARING: DRIVE END 796C400AC001 (01288)		EA	1									31	16
P F	5305-988-1727	SCREW, MACHINE: COVER TO COVER, 1/4-20 THD SIZE, 1 IN. LG AN515-416-16 (88044)		EA	1	*	*	*	*	*	*	*	*	31	17
X2 F		COVER, HALF: BRUSH 286C553G02 (01288)		EA	1									31	18
X2 F		COVER: HALF, WITH NUT 286C553G01 (01288)		EA	1									31	19
P F	5305-791-0518	SCREW, MACHINE: BRUSH MTG AN520-10-8 (88044)		EA	8	*	*	*	*	*	*	*	*	31	20
P F	5310-045-3296	WASHER, LOCK: BRUSH MTG, NO. 10 SCREW SIZE AN935-10 (88044)		EA	8	*	*	*	*	*	*	*	*	31	21
P F	5977-449-0827	BRUSH AND ANGLE BRACKET K1334581-006 (01288)		EA	4	1	2	4	1	2	4	48	400	31	22
P F		KEY: CHAIN COUPLING TO SHAFT N3400P606 (01288)		EA	1	*	1	1	*	1	1	12	12	31	23
P F	3110-838-1481	BEARING, BALL: DRIVE END 146A264-005 (02989)		EA	1	1	2	3	1	2	3	36	100	31	24
P F		BEARING, BALL: YOKE AND BEARING SUPPORT 146A264-004 (01288)		EA	1	*	1	1	*	1	1	12	36	31	25
P2 F		ARMATURE, COMPLETE 5602-48 (07443)		EA	1	*	*	*	*	*	*	3	3	31	26
X1		NUT, LOCK: COMMUTATOR TO SHAFT, SPECIAL 5601-42N (01288)		EA	1									31	27
X1		COMMUTATOR: ARMATURE ASSEMBLY 5602-46 (07443)		EA	1									31	28
X1		KEY: COMMUTATOR 9368349ED036 (01288)		EA	1									31	29
X1		COILS, ARMATURE 5602-47 (07443)		EA	1									31	30
X1		KEY, ARMATURE 9368349ED071 (01288)		EA	1									31	31
X1		SHAFT 5602-49 (07443)		EA	1									31	32
P F	5306-225-9090	BOLT, MACHINE: YOKE AND BEARING SUPPORT TO FRAME, 5/16-24 THD SIZE, 1 1/8 IN. LG MS90726-35 (96906)		EA	4	*	*	*	*	*	*	*	*	31	33
P F	5310-407-9566	WASHER, LOCK: YOKE AND BEARING SUPPORT TO FRAME, 5/16 IN. SCREW SIZE AN935-516 (88044)		EA	4	*	*	*	*	*	*	*	*	31	34
P2 F		BUSHING ASSEMBLY: ELECTRICAL CONNECTIONS 36A280790G02 (01288)		EA	2	*	*	*	*	*	*	5	10	31	35

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P F	5310-903-3994	NUT, HEXAGON: STUD AND BUSHING ASSEMBLY 3/8-16 SCREW SIZE MS51969-3 (96906)		EA	4	*	*	*	*	*	*	*	*	31	36
P F	5310-584-5272	WASHER, LOCK: STUD AND BUSHING ASSEMBLY, 1/2 IN. SCREW SIZE AN935-816 (88044)		EA	4	*	*	*	*	*	*	*	*	31	37
P F	5310-080-6004	WASHER, FLAT: STUD AND BUSHING ASSEMBLY, 0.406 IN. ID MS27183-14 (96906)		EA	4	*	*	*	*	*	*	*	*	31	38
P F	5305-655-9441	SCREW, CAP, HEXAGON HEAD, BRASS: 3/8-16 THD SIZE, 2 1/4 IN. LG MS35309-367 (96906)		EA	2	*	*	*	*	*	*	*	*	31	39
X2 F		SCREW, MACHINE: BRUSH HOLDER TO YOKE AND BEARING SUPPORT AN515-8-14 (88044)		EA	8									31	40
P F	5310-809-8544	WASHER, FLAT: BRUSH HOLDER TO YOKE AND BEARING SUPPORT, NO. 8 SCREW SIZE MS27183-7 (96906)		EA		*	*	*	*	*	*	*	*	31	41
P F	5975-488-5470	BUSHING: BRUSH HOLDER TO YOKE AND BEARING SUPPORT 148A315-001 (01288)		EA	8	*	1	1	*	1	1	16	32	31	42
X2 F		SCREW, SLOTTED HEXAGON HEAD: CONNECTORS, LONG AND SHORT, 5/16-18 THD SIZE, 1/2 IN. LG N26P23008C6 (01288)		EA	4									31	43
P F	5310-407-9566	WASHER, LOCK: CONNECTORS, LONG AND SHORT, 5/16 IN. SCREW SIZE AN935-516 (88044)		EA	4	*	*	*	*	*	*	*	*	31	44
P F		CONNECTOR: SHORT 155A106-001 (01288)		EA	1	*	*	1	*	*	1	6	12	31	45
P F		CONNECTOR: LONG 159A299C01 (01288)		EA	2	*	*	1	*	*	1	6	12	31	46
P F		CONNECTOR, CROSS K9432768G13 (01288)		EA	1	*	*	1	*	*	1	6	12	31	47
P F	5977-838-0272	SPRING: BRUSH HOLDER 36A285925-002 (01288)		EA	8	*	1	1	*	1	1	16	32	31	48
P F	5977-406-7431	HOLDER, BRUSH 125C582-001 (01288)		EA	4	*	1	1	*	1	1	12	32	31	49
P F	5970-406-7401	INSULATOR: BRUSH HOLDER TO SUPPORT 152A201-001 (01288)		EA	4	1	2	4	1	2	4	48	96	31	50
P F	5305-253-5622	SCREW, DRIVE: COVER TO SUPPORT MS21318-41 (96906)		EA	4	1	2	4	1	2	4	48	64	31	51
P F	6105-156-5842	SUPPORT, YOKE AND BEARING 121D395-008 (01288)		EA	1	*	1	1	*	1	1	12	36	31	52
P H	5305-958-5254	SCREW, MACHINE: MAIN POLE TO FRAME MTG, 5/16-18 THD SIZE, 1 1/4 IN. LG AN505-516-20 (88044)		EA	8				*	*	*	*	*	31	53
X2 H		POLE, MAIN 5602-59 (07443)		EA	4									31	54

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
X2 H		COILS, FIELD 5602-60 (07443)		ST	1									31	55
P2 F		BUSHING ASSEMBLY: FIELD WINDING CONNECTION 36A280790G02 (01288)		EA	3	REF	REF	REF	REF	REF	REF	REF	REF	31	56
P F	5310-903-3994	NUT, PLAIN HEXAGON: STUD AND BUSHING ASSEMBLY, 3/8-16 SCREW SIZE MS51969-3 (96906)		EA	6	*	*	*	*	*	*	*	*	31	57
P F	5310-584-5272	WASHER, LOCK: STUD AND BUSHING ASSEMBLY, 1/2 IN. SCREW SIZE AN935-816 (88044)		EA	6	*	*	*	*	*	*	*	*	31	58
P F	5310-080-6004	WASHER, FLAT: STUD AND BUSHING ASSEMBLY, 0.406 IN. ID MS27183-14 (96906)		EA	6	*	*	*	*	*	*	*	*	31	59
P F	5305-655-9441	SCREW, CAP, HEXAGON HEAD, BRASS: 3/8-16 THD SIZE, 2 1/4 IN. LG MS35309-367 (96906)		EA	3	*	*	*	*	*	*	*	*	31	60
P F	5940-488-5406	TERMINAL: COIL TO STUD 153A623-001 (01288)		EA	3	*	1	1	*	1	1	12	36	31	61
X2 H		FRAME 36A280790G06 (01288)		EA	1									31	62
		GROUP 09-STEERING SYSTEM													
P F	5315-236-8359	PIN, COTTER: DRAG LINK TO PITMAN ARM MS24665-370 (96906)		EA	1	*	*	*	*	*	*	*	*	32	1
P F	5310-655-9375	NUT, CASTELLATED, HEXAGON: DRAG LINK TO PITMAN ARM MS35692-1022 (96906)		EA	1	*	*	*	*	*	*	*	*	32	2
P F	5310-823-8803	WASHER, FLAT: DRAG LINK TO PITMAN ARM, 5/8 IN. ID MS27183-21 (96906)		EA	2	*	*	*	*	*	*	*	*	32	3
X2 F		DRAG LINK: STEERING 5670 (07443)		EA	1									32	4
P O	4730-050-4208	FITTING, LUBRICATION: DRAG LINK MS15003-1 (96906)		EA	1	1	2	4	1	2	4	48	36	32	5
P F	5305-978-9385	SCREW, CAP, SOCKET HEAD: ACTUATOR TO DRAG LINK, 1/4-20 THD SIZE, 1 IN. LG MS16997-62 (96906)		EA	2	*	*	*	*	*	*	*	*	32	6
P F	5310-582-5965	WASHER, LOCK: ACTUATOR TO DRAG LINK AN935-416 (88044)		EA	2	*	*	*	*	*	*	*	*	32	7
X2 F		ACTUATOR: STEERING BOOSTER SWITCH 5328 (07443)		EA	1									32	8
P F	3040-488-8554	BALL JOINT: DRAG LINK 5670-5 (07443)		EA	1	*	1	1	*	1	1	12	36	32	9
X2 F		NUT, JAM SPECIAL: DRAG LINK 5670-3 (07443)		EA	1									32	10
X2 F		TUBE ASSEMBLY: DRAG LINK 5670-1-2 (07443)		EA	1									32	11

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P F		NUT, PLAIN, HEXAGON: PITMAN ARM STOP SCREW, 3/8-16 THD SIZE MS35691-602 (96906)		EA	2	::	::	::	::	::	::	::	::	33	1
P F	5305-855-3999	SCREW, CAP, HEXAGON HEAD: PITMAN ARM STOP, 3/8-16 THD SIZE, 1 1/2 IN. LG		EA	2	::	::	::	::	::	::	::	::	33	2
P F	5305-044-4153	SCREW, CAP, HEXAGON HEAD: STEERING GEAR MTG, 1/2-13 THD SIZE, 1 IN. LG MS90725-109 (96906)		EA	3	::	::	::	::	::	::	::	::	33	3
P F	5310-584-5272	WASHER, LOCK: STEERING GEAR MTG, 1/2 IN. SCREW SIZE AN935-816 (88044)		EA	3	::	::	::	::	::	::	::	::	33	4
P F	3020-488-8321	GEAR ASSEMBLY, STEERING 5703 (07443)		EA	1	::	::	1	::	::	1	6	6	33	5
P O	5305-855-0947	SCREW, SHEET METAL: HORN MTG, NO. 10, 3/4 IN. LG AN504-6-10 (88044)		EA	4	::	::	::	::	::	::	::	::	33	6
P O	2590-488-8610	BUTTON ASSEMBLY, HORN 5689053 (52788)		EA	1	::	1	1	::	1	1	12	12	33	7
P O	5310-275-0904	NUT, PLAIN, HEXAGON: STEERING WHEEL MTG, 7/8-20 THD SIZE 256853 (52788)		EA	1	::	::	::	::	::	::	::	::	33	8
P O	2530-488-8322	WHEEL, STEERING 1009 (77915)		EA	1	::	::	1	::	::	1	6	6	33	9
P O	5315-276-5713	KEY, WOODRUFF: STEERING WHEEL MTG 252993 (52788)		EA	1	::	1	1	::	1	1	12	12	33	10
P F	5340-499-9353	SPRING 262250 (52788)		EA	1	1	1	2	1	1	2	24	24	33	11
P F	5330-164-0735	SEAT, SPRING 262474 (52788)		EA	1	1	1	2	1	1	2	24	24	33	12
P F	3110-227-4838	BEARING, BALL, STEERING 262288 (52788)		EA	1	1	1	2	1	1	2	24	24	33	13
P F	5310-880-7744	NUT, PLAIN, HEXAGON: STEERING CLAMP 5/16-18 THD SIZE MS51967-5 (96906)		EA	1	::	::	::	::	::	::	::	::	33	14
P F	5310-407-9566	WASHER, LOCK: STEERING CLAMP, 5/16 IN. SCREW SIZE AN935-516 (88044)		EA	1	::	::	::	::	::	::	::	::	33	15
P F	5306-225-8506	BOLT, MACHINE: STEERING CLAMP, 5/16-18 THD SIZE, 2 1/2 IN. LG MS90725-42 (96906)		EA	1	::	::	::	::	::	::	::	::	33	16
P F	5340-168-7031	CLAMP: JACKET TO SHAFT ASSEMBLY 5672849 (52788)		EA	1	1	1	2	1	1	2	24	24	33	17
X2 F		JACKET, STEERING COLUMN 7809191 (52788)		EA	1									33	18
P O	5815-412-8824	SCREW, MACHINE: CONTACT COVER MTG, NO. 10-32 THD SIZE, 5/16 IN. LG 112867 (52788)		EA	4	::	::	::	::	::	::	::	::	33	19
P2 O	2530-358-6665	COVER, CONNECTOR ASSEMBLY 268298 (52788)		EA	2	::	::	::	::	::	::	4	8	33	20

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P O	5305-281-5890	SCREW, SHEET METAL: CONTACT MTG, NO. 10, 1/4 IN. LG 145111 (52788)		EA	4	*	*	*	*	*	*	*	*	33	21
P O	2590-164-0718	CONNECTOR ASSEMBLY 263549 (52788)		EA	2	*	*	1	*	*	1	6	12	33	22
P F	5310-971-7990	NUT, PLAIN, HEXAGON: PITMAN ARM MTG MS35691-69 (96906)		EA	1	*	*	*	*	*	*	*	*	33	23
P F	5310-754-2005	WASHER, LOCK: PITMAN ARM MTG, 7/8 IN. SCREW SIZE MS35338-52 (96906)		EA	1	*	*	*	*	*	*	*	*	33	24
X2 F		ARM, PITMAN 152256 (52788)		EA	1									33	25
X2 F		SCREW, CAP, HEXAGON HEAD: COVER PLATE MTG, 3/8-16 THD SIZE, 3/4 IN. LG 7807009 (52788)		EA	3									33	26
P F	5310-637-9541	WASHER, LOCK: COVER PLATE MTG, 3/8 IN. SCREW SIZE AN935-616 (88044)		EA	3	*	*	*	*	*	*	*	*	33	27
P F	5330-737-6353	GASKET: COVER PLATE 270537 (52788)		EA	1	1	2	4	1	2	4	48	100	33	28
P F	2530-737-3552	BEARING, SLEEVE: COVER 266034 (52788)		EA	1	1	2	3	1	2	3	36	100	33	29
P F	5310-012-4929	NUT, PLAIN, HEXAGON: ADJUSTING SCREW LOCK 114495 (52788)		EA	1	*	1	1	*	1	1	12	36	33	30
P F	5310-618-1696	WASHER, FLAT: ADJUSTING SCREW 266905 (52788)		ST	1	1	2	4	1	2	4	48	100	33	31
P F	2530-164-3573	SCREW, ADJUSTING, STEERING 266678 (52788)		EA	1	1	1	2	1	1	2	24	36	33	32
X2 F		COVER, HOUSING 270248 (52788)		EA	1									33	33
P F	2530-917-7592	SHAFT, PITMAN 5672852 (52788)		EA	1	*	*	1	*	*	1	6	12	33	34
X2 F		NUT, LOCK: BEARING HOUSING TO HOUSING 5672854 (52788)		EA	1									33	35
X2 F		HOUSING, BEARING 5688985 (52788)		EA	1									33	36
P F	3110-191-0491	RETAINER AND ROLLER, BEARING 178480 (52788)		EA	2	1	1	2	1	1	2	24	48	33	37
X2 F		SCREW, RETAINER TUBE CLAMP AN500-416-6 (88044)		EA	2									33	38
P F	5310-582-5965	WASHER, LOCK: RETAINER TUBE CLAMP, 1/4 IN. SCREW SIZE AN935-416 (88044)		EA	2	*	*	*	*	*	*	*	*	33	39
P F	5340-168-7032	CLAMP 5688418 (52788)		EA	1	*	1	1	*	1	1	12	24	33	40
P F	4710-488-8550	TUBE, RETAINER 5688417 (52788)		EA	2	1	1	2	1	1	2	24	24	33	41

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P F	3040-488-8549	SHAFT ASSEMBLY: STEERING 7809183 (52788)		EA	1	::	::	1	::	::	1	6	12	33	42
P F	2530-026-3988	BALL, NUT WORM 266800 (52788)		EA	106	2	4	9	2	4	9	106	106	33	43
X1		NUT, BALL 5688416 (52788)		EA	1									33	44
P O	4730-187-4191	PLUG, FILLER 103868 (52788)		EA	1	::	1	1	::	1	1	12	12	33	45
P F	5330-064-7779	SEAL, PLAIN ENCASED 5672855 (52788)		EA	1	1	2	4	1	2	4	48	100	33	46
P F	2530-661-9867	BEARING, SLEEVE: SHAFT 5662967 (52788)		EA	1	1	2	3	1	2	3	36	100	33	47
X2 F		PLATE, END 103897 (52788)		EA	1									33	48
X2 F		HOUSING, STEERING 5672842 (52788)		EA	1									33	49
P F	5310-013-4530	NUT, PLAIN, HEXAGON: MICROSWITCH MTG, NO. 6-32 THD SIZE MS35649-62 (96906)		EA	2	::	::	::	::	::	::	::	::	34	1
P F	5310-045-4007	WASHER, LOCK: MICROSWITCH MTG, NO. 6 SCREW SIZE AN935-6 (88044)		EA	2	::	::	::	::	::	::	::	::	34	2
P F	5310-082-1404	WASHER, FLAT: MICROSWITCH MTG, NO. 6 SCREW SIZE MS27183-6 (96906)		EA	4	::	::	::	::	::	::	::	::	34	3
P F	5305-984-6223	SCREW, MACHINE: MICROSWITCH, NO. 6-32 THD SIZE, 1 1/2 IN. LG AN515-6-24 (88044)		EA	2	::	::	::	::	::	::	::	::	34	4
P F	5930-823-2054	SWITCH, SENSITIVE: STEERING BOOSTER BZE6-2RN2 (91929)		EA	1	REF	REF	REF	REF	REF	REF	REF	REF	34	5
P F	5930-488-9968	ACTUATOR, REPLACEMENT: MICROSWITCH 6PA2 (91929)		EA	1	REF	REF	REF	REF	REF	REF	REF	REF	34	6
P F	5930-614-7422	SWITCH, SENSITIVE: REPLACEMENT BZ2RN702 (91929)		EA	2	REF	REF	REF	REF	REF	REF	REF	REF	34	7
X2 F		BOOSTER ASSEMBLY, STEERING 5682-5 (07443)		EA	1									34	
P F	5315-059-0491	PIN, COTTER: NUT TO BALL STUD MS24665-372 (96906)		EA	3	::	::	::	::	::	::	::	::	34	8
P F	5310-813-0407	NUT, CASTELLATED, HEXAGON: BALL STUD MS35692-1422 (96906)		EA	1	::	::	::	::	::	::	::	::	34	9
P F	5310-088-0552	NUT, SELF-LOCKING HEXAGON: BALL STUD CLAMP, 7/16-20 THD SIZE MS21044N7 (96906)		EA	1	::	::	::	::	::	::	::	::	34	10
P F	5305-710-4195	SCREW, CAP, HEXAGON HEAD: BALL STUD CLAMP, 7/16-20 THD SIZE, 1 3/4 IN. LG MS90726-90 (96906)		EA	1	::	::	::	::	::	::	::	::	34	11
P F	2530-483-4491	STUD ASSEMBLY, BALL: REAR 922688 (62983)		EA	1	2	4	8	2	4	8	100	100	34	12
X1		NUT MS35692-1422 (96906)		EA	1									34	13

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
													34	14
X1		DUST COVER 219238 (62983)	EA	1									34	15
X1		STUD ASSEMBLY 219240 (62983)	EA	1									34	16
P F	2530-077-1701	STUD ASSEMBLY, BALL: FRONT 922944 (62983)	EA	1	2	4	8	2	4	8	100	100	34	17
P F	5310-088-0552	NUT, SELF-LOCKING, HEXAGON: CLAMP, 7/16-20 THD SIZE MS21044N7 (96906)	EA	1	*	*	*	*	*	*	*	*	34	18
P F	5305-710-4195	SCREW, HEXAGON HEAD: CLAMP, 7/16-20 THD SIZE, 1 3/4 IN. LG MS90726-90 (96906)	EA	1	*	*	*	*	*	*	*	*	34	19
X1		NUT MS35692-1422 (96906)	EA	1									34	20
X1		DUST COVER 219238 (62983)	EA	1									34	21
X1		STUD ASSEMBLY 283295 (62983)	EA	1									34	22
P O	3810-805-6261	COVER, DUST 221589 (62983)	EA	1	*	1	1	*	1	1	12	100	34	23
P O	4730-646-9131	FITTING, LUBRICATION 3X211701 (62983)	EA	1	*	1	1	*	1	1	12	24	34	24
X2 F		BOLT, MACHINE: CAP TO SUBASSEMBLY 224567 (62983)	EA	4									34	25
P F	5340-298-6572	RING, RETAINING: PLUG 86034 (62983)	EA	1	2	4	8	2	4	8	100	100	34	26
P F	5310-262-8337	WASHER, FLAT: PLUG SPACING 275958 (62983)	EA	1	*	*	*	*	*	*	*	*	34	27
P F	5315-723-2586	PIN, STRAIGHT, HEADLESS 276057 (62983)	EA	1	*	1	1	*	1	1	12	48	34	28
P F	2530-116-6800	PLUG, ADJUSTING: BALL 275959 (62983)	EA	1	*	1	1	*	1	1	12	10	34	29
P F	2530-034-4189	SEAT, BALL STUD 219232 (62983)	EA	2	*	1	1	*	1	1	12	48	34	30
P F	5307-688-7905	STUD, BALL 219243 (62983)	EA	1	*	*	1	*	*	1	6	24	34	31
P F	2530-034-4190	SPRING, STEERING VALVE 219233 (62983)	EA	1	1	1	2	1	1	2	24	48	34	32
X2 F		HOUSING 5736-1 (07443)	EA	1									34	33
X1		SEAL 215680 (62983) (PART OF KIT, FSN 2530-805-6322)	EA	3									34	34
X2 F		PIN, COTTER: VALVE 1864 (62983)	EA	1									34	35
P F	5310-247-4298	NUT, VALVE 3X236827 (62983)	EA	1	*	*	*	*	*	*	*	*	34	36
P F	5305-956-4884	SCREW, SPECIAL: VALVE 238894 (62983)	EA	1	*	*	*	*	*	*	*	*	34	37

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO.	(b) ITEM NO.
P F	5310-639-0779	WASHER, FLAT: VALVE 219234 (62983)		EA	1	*	*	*	*	*	*	*	*	34	37
P F	2530-045-0649	SLEEVE, BALL STUD 284309 (62983)		EA	1	*	*	1	*	*	1	6	12	34	38
P F	5310-723-9523	WASHER, FLAT: SPRING SEAT 219236 (62983)		EA	2	*	*	*	*	*	*	*	*	34	39
P F	2530-646-9137	SPRING, HELICAL COMPRESSION: VALVE 217443 (62983)		EA	1	1	1	2	1	1	2	24	48	34	40
P F	5340-723-5437	SPACER, SLEEVE: VALVE 219242 (62983)		EA	1	*	1	1	*	1	1	12	24	34	41
X1		RING 287694 (62983) (PART OF KIT, FSN 2530-805-6322)		EA	1									34	42
X1		O RING 154012 (62983) (PART OF KIT, FSN 2530-805-6322)		EA	1									34	43
X1		O RING 170255 (62983) (PART OF KIT, FSN 2530-805-6322)		EA	1									34	44
P F	2530-136-4485	SPOOL 220939 (62983)		EA	1	*	*	1	*	*	1	6	12	34	45
X1		O RING 154004 (62983) (PART OF KIT, FSN 2530-805-6322)		EA	1									34	46
P F	4820-953-2425	VALVE 219245 (62983)		EA	1	2	4	8	2	4	8	100	100	34	47
P F	2520-741-6784	BALL, POPPET CHECK VALVE 1651 (62983)		EA	1	1	2	4	1	2	4	48	100	34	48
P F	3930-824-5656	BODY 222778 (62983)		EA	1	*	*	1	*	*	1	6	12	34	49
X1		SNAP RING N5000-150 (79136) (PART OF KIT, FSN 2530-986-7605)		EA	1									34	50
X1		SCRAPER 214269 (62983) (PART OF KIT, FSN 2530-986-7605)		EA	1									34	51
X1		RING 205584 (62983) (PART OF KIT, FSN 2530-986-7605)		EA	1									34	52
X1		RETAINER 214268 (62983) (PART OF KIT, FSN 2530-986-7605)		EA	1									34	53
X1		WASHER 225680 (62983) (PART OF KIT, FSN 2530-986-7605)		EA	1									34	54
X1		SEAL 205585 (62983) (PART OF KIT, FSN 2530-986-7605)		EA	1									34	55
P F	2530-915-8591	CYLINDER SUBASSEMBLY 936920 (62983)		EA	1	*	*	1	*	*	1	6	12	34	56

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P F	5310-543-5089	NUT, PLAIN, HEXAGON: STEERING AXLE SUPPORT BLOCK TO FRAME, 1/2-13 THD SIZE MS35690-802 (96906)		EA	4	*	*	*	*	*	*	*	*	35	1
P F	5310-584-5272	WASHER, LOCK: STEERING AXLE SUPPORT BLOCK TO FRAME, 1/2 IN. SCREW SIZE AN935-816 (88044)		EA	4	*	*	*	*	*	*	*	*	35	2
P F	5305-071-1776	SCREW, CAP, HEXAGON HEAD: STEERING AXLE SUPPORT BLOCK TO FRAME, 1/2-13 THD SIZE, 4 IN. LG MS90725-123 (96906)		EA	4	*	*	*	*	*	*	*	*	35	3
X2 F		SHIM: AXLE TO SUPPORT BLOCK 5600-28 (07443)		EA	5									35	4
P O	4730-050-4208	FITTING, LUBRICATION: SUPPORT BLOCK MS15003-1 (96906)		EA	2	REF	REF	REF	REF	REF	REF	REF	REF	35	5
X2 F		BUSHING: SUPPORT BLOCK 5501-2 (07443)		EA	2									35	6
X2 F		BLOCK, SUPPORT 5501 (07443)		EA	2									35	7
X2 F		SCREW, CAP, SOCKET HEAD: STOP MTG, 3/8-16 THD SIZE, 1 IN. LG 5600-54 (07443)		EA	2									35	8
X2 F		STOP: ARTICULATING AXLE 5120 (07443)		EA	2									35	9
X2 F		AXLE ASSEMBLY, STEERING 5608 (07443)		EA	1									35	10
P O	2530-936-2204	BOLT, WHEEL 3X359 (78500)		EA	10	1	1	2	1	1	2	25	25	35	11
X2 O		WHEEL ASSEMBLY 5609 (07443)		EA	2									35	12
P H	2630-294-8971	TIRE: SOLID RUBBER 16-1/4 X 6 X 11-1/4 IN. MS35393-9 (96906)		EA	2				1	1	2	24	36	35	13
P O	5305-056-9959	SCREW, MACHINE: HUB COVER MS35240-7 (96906)		EA	8	*	*	*	*	*	*	*	*	35	14
X2 O		COVER HUB 5303 (07443)		EA	2									35	15
P O	5315-282-1448	PIN, COTTER: NUT TO HUB MS24665-515 (96906)		EA	2	*	*	*	*	*	*	*	*	35	16
P O	5310-012-2851	NUT, HEXAGON, SLOTTED: 1-14 IN. THD SIZE, 7/8 IN. THK 5608-7 (07443)		EA	2	*	*	*	*	*	*	*	*	35	17
P O	5310-809-8541	WASHER, FLAT. BEARING RETAINER, 1.063 IN. ID MS27.83-27 (96906)		EA	2	*	*	*	*	*	*	*	*	35	18
P O	3110-606-1841	CONE AND ROLLERS, TAPERED ROLLER BEARING: OUTER LM67048 (60038)		EA	2	1	2	3	1	2	3	36	100	35	19
P O	5330-078-5279	SEAL, BEARING: SPINDLE 63X1357 (73680)		EA	2	*	1	1	*	1	1	12	24	35	20
P O	3110-100-3541	CONE AND ROLLERS, TAPERED ROLLER BEARING: INNER 25580 (60038)		EA	2	1	1	2	1	1	2	24	36	35	21
P O	3110-606-1840	CUP, BEARING: OUTER LM67010 (60038)		EA	2	1	1	2	1	1	2	24	36	35	22

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO.	(b) ITEM NO.
P O	3110-100-0544	CUP, TAPERED ROLLER: INNER 25520 (60038)	EA	2	1	1	2	1	1	2	24	36	35	23
X2 O		HUB, WHEEL 5302 (07443)	EA	2									35	24
P F	5310-019-0491	PIN, COTTER: TIE ROD MS24665-372 (96906)	EA	4	*	*	*	*	*	*	*	*	35	25
P F	5310-655-9375	NUT, SLOTTED, HEXAGON: TIE ROD MS35692-1022 (96906)	EA	4	*	*	*	*	*	*	*	*	35	26
P F	5310-951-7209	WASHER, FLAT: TIE ROD, 5/8 IN. SCREW SIZE MS27183-22 (96906)	EA	4	*	*	*	*	*	*	*	*	35	27
P F	2530-488-8319	TIE ROD ASSEMBLY 5311 (07443)	EA	2	*	1	1	*	1	1	12	12	35	28
P O	4730-172-0028	FITTING, LUBRICATION: BALL JOINT MS15003-4 (96906)	EA	4	1	1	2	1	1	2	24	24	35	29
P F	3040-488-8545	JOINT, BALL: TIE ROD ES176R (76255)	EA	4	*	1	1	*	1	1	16	24	35	30
X2 F		NUT, JAM: BALL JOINT, 1-16 THD SIZE 5311-3 (07443)	EA	2									35	31
X2 F		TUBE 5311-1 (07443)	EA	2									35	32
P F	5305-256-9423	SETSCREW: KING PIN LOCKING MS51017-103 (96906)	EA	2	*	*	*	*	*	*	*	*	35	33
X2 F		PIN, KING 5304 (07443)	EA	2									35	34
P F	3120-182-7989	BEARING, THRUST: SPINDLE 5608-16 (07443)	EA	2	1	1	2	1	1	2	24	96	35	35
P F	3120-883-7483	WASHER, THRUST: SPINDLE TO AXLE TT1800-1 (70901)	EA	2	1	1	2	1	1	2	24	96	35	36
X2 F		SPINDLE, RIGHT HAND 5137-05 (07443)	EA	1									35	37
X2 F		SPINDLE, LEFT HAND 5137-06 (07443)	EA	1									35	38
P F		BEARING, NEEDLE: WITH OIL HOLE MH18161 (60399)	EA	4	1	1	2	1	1	2	24	96	35	39
P F	5310-877-5795	NUT, LOCK, NYLON: BEARING HOUSING TO AXLE WELDMENT MS21044N8 (96906)	EA	6	*	*	*	*	*	*	*	*	35	40
P F	5306-182-1399	BOLT, MACHINE: AXLE WELDMENT AN178-13 (88044)	EA	6	*	*	*	*	*	*	*	*	35	41
P F	3040-488-8546	BELLCRANK ASSEMBLY: STEERING 5024 (07443)	EA	1	*	*	1	*	*	1	6	3	35	42
X1		ARM, LEVER: BELLCRANK 5027 (07443)	EA	1									35	43
X2 F		KEY: BELLCRANK, 1/2 IN. X 1/2 IN. X 1-7/8 IN. LG 5024-3 (07443)	EA	1									35	44

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
X1		BELLCRANK 5026 (07443)		EA	1									35	45
P O	4730-172-0028	FITTING, LUBRICATION: BELLCRANK HOUSING MS15003-4 (96906)		EA	1	REF	REF	REF	REF	REF	REF	REF	REF	35	46
P F	3120-324-6465	BEARING: BELLCRANK, SHAFT B3238-16 (71041)		EA	2	*	1	1	*	1	1	12	36	35	47
X1		HOUSING 5025 (07443)		EA	1									35	48
P O	4730-172-0034	FITTING, LUBRICATION MS15003-6 (96906)		EA	2	1	1	2	1	1	2	24	24	35	49
X2 F		AXLE, ARTICULATING 5621 (07443)		EA	1									35	50
		GROUP 10-DRIVE AXLE													
P F	5310-763-8911	NUT, HEXAGON: DRIVE ASSY MTG, 9/16-18 THD SIZE MS35690-922 (96906)		EA	2	*	*	*	*	*	*	*	*	36	1
P F	5310-167-0680	WASHER, LOCK: DRIVE ASSY FRAME MTG, 9/16 IN. SCREW SIZE AN935-916 (88044)		EA	2	*	*	*	*	*	*	*	*	36	2
P F	5310-809-3079	WASHER, FLAT: DRIVE ASSY MTG, 9/16 IN. ID, 1-3/8 IN. OD, 0.86 IN. THK MS27183-19 (96906)		EA	2	*	*	*	*	*	*	*	*	36	3
P F	5305-725-0147	SCREW, CAP, HEXAGON HEAD: DRIVE ASSY MTG, 9/16-18 THD SIZE, 2-1/2 IN. LG MS90727-142 (96906)		EA	2	*	*	*	*	*	*	*	*	36	4
P F	5305-724-6760	SCREW, CAP, HEXAGON HEAD: FRONT AXLE MTG, 5/8-11 THD SIZE, 4-1/2 IN. LG MS90725-174 (96906)		EA	4	*	*	*	*	*	*	*	*	36	5
P F	5310-167-0682	WASHER, LOCK: FRONT AXLE MTG, 5/8 IN. SCREW SIZE AN935-1016 (88044)		EA	4	*	*	*	*	*	*	*	*	36	6
X2 F		DRIVE ASSEMBLY 5617 (07443)		EA	1									36	7
P O	2520-715-7260	BOOT: THERMOSTAT FI2300 (63477)		EA	1	REF	REF	REF	REF	REF	REF	REF	REF	37	1
P O	5305-579-0975	SCREW, MACHINE: THERMOSTAT MTG, NO. 6-32 THD SIZE, 3/16 IN. LG AN515-6-3 (88044)		EA	2	*	*	*	*	*	*	*	*	37	2
P O	5310-045-4007	WASHER, LOCK: THERMOSTAT MTG, NO. 6 SCREW SIZE AN935-6 (88044)		EA	2	*	*	*	*	*	*	*	*	37	3
P O	5310-082-1404	WASHER, FLAT: THERMOSTAT MTG, NO. 6 SCREW SIZE MS27183-6 (96906)		EA	2	*	*	*	*	*	*	*	*	37	4
P O		THERMOSTAT: DRIVE MOTOR 20400L (14859)		EA	1	REF	REF	REF	REF	REF	REF	REF	REF	37	5
P2 FR		MOTOR, TRACTION 5601 (07443)		EA	1	*	*	*	*	*	*	3	3	37	
P F	5306-225-9094	BOLT, MACHINE: MOTOR SUPPORT TO MOTOR, 5/16-24 THD SIZE, 1-3/4 IN. LG MS90726-39 (96906)		EA	8	*	*	*	*	*	*	*	*	37	6

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P F	5310-407-9566	WASHER, LOCK: MOTOR SUPPORT TO MOTOR, 5/16 IN. SCREW SIZE AN935-516 (88044)	EA	8	*	*	*	*	*	*	*	*	37	7
X2 F		BRACKET, BEARING: DRIVE END 36B545821AE001 (01288)	EA	1									37	8
P F	3110-838-1481	BEARING, BALL: DRIVE END 146A264-005 (02989)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	37	9
P F	5305-988-1727	SCREW, MACHINE: COVER TO COVER, 1/4-20 THD SIZE, 1 IN. LG AN515-416-16 (88044)	EA	1	*	*	*	*	*	*	*	*	37	10
X2 F		COVER, HALF: BRUSH 286C553G02 (01288)	EA	1									37	11
X2 F		COVER HALF, WITH NUT 286C553G01 (01288)	EA	1									37	12
P F	5305-791-0518	SCREW, MACHINE: BRUSH MTG AN520-10-8 (88044)	EA	6	*	*	*	*	*	*	*	*	37	13
P F	5310-045-3296	WASHER, LOCK: BRUSH MTG AN935-10 (88044)	EA	6	*	*	*	*	*	*	*	*	37	14
P F	5977-449-0827	BRUSH AND ANGLE BRACKET K1334581-006 (01288)	EA	4	REF	REF	REF	REF	REF	REF	REF	REF	37	15
P F	5306-225-9090	BOLT, MACHINE: SUPPORT MTG, 5/16-24 THD SIZE, 1-1/8 IN. LG MS90726-35 (96906)	EA	4	*	*	*	*	*	*	*	*	37	16
P F	5310-407-9566	WASHER, LOCK: SUPPORT MTG, 5/16 IN. SCREW SIZE AN935-516 (88044)	EA	4	*	*	*	*	*	*	*	*	37	17
P F		BEARING, BALL: YOKE AND BEARING SUPPORT 146A264-004 (01288)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	37	18
P2 F	6105-156-4355	ARMATURE, COMPLETE 36B546167 (01288)	EA	1	*	*	*	*	*	*	3	3	37	19
X1		NUT 5601-42N (07443)	EA	1									37	20
X1		COMMUTATOR K9404741G02 (01288)	EA	1									37	21
X1		KEY 9368349ED036 (01288)	EA	1									37	22
X1		COILS 3278400A (01288)	EA	1									37	23
X1		KEY 9368349ED071 (01288)	EA	1									37	24
X1		SHAFT 5601-42 (07443)	EA	1									37	25
P2 F		BUSHING ASSEMBLY: ELECTRICAL CONNECTIONS 36A280790G02 (01288)	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	37	26
P F	5310-903-3994	NUT, PLAIN, HEXAGON: STUD AND BUSHING ASSY, 3/8-16 SCREW SIZE MS51969-3 (96906)	EA	4	*	*	*	*	*	*	*	*	37	27
P F	5310-584-5272	WASHER, LOCK: STUD AND BUSHING ASSY, 1/2 IN. SCREW SIZE AN935-816 (88044)	EA	4	*	*	*	*	*	*	*	*	37	28

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P F	5310-080-6004	WASHER, FLAT: STUD AND BUSHING ASSY, 0.406 IN. ID MS27183-14 (96906)	EA	4	*	*	*	*	*	*	*	*	37	29
P F	5305-655-9441	SCREW, CAP, HEXAGON HEAD: STUD AND BUSHING ASSEMBLY, 3/8-16 THD SIZE, 2-1/4 IN. LG, BRASS MS35309-357 (96906)	EA	2	*	*	*	*	*	*	*	*	37	30
X2 F		SCREW, MACHINE: BRUSH HOLDER TO YOKE AND BEARING SUPPORT AN515-8-14 (88044)	EA	8									37	31
P F	5310-809-8544	WASHER, FLAT: BRUSH HOLDER TO YOKE AND BEARING SUPPORT, NO. 8 SCREW SIZE MS27183-7 (96906)	EA	8	*	*	*	*	*	*	*	*	37	32
P F	5975-488-5470	BUSHING: BRUSH HOLDER TO YOKE AND BEARING SUPPORT 148A315-001 (01288)	EA	8	REF	REF	REF	REF	REF	REF	REF	REF	37	33
X2 F		SCREW, SLOTTED HEXAGON HEAD: CONNECTOR MTG, 5/16-18 THD SIZE, 1/2 IN. LG N26P23008C6 (01288)	EA	4									37	34
P F	5310-407-9566	WASHER, LOCK: CONNECTOR MTG, 5/16 IN. SCREW SIZE AN935-516 (88044)	EA	4	*	*	*	*	*	*	*	*	37	35
P F		CONNECTOR, SHORT 155A106-001 (01288)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	17	36
P F		CONNECTOR, LONG 159A299G01 (01288)	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	37	37
P F		CONNECTOR, CROSS K9432768G13 (01288)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	37	38
P F	5977-838-0272	SPRING: BRUSH HOLDER 36A285925-0C2 (01288)	EA	8	REF	REF	REF	REF	REF	REF	REF	REF	37	39
P F	5977-406-7431	HOLDER, BRUSH 125C582-001 (01288)	EA	4	REF	REF	REF	REF	REF	REF	REF	REF	37	40
P F	5970-406-7401	INSULATOR: BRUSH HOLDER TO SUPPORT 152A201-001 (01288)	EA	4	REF	REF	REF	REF	REF	REF	REF	REF	37	41
P F	5305-253-5622	SCREW, DRIVE: COVER TO SUPPORT, NO. 8 SCREW SIZE, 3/8 IN. LG MS21318-41 (96906)	EA	4	REF	REF	REF	REF	REF	REF	REF	REF	37	42
P F	6105-156-4354	SUPPORT, YOKE AND BEARING 121D395BC001 (01288)	EA	1	*	1	1	*	1	1	12	36	37	43
P H	5305-958-5254	SCREW, MACHINE: MAIN POLE TO FRAME MTG, 5/16-18 THD SIZE, 1-1/4 IN. LG AN505-516-20 (88044)	EA	8				*	*	*	*	*	37	44
X2 H		POLE, MAIN 5601-52 (07443)	EA	4									37	45
X2 H		COIL ASSEMBLY, FIELD 5601-53 (07443)	EA	1									37	46
P2 F		BUSHING ASSEMBLY: FIELD WINDING CONNECTION 36A280790G02 (01288)	EA	3	REF	REF	REF	REF	REF	REF	REF	REF	37	47

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P F	5310-903-3994	NUT, PLAIN, HEXAGON: BUSHING ASSEMBLY, 3/8-16 THD SIZE MS51969-3 (96906)		EA	6	*	*	*	*	*	*	*	*	37	48
P F	5310-584-5272	WASHER, LOCK: TERMINAL MTG, 1/2 IN. SCREW SIZE AN935-816 (88044)		EA	6	*	*	*	*	*	*	*	*	37	49
P F	5310-080-6004	WASHER, FLAT: TERMINAL MTG, 0.406 IN. ID MS27183-14 (96906)		EA	6	*	*	*	*	*	*	*	*	37	50
P F	5305-655-9441	SCREW, CAP, HEXAGON HEAD: TERMINAL, 3/8-16 THD SIZE, 2-1/4 IN. LG MS35309-367 (96906)		EA	3	*	*	*	*	*	*	*	*	37	51
P F	5940-488-5406	TERMINAL: COIL TO STUD 153A623-001 (01288)		EA	3	REF	REF	REF	REF	REF	REF	REF	REF	37	52
X2 H		FRAME 286C479G06 (01288)		EA	1									37	53
P F	5306-281-1651	BOLT, MACHINE: MOTOR SUPPORT TO DIFFERENTIAL HOUSING, 9/16-12 THD SIZE, 2-1/8 IN. LG		EA	7	*	*	*	*	*	*	*	*	38	1
P F	5310-167-0680	WASHER, LOCK: MOTOR SUPPORT TO DIFFERENTIAL HOUSING, 9/16 IN. SCREW SIZE AN935-916 (88044)		EA	7	*	*	*	*	*	*	*	*	38	2
P F	5315-815-1405	PIN, COTTER: BRAKE ROD AND CRANK PIN MS24665-148 (96906)		EA	2	*	*	*	*	*	*	*	*	38	3
P F	5315-291-2098	PIN, YOKE: BRAKE ROD TO CRANK 2708-1-2-4A (07443)		EA	1	*	*	*	*	*	*	*	*	38	4
P F	5315-791-6108	PIN, YOKE: BRAKE CRANK TO MOTOR SUPPORT 2708-1-2-3A (71843)		EA	1	*	*	*	*	*	*	*	*	39	5
X2 F		CRANK, BRAKE: DRIVE MOTOR 5056 (07443)		EA	1									38	6
P F	5305-269-3209	SCREW, CAP, HEXAGON HEAD: BRACKET TO SUPPORT, 3/8-16 THD SIZE, 3/4 IN. LG MS90725-58 (96906)		EA	4	*	*	*	*	*	*	*	*	38	7
P F	5310-637-9541	WASHER, LOCK: BRACKET TO SUPPORT, 3/8 IN. SCREW SIZE AN935-616 (88044)		EA	4	*	*	*	*	*	*	*	*	38	8
P F	5315-815-1405	PIN, COTTER: BRAKE ACTUATING ROD PIN MS24665-148 (96906)		EA	1	*	*	*	*	*	*	*	*	38	9
P F	5315-291-2098	PIN, YOKE: BRAKE ROD TO LEVER 2708-1-2-4A (07443)		EA	1	*	*	*	*	*	*	*	*	38	10
X2 F		YOKE, ROD END: BRAKE ROD 2708-4A (07443)		EA	2									38	11
P F		NUT, PLAIN, HEXAGON: BRAKE ROD MS35691-602 (96906)		EA	2	*	*	*	*	*	*	*	*	38	12
X2 F		ROD: BRAKE ACTUATING 5057 (07443)		EA	1									38	13

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P F	5315-815-1405	PIN, COTTER: CLAMPING SCREW, 1/16 IN. DIA, 1/2 IN. LG MS24665-151 (96906)		EA	1	*	*	*	*	*	*	*	*	38	14
P F	5310-840-6151	NUT, SLOTTED: CLAMPING SCREW, 1/4-28 THD SIZE 901803K6 (14892)		EA	1	*	*	*	*	*	*	*	*	38	15
P F	5305-267-8975	SCREW, CAP, HEXAGON HEAD: LEVER, 1/4-28 THD SIZE, 1-1/8 IN. LG MS90726-9 (96906)		EA	1	*	*	*	*	*	*	*	*	38	16
X2 F		LEVER: SPREADER, BRAKE 5034-2 (07443)		EA	1									38	17
P F	2530-488-8314	BRAKE ASSEMBLY 5034 (07443)		EA	1	*	*	1	*	*	1	6	12	38	18
P F	2530-018-2454	SPRING: BRAKE SHOES 313997 (14892)		EA	2	*	1	1	*	1	1	12	36	38	19
P F		SPRING: BRAKE SHOE TO BACK-UP PLATE 311250 (14892)		EA	2	*	1	1	*	1	1	12	36	38	20
P F	2530-192-8811	BRAKE SHOE, INTERNAL: WITH LINING 311506 (14892)		EA	2	*	1	1	*	1	1	12	36	38	21
X2 F		SPREADER, BRAKE 5034-3 (07443)		EA	1									38	22
P F	5310-880-7747	NUT, PLAIN, HEXAGON: MTG BRACKET AND SPACER TO BRAKE ASSEMBLY, 5/16-18 THD SIZE MS35690-502 (96906)		EA	6	*	*	*	*	*	*	*	*	38	23
P F	5310-407-9566	WASHER, LOCK: MTG BRACKET AND SPACER TO BRAKE ASSY, 5/16 IN. SCREW SIZE AN935-516 (88044)		EA	6	*	*	*	*	*	*	*	*	38	24
P F	5306-531-1798	BOLT, MACHINE: MTG BRACKET AND SPACER TO BRAKE ASSY, 5/16-18 THD SIZE, 1 IN. LG MS35297-34 (96906)		EA	6	*	*	*	*	*	*	*	*	38	25
X2 F		BRACKET, MOUNTING: BRAKE 5032 (07443)		EA	1									38	26
X2 F		SPACER: MTG BRACKET TO BRAKE ASSEMBLY 5033 (07443)		EA	2									38	27
X2 F		PLATE, BACK-UP 311267-2 (14892)		EA	1									38	28
P F	5305-068-0500	SCREW, CAP, HEXAGON HEAD: BRAKE DRUM MTG, 1/4-20 THD SIZE, 1/2 IN. LG MS90725-3 (96906)		EA	6	*	*	*	*	*	*	*	*	38	29
P F	5310-582-5965	WASHER, LOCK: BRAKE DRUM MTG, 1/4 IN. SCREW SIZE AN935-416 (88044)		EA	6	*	*	*	*	*	*	*	*	38	30
P FR	2530-488-8316	DRUM, BRAKE: TRACTION MOTOR 5034-1 (07443)		EA	1	*	*	1	*	*	1	6	12	38	31
P F	2530-489-5793	CHAIN: TRACTION MOTOR DRIVE 5031-5 (07443)		EA	1	*	1	1	*	1	1	12	36	38	32
P F	3040-488-8543	COUPLING HALF, DRIVING: TRACTION MOTOR 5031-1 (07443)		EA	1	*	*	1	*	*	1	6	12	38	33

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGT	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P F	5315-187-9389	PIN, COTTER: PINION DRIVE MS24665-396 (96906)		EA	1	*	*	*	*	*	*	*	*	38	34
P F	5310-682-5765	NUT: PINION DRIVE 18277228 (78500)		EA	1	*	*	*	*	*	*	*	*	38	35
P F	3040-488-8544	COUPLING, HALF: DRIVEN, TRACTION MOTOR 5031-4 (07443)		EA	1	*	*	1	*	*	1	6	12	38	36
X2 F		SUPPORT: TRACTION MOTOR MTG 5030 (07443)		EA	1									38	37
P2 FR	2520-191-6588	AXLE ASSEMBLY, DRIVE 5619-24 (07443)		EA	1	*	*	*	*	*	*	3	3	39	
P O	2530-866-5114	NUT, WHEEL: BRAKE DRUM 1/2-20 THD SIZE N18-1 (78500)		EA	24	1	1	2	1	1	2	24	48	39	1
P O	5310-209-5116	WASHER, LOCK: WHEEL STUD, 1/2 IN. EXTERNAL TOOTH MS35335-37 (96906)		EA	24	1	1	2	1	1	2	24	48	39	2
P O	5340-312-0820	BUSHING, TAPERED: WHEEL STUD 1246V334 (78500)		EA	12	*	1	1	*	1	1	12	24	39	3
P2 O	2530-312-0898	DRUM, BRAKE AND WHEEL 3819L246 (78500)		EA	2	*	*	*	*	*	*	4	4	39	4
P O	2530-489-5865	PLUG: BRAKE INSPECTION HOLE 1850Q95 (78500)		EA	2	*	*	1	*	*	1	6	12	39	5
P O	2530-403-0890	PLUG, BRAKE INSPECTION HOLE 1850R96 (78500)		EA	2	*	*	1	*	*	1	6	12	39	6
P H	2630-554-6295	TIRE, SOLID RUBBER: 18 X 9 X 12-1/8 IN. MS35393-84 (96906)		EA	2				1	1	2	24	36	39	7
P O	2530-440-0092	SPRING, RETURN: BRAKE SHOE 2758L12 (78500)		EA	2	*	1	1	*	1	1	12	36	39	8
P O	2530-217-9575	RETAINER: BRAKE ASSY 1807A1 (78500)		EA	8	1	2	4	1	2	4	48	90	39	9
P O	2530-217-9600	SPRING, HELICAL, COMPRESSION: BRAKE ASSY 2858M91 (78500)		EA	4	1	1	2	1	1	2	24	48	39	10
P O	2530-217-9599	SPRING, RETAINING: BRAKE ASSEMBLY 1718D108 (78500)		EA	2	1	2	4	1	2	4	48	96	39	11
P O	2530-489-5866	SHOE AND LINING ASSEMBLY: BRAKE 3722A105 (78500)		EA	4	1	2	4	1	2	4	48	48	39	12
P O	2530-288-0795	LINK, WHEEL CYLINDER 1745M13 (78500)		EA	4	*	1	1	*	1	1	12	24	39	13
X2 O		TUBE ASSEMBLY: BRAKE BLEEDER 3897L3158 (78500)		EA	1									39	14
X2 O		TUBE ASSEMBLY: BRAKE BLEEDER (OPPOSITE) 3897M3159 (78500)		EA	1									39	14
P O	2530-403-4697	ADAPTER, SCREW: BRAKE BLEEDER 1898E993 (78500)		EA	2	*	1	1	*	1	1	12	24	39	15
P O	2530-025-1331	FITTING: BRAKE LINE 1898C679 (78500)		EA	2	*	1	1	*	1	1	12	24	39	16

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
X2 O		TUBE ASSEMBLY: BRAKE ACTUATING 2847R850X (78500)		EA	2									39	17
P O	2530-403-0893	ELBOW: BRAKE LINE 1898K687 (78500)		EA	4	1	1	2	1	1	2	24	48	39	18
P O	2530-312-0846	ADAPTER, WHEEL CYLINDER 1898C683 (78500)		EA	2	*	1	1	*	1	1	12	24	39	19
P O	4730-288-9363	GASKET, ADAPTER: HYDRAULIC INLET 1898J686 (78500)		EA	1	4	8	17	4	8	17	200	200	39	20
P O	5310-182-5805	NUT, JAM: BRAKE LINE, FITTING, 3/8-16 THD SIZE 13X113 (78500)		EA	4	1	1	2	1	1	2	24	48	39	21
P O	5310-595-7237	WASHER, LOCK: BRAKE LINE, 3/8 IN. EXTERNAL TOOTH 1229E421 (78500)		EA	4	*	*	*	*	*	*	*	*	39	22
X2 O		SCREW, CAP: BRAKE LINE FITTING, SPECIAL 10X526 (78500)		EA	4									39	23
P O		ELBOW, FITTING: BRAKE LINE (OPPOSITE) 1898C680 (78500)		EA	2	*	1	1	*	1	1	12	24	39	24
P O	5305-182-5319	SCREW, BLEEDER 1199J1336 (78500)		EA	2	1	1	2	1	1	2	24	20	39	25
P O	4730-489-5868	FITTING BLEEDER SCREW 1898E1149 (78500)		EA	1	*	1	1	*	1	1	12	20	39	26
P O	4730-489-5869	FITTING: BLEEDER SCREW, (OPPOSITE) 1898F1150 (78500)		EA	1	*	1	1	*	1	1	12	20	39	26
P O	5306-208-1025	BOLT, MACHINE: BRAKE CYLINDER, 5/16-18 THD SIZE, 3/4 IN. LG S256 (78500)		EA	6	*	*	*	*	*	*	*	*	39	27
P O	5310-832-9712	WASHER, LOCK: BRAKE, CYLINDER, 5/16 IN. SCREW SIZE WA15 (78500)		EA	6	*	*	*	*	*	*	*	*	39	28
P O	2530-252-5430	CYLINDER ASSEMBLY: RH 3761D4 (78500)		EA	1	*	1	1	*	1	1	12	36	39	29
P O	2530-489-5795	CYLINDER ASSEMBLY: LH 3761E5 (78500)		EA	1	*	1	1	*	1	1	12	36	39	29
X1		BOOT FC368 (63477) (PART OF KIT, FSN 2530-489-5794)		EA	4									39	30
X1		PISTON FC1311 (63477) (PART OF KIT, FSN 2530-489-5794)		EA	4									39	31
X1		CUP FC857 (63447) (PART OF KIT, FSN 2530-489-5794)		EA	4									39	32
X1		SPRING FC860 (63477) (PART OF KIT, FSN 2530-489-5794)		EA	2									39	33
X2 O		SPACER 1744D4 (78500)		EA	2									39	34

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P F	5310-021-8585	NUT, PLAIN, HEXAGON: BRAKE TO FINAL DRIVE, 7/16-20 THD SIZE 218585 (24617)		EA	16	1	2	4	1	2	4	48	48	39	35
P F	5310-010-3322	WASHER, LOCK: BRAKE, 7/16 IN. SCREW SIZE WA17 (78500)		EA	16	*	*	*	*	*	*	*	*	39	36
X2 F		ROD: BRAKE ASSEMBLY, ANTI-RATTLE 1779M377 (78500)		EA	4									39	37
P F	2530-489-5796	CAM, ADJUSTING 2747Z182 (78500)		EA	4	*	1	1	*	1	1	12	24	39	38
P F	5360-182-6697	SPRING: ADJUSTING CAM 2758K11 (78500)		EA	4	*	1	1	*	1	1	12	24	39	39
P F	2530-489-5797	BOLT, ASSEMBLY: ADJUSTING CAM A2747C3 (78500)		EA	4	*	1	1	*	1	1	12	24	39	40
P F	5315-312-0840	DOWEL: BRAKE TO FINAL DRIVE CASE 1846Z78 (78500)		EA	4	1	1	2	1	1	2	24	48	39	41
P2 F	2530-025-1327	PLATE, BACKING: BRAKE TO FINAL DRIVE CASE 3736J36 (78500)		EA	2	*	*	*	*	*	*	5	4	39	42
P F	5305-068-0510	SCREW, CAP: GEAR CASE, FINAL DRIVE, 5/8-16 THD SIZE, 1 IN. LG MS90728-60 (96906)		EA	20	*	*	*	*	*	*	*	*	39	43
P F	5310-261-7340	WASHER, LOCK: GEAR CASE, FINAL DRIVE, 3/8 IN. DIA WA16 (78500)		EA	20	*	*	*	*	*	*	*	*	39	44
P H	2520-591-3190	GASKET: GEAR CASE TO HOUSING 2808N716 (78500)		EA	2				1	2	4	48	200	39	45
P H	2530-086-2206	SEAL, OIL: FINAL DRIVE GEAR 18058340 (78500)		EA	2				1	1	2	24	100	39	46
P H	2520-030-7273	CASE: FINAL DRIVE GEAR 3875D368 (78500)		EA	2				*	*	1	6	3	39	47
P F	5307-241-7318	STUD: BRAKE TO FINAL DRIVE CASE SN714-1 (78500)		EA	8	*	*	*	*	*	*	*	*	39	48
P F	2530-310-1914	CAP, WHEEL 3862J10 (78500)		EA	2	*	1	1	*	1	1	12	10	39	49
P F	5315-013-7214	PIN, COTTER: WHEEL SPINDLE, 1/8 IN. DIA, 1 3/4 IN. LG K2414 (78500)		EA	2	*	*	*	*	*	*	*	*	39	50
P F	5310-753-5081	NUT: WHEEL SPINDLE 14X57 (78500)		EA	2	*	*	*	*	*	*	*	*	39	51
P F	5310-099-6878	WASHER: HUB BEARING NUT, 1 1/4 IN. ID 1829Y363 (78500)		EA	2	*	*	*	*	*	*	*	*	39	52
P H	3110-100-0743	CONE AND ROLLER, TAPERED: FINAL DRIVE, GEAR BEARING 2788 (78500)		EA	2				*	1	1	12	10	39	53
P H	3110-100-0359	CUP, TAPERED ROLLER: FINAL DRIVE GEAR BEARING 2720 (78500)		EA	2				*	1	1	12	10	39	54

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P H	3110-151-8621	CONE AND ROLLER, TAPERED: FINAL DRIVE GEAR BEARING 33891 (78500)		EA	2				*	1	1	12	10	39	55
P H	3110-100-0574	CUP, TAPERED ROLLER: FINAL DRIVE, GEAR BEARING 33821 (78500)		EA	2				*	1	1	12	10	39	56
P F	5307-207-6259	STUD: BRAKE DRUM AND GEAR DRIVE 4X1101 (78500)		EA	24	*	*	*	*	*	*	*	*	39	57
P2 H	2520-629-4963	GEAR: FINAL DRIVE, INTERNAL 3892J1388 (78500)		EA	2				*	*	*	5	10	39	58
X2 F		NUT: SPINDLE TO HOUSING, 3/4-16 THD SIZE N712 (78500)		EA	2									39	59
X2 F		BOLT: SPINDLE SPECIAL S11219-1 (78500)		EA	2									39	60
X2 F		NUT: SPINDLE TO AXLE HOUSING, 3/4-16 THD SIZE N112-1 (78500)		EA	6									39	61
P F	5310-584-7888	WASHER, LOCK: SPINDLE TO AXLE HOUSING, 3/4 IN. DIA WH112 (78500)		EA	6	*	*	*	*	*	*	*	*	39	62
P F	5305-728-0214	BOLT: SPINDLE TO AXLE HOUSING, 3/4-16 THD SIZE, 2 1/2 IN. LG 3X195 (78500)		EA	6	*	*	*	*	*	*	*	*	39	63
P F	2530-030-7271	SPINDLE 3811X50 (78500)		EA	2	*	*	1	*	*	1	6	5	39	64
P F	2520-014-1368	SHAFT, AXLE S619-38 (07443)		EA	2	*	*	1	*	*	1	6	5	39	65
P F	5310-276-2698	NUT: AXLE TO FINAL DRIVE HOUSING, 5/8-18 THD SIZE N110-1 (78500)		EA	16	*	*	*	*	*	*	*	*	39	66
P F	5310-184-9161	WASHER, LOCK: AXLE TO FINAL DRIVE HOUSING, 5/8 IN. SCREW SIZE MS35333-88 (96906)		EA	8	*	*	*	*	*	*	*	*	39	67
P F	5310-045-5001	WASHER, LOCK: AXLE TO FINAL DRIVE HOUSING, 5/8 IN. SCREW SIZE MS35340-50 (96906)		EA	8	*	*	*	*	*	*	*	*	39	68
P F	5340-427-2282	DOWEL: AXLE TO FINAL DRIVE HOUSING 1246D290 (78500)		EA	8	*	*	*	*	*	*	*	*	39	69
P H	2520-358-9808	GASKET: AXLE TO FINAL DRIVE 2808X596 (78500)		EA	7				1	4	8	98	700	39	70
P H	2520-358-9809	GASKET: AXLE TO FINAL DRIVE 2808P614 (78500)		EA	11				3	5	11	126	1100	39	70
P H	3110-554-3468	BEARING: AXLE SHAFT 1828Y311 (78500)		EA	2				*	1	1	12	24	39	71
P H	2520-718-7766	COLLAR: AXLE SHAFT BEARING RETAINER 1874H86 (78500)		EA	2				*	*	1	6	12	39	72

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P H	2530-848-1305	CONE: DIFFERENTIAL BEARING 368A (78500)		EA	2				*	1	1	12	24	39	73
P H	3110-100-0295	CUP: DIFFERENTIAL BEARING 362A (78500)		EA	2				*	1	1	12	24	39	74
P2 H	2520-098-8414	HOUSING: AXLE, LEFT HAND 3897R1032 (78500)		EA	1				*	*	*	3	3	39	75
P2 H	2520-303-7860	HOUSING: AXLE, RIGHT HAND 5619-36 (07443)		EA	1				*	*	*	3	3	39	75
P F	5307-298-4666	STUD: AXLE TO FINAL DRIVE HOUSING 4X389 (78500)		EA	16	*	*	*	*	*	*	*	*	39	76
P F	5306-208-7354	BOLT, MACHINE: PINION BEARING, 3/8-16 THD SIZE, 1 1/8 IN. LG S269-1 (78500)		EA	6	*	*	*	*	*	*	*	*	40	1
P F	5310-261-7340	WASHER, LOCK: PINION BEARING, 3/8 IN. SCREW SIZE WA16 (78500)		EA	6	*	*	*	*	*	*	*	*	40	2
P F	5330-181-3919	RETAINER: PINION BEARING, OIL SEAL 1805W309 (78500)		EA	1	*	1	1	*	1	1	12	24	40	3
P F	2520-383-9803	GASKET: BEVEL PINION BEARING COVER 2208Y389 (78500)		EA	3	1	2	3	1	2	3	36	300	40	4
P F	3930-494-9303	SPACER, GEAR CUP: BEVEL PINION, BEARING COVER 1844D472 (78500)		EA	2	*	*	1	*	*	1	6	3	40	5
P F		SEAL, OIL: PINION BEARING 1805D134 (78500)		EA	1	1	2	3	1	2	3	36	100	40	6
X2 F		WASHER: BEVEL PINION, 1 1/2 IN. ID 1829W673 (78500)		EA	1									40	7
P F	5330-358-9806	GASKET: ADAPTER PLATE 2805Y597 (78500)		EA	3	1	2	3	1	2	3	36	300	40	8
P F	5330-358-9807	GASKET, ADAPTER PLATE 2805Z598 (78500)		EA	2	1	1	2	1	1	2	24	200	40	9
P H		RIVET: BEVEL PINION BEARING RETAINER 17X161 (78500)		EA	2				1	2	4	48	400	40	10
P F	2520-499-9021	RETAINER, PINION BEARING: REAR 1229V828 (78500)		EA	1	1	1	2	1	1	2	24	100	40	11
P F	5340-358-9942	RING, RETAINING: PINION BEARING 1229Y1299 (78500)		EA	1	1	1	2	1	1	2	24	100	40	12
P F	3110-183-7232	BEARING, ROLLER CYLINDRICAL: BEVEL PINION 1228N66 (78500)		EA	1	*	1	1	*	1	1	12	24	40	13
P H	3110-574-0546	BEARING: BEVEL PINION, FRONT 1828D108 (78500)		EA	1				*	*	1	6	6	40	14
P H	5365-168-6587	SHIM: BEVEL PINION BEARING 2803N1938 (78500)		EA	1				*	1	1	12	36	40	15

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION — REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE a	b	c	(7) 30-DAY GS MAINT ALLOWANCE a	b	c	(8) 1 YR ALW PER 100 EQUIP UNITS	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION a FIG NO	b ITEM NO
					1-2	21-50	51-100	1-20	21-50	51-100				
P H	5365-182-6722	SHIM: BEVEL PINION BEARING 2805P1940 (78500)	EA	1				*	1	1	12	36	40	15
P H	2520-572-4309	RING, SNAP: BEVEL PINION 1854C237 (78500)	EA	1				*	*	1	6	12	40	16
P F	3110-073-7032	RING, BEARING INNER: BEVEL PINION 1221M34 (78500)	EA	1	*	1	1	*	1	1	12	24	40	17
X2 H		CAGE: BEVEL PINION BEARING 3826R252 (78500)	EA	1									40	18
P2 H	3020-489-5870	PINION, BEVEL W/GEAR BEVEL A34802-4 (78500)	ST	1				*	*	*	3	5	40	19
P H	5320-637-5645	RIVET, SOLID: BEVEL GEAR TO DIFFERENTIAL CASE RV7610 (78500)	EA	12				3	6	12	144	144	40	20
X2 F		WIRE, LOCK: DIFFERENTIAL CASE BOLT LW1622 (78500)	EA	1									40	21
X2 F		SCREW, CAP: DIFFERENTIAL CASE, 3/8-16 THD SIZE, 2 7/16 IN. LG 15X249 (78500)	EA	8									40	22
P H	2520-311-8691	GEAR, BEVEL: DIFFERENTIAL SIDE 22348210 (78500)	EA	2	-			*	*	1	6	12	40	23
P H	2520-311-8337	WASHER, THRUST: DIFFERENTIAL SIDE GEAR 1229S825 (78500)	EA	2				1	1	2	24	48	40	24
X2 H		CASE, DIFFERENTIAL 3235F266 (78500)	EA	1									40	25
P H	2520-359-0036	SPIDER, DIFFERENTIAL 3278L64 (78500)	EA	1				*	*	1	6	6	40	26
P H	2520-499-9007	PINION, DIFFERENTIAL 2233T124 (78500)	EA	4				*	*	1	8	24	40	27
P H	5310-308-6051	WASHER, THRUST: PINION 1229Z1196 (78500)	EA	4				1	1	2	24	48	40	28
X2 H		CASE, DIFFERENTIAL: FLANGE HALF 3735D264 (78500)	EA	1									40	29
P O	5306-225-8496	BOLT, MACHINE: COPPER SEAL, 5/16-18 THD SIZE, 5/8 IN. LG MS90725-31 (96906)	EA	1	*	*	*	*	*	*	*	*	40	30
P O	5330-168-5490	SEAL, COPPER 5619-23 (07443)	EA	1	1	2	4	1	2	4	48	100	40	31
P2 H	2520-105-2386	HOUSING: FINAL DRIVE 3801A547 (78500)	EA	1				*	*	*	3	3	40	32
P O	4730-045-9771	PLUG: OIL DRAIN MAGNETIC, 1/2 NPT MS49006-8 (96906)	EA	1	*	*	1	*	*	1	6	6	40	33
P O	4730-010-3875	PLUG, PIPE: OIL LEVEL P212 (78500)	EA	2	1	1	2	1	1	2	24	24	40	34

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALW PER 100 EQUIP (NTGY)	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO.	(b) ITEM NO.
		GROUP 11-FRAME AND BATTERY COMPARTMENT												
X2 O		COVER, BATTERY: RIGHT SIDE 5646-1 (07443)	EA	1									41	1
X2 O		COVER, BATTERY: LEFT SIDE 5646-2 (07443)	EA	1									41	2
P O	5940-955-0162	TERMINAL, QUICK DISCONNECT: 1/4 IN. DIA 54107 (59730)	EA	1	1	1	2	1	1	2	24	24	41	3
P O	5940-840-5436	LUG, TERMINAL: 5/16 IN. DIA 54142 (59730)	EA	1	1	1	2	1	1	2	24	24	41	3
P O	6140-789-3725	BATTERY, STORAGE	EA	1	*	*	*	*	*	*	*	*	41	4
X2 O		ANGLE, RETAINING: BATTERY, RH 5645-1 (07443)	EA	1									41	5
X2 O		ANGLE, RETAINING: BATTERY, LH 5645-2 (07443)	EA	1									41	6
P O	5305-068-0500	SCREW, CAP, HEXAGON HEAD: BATTERY CONNECTOR AND LATCH MTG, 1/4-20 THD SIZE, 1/2 IN. LG MS35297-3 (96906)	EA	4	*	*	*	*	*	*	*	*	41	7
P O	5310-582-5965	WASHER, LOCK: BATTERY CONNECTOR AND LATCH MTG, 1/4 IN. SCREW SIZE AN935-416 (88044)	EA	4	*	*	*	*	*	*	*	*	41	8
P O	3930-078-2924	CONNECTOR, BATTERY CABLE 5816B (80495)	EA	1	*	1	1	*	1	1	12	24	41	9
M O		CABLE, PORTABLE: CONNECTOR TO BATTERY TYPESJO-16-4 (82879) MANUFACTURE FROM:	EA	2									41	10
P O	6145-023-3625	CABLE, ELECTRICAL 9 1/2 FT REQUIRED FOR THE 2 CABLES	FT	10	5	10	21	5	10	21	250	1250		
P O	5305-068-0498	SCREW, CAP, HEXAGON HEAD: CABLE CLIP MTG, 1/4-20 THD SIZE, 3/8 IN. LG MS90725-1 (96906)	EA	1	*	*	*	*	*	*	*	*	41	11
P O	5310-582-5965	WASHER, LOCK: CABLE CLIP MTG, 1/4 IN. SCREW SIZE AN935-416 (88044)	EA	1	*	*	*	*	*	*	*	*	41	12
X2 O		CLIP, CABLE MS35140-9 (96906)	EA	2									41	13
M O		CABLE ASSEMBLY: BATTERY CONNECTOR TO CONTROL PANEL 31502 (70903) MANUFACTURE FROM:	EA	2									41	14
P O	6145-177-4677	CABLE, ELECTRICAL: AWG NO. 2 5 FT REQUIRED FOR EACH CABLE	FT	10	4	8	17	4	8	17	200	1000		
P F	5310-013-4530	NUT, PLAIN, HEXAGON: MICROSWITCH TO LATCH, NO. 6-32 THD SIZE MS35649-62 (96906)	EA	2	*	*	*	*	*	*	*	*	41	15
X2 F		WASHER, LOCK: MICROSWITCH TO LATCH DD10002 (91929)	EA	2									41	16

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALW PER 100 EQUIP	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P F	5305-984-6223	SCREW, MACHINE: MICROSWITCH TO LATCH, NO. 6-32 THD SIZE, 1 1/2 IN. LG AN515-6-24 (88044)	EA	2	*	*	*	*	*	*	*	*	41	17
P F	5975-847-1244	CONNECTOR, ELBOW, ELECTRICAL: MICROSWITCH LEAD 2268 (59730)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	41	18
P F	5330-583-0892	O RING, SEALING: CONNECTOR 5262 (59730)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	41	19
P F	5930-089-2203	SWITCH, SENSITIVE: CONNECTOR LATCH BZE6-2R08 (91929)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	41	20
P F	5930-252-4133	SWITCH, SENSITIVE: BATTERY CONNECTOR, REPLACEMENT PART B2-2R0784 (91929)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	41	21
X2 F		LATCH, ASSEMBLY: BATTERY CONNECTOR 5725 (07443)	EA	1									41	22
P O	5305-068-0500	SCREW, CAP, HEXAGON HEAD: BOTTOM COVER TO FRAME, 1/4-20 THD SIZE, 1/2 IN. LG MS90725-3 (96906)	EA	4	*	*	*	*	*	*	*	*	41	23
X2 O		WASHER, LOCK: BOTTOM COVER TO FRAME AN935-418 (88044)	EA	4	*	*	*	*	*	*	*	*	41	24
X2 O		COVER: BOTTOM OF FRAME 5737 (07443)	EA	1									41	25
X2 F		COVER, BATTERY 5644 (07443)	EA	1									41	26
P F	5320-660-1091	RIVET MS20426A3-8 (96906)	EA	14	*	*	*	*	*	*	*	*	41	27
X2 F		BURR 5644-8 (07443)	EA	14									41	28
X2 F		HINGE 5644-2 (07443)	EA	1									41	29
X2 F		PLYWOOD: 28 7/8 X 39 3/4 X 1/4 IN. THK 5644-4 (07443)	EA	1									41	30
P F	5320-281-9044	RIVET: DOOR PULL TO COVER MS20426A8-8 (96906)	EA	2	*	*	*	*	*	*	*	*	41	31
X2 F		PULL, DOOR 5644-5 (07443)	EA	1									41	32
X2 F		PLATE, COVER 5644-1 (07443)	EA	1									41	33
P F	5315-236-8359	PIN, COTTER: BATTERY ROLLER ASSEMBLY MS24665-370 (96906)	EA	16	*	*	*	*	*	*	*	*	41	34
X2 F		PIN: BATTERY ROLLER ASSEMBLY 5713 (07443)	EA	8									41	35
X2 F		ROLLER ASSEMBLY, BATTERY 5712 (07443)	EA	8									41	36
P O	5315-182-5736	PIN, TOWING 5147 (07443)	EA	1	*	*	1	*	*	1	6	12	41	37

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
P O	5305-068-0500	SCREW, CAP, HEXAGON HEAD: STATIC DISCHARGE STRAP TO FRAME, 1/4-20 THD SIZE, 1/2 IN. LG MS90725-3 (96906)		EA	2	*	*	*	*	*	*	*	*	41	38
P O	5310-809-4058	WASHER, FLAT: STATIC DISCHARGE MTG, 1/4 IN. SCREW SIZE MS27183-10 (96906)		EA	2	*	*	*	*	*	*	*	*	41	39
P O	5920-409-5630	STRAP: STATIC DISCHARGE 5600-59 (07443)		EA	2	1	1	2	1	1	2	24	100	41	40
P O	4730-050-4208	FITTING, LUBRICATION: FRONT AXLE BLOCK MS15003-1 (96906)		EA	2	REF	REF	REF	REF	REF	REF	REF	REF	41	41
P F	3120-182-7983	BUSHING: MAST PIVOT 5048-4 (07443)		EA	2	*	*	1	*	*	1	6	6	41	42
P O	5310-761-6882	NUT, PLAIN, HEXAGON: COVER PLATE MTG, 1/4-20 THD SIZE MS51967-2 (96906)		EA	4	*	*	*	*	*	*	*	*	41	43
P O	5310-582-5965	WASHER, LOCK: COVER PLATE MTG, 1/4 IN. SCREW SIZE AN935-416 (88044)		EA	4	*	*	*	*	*	*	*	*	41	44
P O	5305-225-3839	SCREW, CAP, HEXAGON HEAD: COVER PLATE MTG, 1/4-20 THD SIZE, 1 IN. LG MS90725-8 (96906)		EA	4	*	*	*	*	*	*	*	*	41	45
X2 O		PLATE, COVER 5165 (07443)		EA	1									41	46
P F	5310-761-6882	NUT, PLAIN, HEXAGON: PUMP MOTOR GUARD MTG, 1/4-20 THD SIZE MS51967-2 (96906)		EA	3	*	*	*	*	*	*	*	*	41	47
P F	5310-582-5965	WASHER, LOCK: PUMP MOTOR GUARD MTG, 1/4 IN. SCREW SIZE AN935-416 (88044)		EA	3	*	*	*	*	*	*	*	*	41	48
P F	5305-225-3839	SCREW, CAP, HEXAGON HEAD: PUMP MOTOR GUARD, 1/4-20 THD SIZE, 1 IN. LG MS90725-8 (96906)		EA	3	*	*	*	*	*	*	*	*	41	49
M F		GUARD PLATE: PUMP MOTOR		EA	1									41	50
X2 H		FRAME, MAIN 5642 (07443)		EA	1									41	51
		GROUP 12-KITS AND SETS													
P F	3930-407-4932	KIT, REPAIR: LIFT CYLINDER 5605-26 (07443)		EA	1	1	1	3	1	1	3	31	100		
		1 EA, WIPER												9	5
		1 EA, SEAL SET												9	7
		1 EA, RETAINER												9	6
		1 EA, SLEEVE												9	8
		1 EA, WIPER												9	12
		1 EA, SEAL SET												9	13
		1 EA, O RING												9	16

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO.	(b) ITEM NO.
		1 EA, RING											9	17
P F	5945-410-7666	KIT, REPAIR: FORWARD REVERSE CONTACTOR 5626-100 (07443)	EA	1	*	*	1	*	*	1	10	90		
		2 EA, SWITCH											13	6
		2 EA, LEAD											13	20
		8 EA, CONTACT											13	32
		2 EA, SPRING											13	51
P F	5945-433-1721	KIT, REPAIR: LINE AND PUMP CONTACTOR 5626-102 (07443)	EA	2										
		2 EA, LEAD											14	14
		1 EA, SPRING											14	17
		4 EA, CONTACT											14	33
P F	5945-433-1720	KIT, REPAIR: 1A CONTACTOR 5626-101 (07443)	EA	1	*	*	1	*	*	1	10	90		
		1 EA, SWITCH											16	7
		1 EA, LEAD											16	17
		1 EA, SPRING											16	23
		1 EA, SPRING											16	23
		2 EA, CONTACT											16	40
P F	5330-960-9332	KIT, SEAL: STACK VALVE 922906 (62983)	EA	1	1	2	4	1	2	4	48	100		
		1 EA, RETAINER											22	17
		1 EA, SEAL											22	18
		1 EA, SEAL											22	19
		1 EA, SEAL											22	20
		2 EA, O RING											22	25
		2 EA, QUAD RING											22	27
		2 EA, RING											22	31
		2 EA, O RING											22	32
		2 EA, RING											22	35
		2 EA, QUAD RING											22	36
P F	2530-359-0347	PARTS KIT: MASTER BRAKE CYLINDER FC11301 (63477)	EA	1	2	4	8	2	4	8	100	100		
		1 EA, BOOT											24	3
		1 EA, RING											24	4
		1 EA, PISTON ASSEMBLY											24	6
		1 EA, CUP											24	7
		1 EA, SPRING											24	8
		1 EA, VALVE											24	9
P F	3930-407-4933	KIT, REPAIR: TILT CYLINDER 5603-26 (07443)	EA	2	1	1	2	1	1	2	24	100		
		2 EA, WIPER											27	8

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO
		2 EA, SEAL											27	9
		2 EA, BUSHING											27	12
		2 EA, RING											27	13
		2 EA, O RING											27	14
		2 EA, SEAL											27	17
P F		KIT, CARTRIDGE 922983 (62983)	EA	1	*	1	1	*	1	1	12	12		
		2 EA, O RING											30	6
		1 EA, RING											30	7
		1 EA, KIT, VANE											30	8
		1 EA, ROTOR											30	9
P F	2530-805-6322	KIT, PACKING ASSORTMENT: STEERING 922625 (62983)	EA	1	2	4	8	2	4	8	100	100		
		3 EA, SEAL											34	33
		1 EA, RING											34	42
		1 EA, O RING											34	43
		1 EA, O RING											34	44
		1 EA, O RING											34	46
P F	2530-986-7605	PARTS KIT: STEERING 922627 (62983)	EA	1	2	4	8	2	4	8	100	100		
		1 EA, SNAP RING											34	50
		1 EA, SCRAPER											34	51
		1 EA, RING											34	52
		1 EA, RETAINER											34	53
		1 EA, WASHER											34	54
		1 EA, SEAL											34	55
P F	2530-489-5794	KIT, CYLINDER: BRAKE 5619-51 (07443)	EA	2	1	1	2	1	1	2	24	72		
		4 EA, BOOT											39	30
		4 EA, PISTON											39	31
		4 EA, CUP											39	32
		2 EA, SPRING											39	33



ME 3930-611-35P/1

Figure 1. Vehicle Lights.

ME 3930-611-35P/2

Figure 2. Overhead Guard.



Figure 3. Floor Plates and Accelerator Pedal.



Figure 4. Operators Seat.

ME 3930-611-35P/4



Figure 5. Seat Support and Safety Controls.

best copy available



ME 3930-611-35P/6

Figure 6. Directional Switch Control Cable.



Figure 7. Directional Switch.

ME 3930-611-35P/7



ME 3930-611-35P/8

Figure 8. Lift Forks and Cylinder Yoke.



Figure 9. Lift Cylinder.

ME 3930-611-35P/9



Figure 10. Lift Mast.



ME 3930-611-35P/11

Figure 11. Lift Fork Carrier.



ME 3930-611-35P/12

Figure 12. Silicon Control Rectifier.



Figure 13. Forward-Reverse Contactor.

ME 3930-611-35P/13



Figure 14. Line and Pump Contactors.



Figure 15. Fuse Blocks.



ME 3930 611-35P/16

Figure 16. Shorting Contactor.



Figure 17. Control Box Assembly.



ME 3930-611-35P/18

Figure 18. Console, Horn and Emergency Switch.



Figure 19. Accelerator Controls.



Figure 20. Accelerator Switch.



Figure 21. Stack Valve Installation.



Figure 22. Stack Valve Assembly.

ME 3930-611-35P/22



ME 3930-611-35P/23

Figure 23. Brake Controls and Tubing.



ME 3930-611-35P/24

Figure 24. Master Brake Cylinder.



Figure 25. Hydraulic Filter.

ME 3930-611-35P/25



ME 3930-611-35P/26

Figure 26. Hydraulic Lines and Fittings.



ME 3930-611-35P/27

Figure 27. Tilt Cylinder.



Figure 28. Hydraulic Reservoir.



Figure 29. Hydraulic Pump Coupling.



ME 3930-611-35P/30

Figure 30. Hydraulic Pump.



Figure 31. Hydraulic Pump Motor.

"E 3930 411-35P/31



Figure 32. Steering Drag Link.

ME 3930-611-35P/32



Figure 33. Steering Gear.

ME 3930-611-35P/33



Figure 34. Steering Booster.

ME 3930-611-35P/34



ME 3930-611-35P/35

Figure 35. Steering Axle Assembly.



ME 3930-611-35P/36

Figure 36. Drive Axle Assembly.



ME 3930-611-35P/37

Figure 37. Drive Axle Motor Assembly.



Figure 38. Drive Axle Brake and Motor Support.



Figure 39. Drive Sheel, Brakes and Outer Housing.

ME 3930-611-35P/39



Figure 40. Drive Axle Gears and Pinion.

ME 3930-611-35P/40



ME 3930-611-35P/41

Figure 41. Frame, Battery and Compartment.

STOCK NUMBER	FIGURE NO.	ITEM NO.
2520-014-1368	39	65
2520-030-7273	39	47
2520-098-8414	39	75
2520-105-2386	40	32
2520-191-6588	39	
2520-303-7860	39	75
2520-311-8337	40	24
2520-311-8691	40	23
2520-358-9808	39	70
2520-358-9809	39	70
2520-359-0036	40	26
2520-383-9803	40	4
2520-499-9007	40	27
2520-499-9021	40	11
2520-572-4309	40	16
2520-591-3190	39	45
2520-629-4963	39	58
2520-715-7260	28	9
2520-715-7260	31	1
2520-715-7260	37	1
2520-718-7766	39	72
2520-741-6784	34	18
2520-778-0090	5	38
2520-871-9492	25	23
2520-914-2324	25	18
2530-018-2454	38	19
2530-025-1327	39	42
2530-025-1331	39	16
2530-026-3988	33	43
2530-030-7271	39	64
2530-034-4189	34	29
2530-034-4190	34	31
2530-045-0649	34	38
2530-077-1701	34	16
2530-086-2206	39	46
2530-087-0327	22	30
2530-087-0369	22	23
2530-116-6800	34	28
2530-116-9822	25	22
2530-136-4485	34	45
2530-164-3573	33	32
2530-192-8811	38	21
2530-217-9575	39	9
2530-217-9599	39	11
2530-217-9600	39	10
2530-252-5430	39	29
2530-288-0795	39	13
2530-310-1914	39	49
2530-312-0846	39	19
2530-312-0898	39	4
2530-358-6665	33	20
2530-403-0890	39	6
2530-403-0893	39	18
2530-403-4697	39	15
2530-440-0092	39	8
2530-483-4491	34	12
2530-488-8314	38	18
2530-488-8316	38	31
2530-488-8319	35	28
2530-488-8322	33	9
2530-488-8323	24	1
2530-489-5793	38	32
2530-489-5795	39	29
2530-489-5796	39	38
2530-489-5797	39	40
2530-489-5865	39	5
2530-489-5866	39	12
2530-661-9867	33	47
2530-737-3552	33	29
2530-738-7667	23	34
2530-805-6322	34	33
2530-805-6322	34	42
2530-805-6322	34	43
2530-805-6322	34	44
2530-805-6322	34	46
2530-848-1305	39	73
2530-866-5114	39	1
2530-915-8591	34	56
2530-917-7592	33	34
2530-936-2204	35	11
2540-195-0225	4	5
2540-402-8320	3	5
2540-488-8608	4	6
2540-488-8612	23	20
2590-164-0718	33	22
2590-403-0908	18	18
2590-488-8609	6	7
2590-488-8610	33	7
2590-488-8611	5	45
2630-294-8971	35	13
2630-554-6295	39	7
2805-989-1496	28	14
2990-477-6116	28	18
2990-477-6117	28	17
3020-402-8238	5	34
3020-406-3287	20	15
3020-413-3195	20	42
3020-488-8321	33	5
3020-489-5870	40	19
3030-402-8238	5	17
3040-252-5488	20	37
3040-488-8543	38	33
3040-488-8544	38	36
3040-488-8545	35	30
3040-488-8546	35	42
3040-488-8547	29	6
3040-488-8548	29	7
3040-488-8549	33	42
3040-488-8554	32	9
3110-073-7032	40	17
3110-100-0295	39	74
3110-100-0359	39	54
3110-100-0544	35	23
3110-100-0574	39	56
3110-100-0743	39	53
3110-100-3541	35	21
3110-109-1123	30	13
3110-144-9614	5	28
3110-151-8621	39	55
3110-182-8018	11	4

STOCK NUMBER	FIGURE NO.	ITEM NO.
3110-183-7232	40	13
3110-191-0491	33	37
3110-227-4838	33	13
3110-554-3468	39	71
3110-574-0546	40	14
3110-606-1840	35	22
3110-606-1841	35	19
3110-838-1481	31	24
3110-838-1481	37	9
3120-182-7983	41	42
3120-182-7989	35	35
3120-324-6465	35	47
3120-883-7483	35	36
3130-182-7987	7	33
3810-805-6261	34	22
3930-078-2924	41	9
3930-197-5299	8	9
3930-307-6362	7	5
3930-307-6363	7	19
3930-375-1445	22	11
3930-402-8322	27	16
3930-433-0760	10	42
3930-433-0762	21	12
3930-459-3068	10	24
3930-459-3069	10	36
3930-459-3070	10	27
3930-488-8536	8	10
3930-488-8538	9	
3930-488-8542	9	1
3930-488-8551	10	44
3930-488-8552	10	47
3930-488-8553	10	45
3930-488-8555	27	3
3930-494-9303	40	5
3930-824-5656	34	49
3930-867-1464	22	21
3930-899-4353	22	34
3930-918-1920	22	12
3930-934-7873	30	4
4320-195-5615	30	
4320-489-5798	30	8
4330-402-8278	28	8
4330-488-8613	25	14
4330-488-8614	25	17
4710-278-1368	25	3
4710-278-1368	25	8
4710-278-1368	26	26
4710-278-1368	26	34
4710-278-1368	26	40
4720-194-9958	26	13
4720-197-5113	26	8
4720-459-2682	3	14
4720-488-8254	26	2
4720-488-8258	26	4
4720-488-8261	26	6
4720-488-8262	26	11
4720-488-8263	26	17
4720-488-8364	26	19
4720-488-8266	26	15
4720-488-8267	26	21
4730-010-3875	40	34
4730-045-9771	40	33
4730-050-4208	32	5
4730-050-4208	35	5
4730-050-4208	41	41
4730-082-5965	9	21
4730-172-0028	35	29
4730-172-0028	35	46
4730-172-0034	35	49
4730-187-0488	26	23
4730-187-0488	26	37
4730-187-4191	33	45
4730-189-2742	25	2
4730-189-2742	25	5
4730-189-2742	26	25
4730-189-2742	26	33
4730-189-2742	26	39
4730-194-9957	26	9
4730-222-1796	25	9
4730-222-1796	28	6
4730-222-1912	23	4
4730-225-0700	26	29
4730-231-3014	25	10
4730-231-3014	26	46
4730-277-5357	25	7
4730-277-5357	26	32
4730-277-8269	23	7
4730-287-1706	23	3
4730-288-9363	39	20
4730-402-8239	26	28
4730-464-4214	23	5
4730-488-8324	23	8
4730-488-8325	26	3
4730-488-8325	26	5
4730-488-8325	26	14
4730-488-8326	26	44
4730-488-8327	26	12
4730-488-8327	26	16
4730-488-8550	33	41
4730-489-2512	26	7
4730-489-2512	26	10
4730-489-2512	26	18
4730-489-2512	26	20
4730-489-2513	26	22
4730-489-5729	26	45
4730-489-5868	39	26
4730-489-5869	39	26
4730-618-8551	25	11
4730-646-9131	34	23
4730-674-6831	22	10
4730-691-2481	28	5
4730-789-3090	26	42
4730-916-2002	25	6
4730-916-2002	26	31
4730-917-4891	26	27
4730-945-3880	26	52
4810-953-5205	22	33
4820-034-1690	22	13
4820-953-2425	34	47
5305-044-4153	18	6

STOCK NUMBER	FIGURE NO.	ITEM NO.
5305-044-4153	33	3
5305-056-9959	35	14
5305-068-0498	13	18
5305-068-0498	14	11
5305-068-0498	16	15
5305-068-0498	41	11
5305-068-0500	3	3
5305-068-0500	38	29
5305-068-0500	41	7
5305-068-0500	41	23
5305-068-0500	41	38
5305-068-0501	1	11
5305-068-0501	19	13
5305-068-0502	3	9
5305-068-0502	10	22
5305-068-0502	17	44
5305-068-0510	39	43
5305-068-7837	3	10
5305-071-1776	35	3
5305-071-2069	8	15
5305-182-5319	39	25
5305-225-3839	13	1
5305-225-3839	16	1
5305-225-3839	41	45
5305-225-3839	41	49
5305-249-0511	9	3
5305-249-0511	9	10
5305-249-0511	9	14
5305-253-5622	31	51
5305-253-5622	37	42
5305-253-8020	11	2
5305-256-9423	35	33
5305-267-8975	38	16
5305-269-3209	28	1
5305-269-3209	38	7
5305-269-3213	17	7
5305-269-3213	21	4
5305-269-3213	29	1
5305-269-3213	31	11
5305-269-3215	3	16
5305-269-3216	5	37
5305-269-3219	2	4
5305-269-3221	23	33
5305-281-5890	33	21
5305-298-4365	7	7
5305-550-1310	8	17
5305-558-4181	17	41
5305-558-4181	25	12
5305-558-4285	18	25
5305-558-7361	13	61
5305-558-7361	14	48
5305-558-7361	16	54
5305-559-9202	7	1
5305-576-5810	1	3
5305-576-5810	17	28
5305-579-0975	28	10
5305-579-0975	31	2
5305-579-0975	37	2
5305-590-3146	7	28
5305-591-3324	15	6
5305-591-3324	15	15
5305-619-6004	7	12
5305-619-6452	20	12
5305-637-9036	13	13
5305-637-9036	13	35
5305-637-9036	14	7
5305-637-9036	16	10
5305-637-9441	30	1
5305-655-9441	31	39
5305-655-9441	31	60
5305-655-9441	37	30
5305-655-9441	37	51
5305-680-4256	8	6
5305-696-5110	4	4
5305-710-4195	34	11
5305-710-4195	34	18
5035-723-9383	27	4
5305-723-9385	29	3
5305-723-9387	20	32
5305-723-9396	27	6
5305-723-9396	27	10
5305-723-9398	19	5
5305-724-6760	36	5
5305-725-0147	36	4
5305-728-0214	39	63
5305-782-9495	5	12
5305-791-0518	7	4
5305-791-0518	31	20
5305-791-0518	37	13
5305-836-8476	28	13
5305-852-6899	3	11
5305-855-0947	33	6
5305-855-3999	10	15
5305-855-3999	33	2
5305-889-3000	12	5
5305-889-3000	13	4
5305-889-3000	16	5
5305-889-3000	17	33
5305-889-3001	17	15
5305-889-3001	17	19
5305-956-4884	34	36
5305-958-0672	14	42
5305-958-5254	14	1
5305-958-5254	31	53
5305-958-5254	37	44
5305-978-9369	7	20
5305-978-9385	32	6
5305-978-9392	8	3
5305-983-7460	10	13
5305-983-7461	5	1
5305-983-7461	10	9
5305-984-4982	20	9
5305-984-4988	12	12
5305-984-4988	12	13
5305-984-4988	12	28
5305-984-4988	17	22
5305-984-4988	20	6
5305-984-6191	1	9
5305-984-6191	12	40
5305-984-6191	18	27

STOCK NUMBER	FIGURE NO.	ITEM NO.
5305-984-6193	12	53
5305-984-6212	23	1
5305-984-6221	17	24
5305-984-6223	5	6
5305-984-6223	12	18
5305-984-6223	21	8
5305-984-6223	23	27
5305-984-6223	34	4
5305-984-6223	41	17
5305-984-9483	20	26
5305-988-1721	2	1
5305-988-1724	17	8
5305-988-1727	31	17
5305-988-1727	37	10
5305-989-7434	13	7
5305-989-7434	13	24
5305-989-7434	13	63
5305-989-7434	14	19
5305-989-7434	14	50
5305-989-7434	16	18
5305-989-7434	16	58
5305-989-7434	18	12
5305-989-7434	20	24
5305-989-7435	18	17
5305-989-7435	19	6
5305-989-7435	20	4
5305-990-6444	13	53
5305-990-6444	14	23
5305-990-6444	16	26
5305-990-6444	16	48
5305-990-6444	18	7
5305-990-6444	20	1
5305-990-6444	20	10
5305-990-6444	20	16
5305-995-3444	13	44
5305-995-3444	14	37
5305-995-3444	16	41
5305-995-3444	20	23
5306-182-1399	35	41
5306-207-8373	5	15
5306-208-1025	39	27
5306-208-7354	40	1
5306-208-9890	15	7
5306-225-8496	40	30
5306-225-8506	33	16
5306-225-9090	31	33
5306-225-9090	37	16
5306-225-9091	31	13
5306-225-9094	37	6
5306-281-1651	38	1
5306-531-1798	13	21
5306-531-1798	23	19
5306-531-1798	38	25
5306-550-1318	12	4
5306-550-1318	17	38
5306-558-8222	31	12
5306-809-1360	18	3
5306-916-4261	15	16
5307-207-6259	39	57
5307-241-7318	39	48
5307-298-4666	39	76
5307-688-7905	34	30
5310-010-3322	39	36
5310-012-0614	6	3
5310-012-2851	35	17
5310-012-3221	22	14
5310-012-4929	33	30
5310-013-1498	6	1
5310-013-4530	7	15
5310-013-4530	12	9
5310-013-4530	17	31
5310-013-4530	23	25
5310-013-4530	34	1
5310-013-4530	41	15
5310-019-0491	35	25
5310-019-0676	15	12
5310-021-8585	39	35
5310-022-8834	15	3
5310-033-6926	12	37
5310-042-6903	1	1
5310-042-6903	6	8
5310-042-6903	12	22
5310-042-6903	18	10
5310-042-6903	18	15
5310-045-3296	12	23
5310-045-3296	12	48
5310-045-3296	13	8
5310-045-3296	13	25
5310-045-3296	13	45
5310-045-3296	13	54
5310-045-3296	14	20
5310-045-3296	14	24
5310-045-3296	14	38
5310-045-3296	14	43
5310-045-3296	14	46
5310-045-3296	14	51
5310-045-3296	16	19
5310-045-3296	16	27
5310-045-3296	16	42
5310-045-3296	16	49
5310-045-3296	16	53
5310-045-3296	16	59
5310-045-3296	17	29
5310-045-3296	18	8
5310-045-3296	18	11
5310-045-3296	18	16
5310-045-3296	19	7
5310-034-3296	20	2
5310-045-3296	20	5
5310-045-3296	20	25
5310-045-3296	31	21
5310-045-3296	37	14
5310-045-4007	7	16
5310-045-4007	7	29
5310-045-4007	12	6
5310-045-4007	12	10
5310-045-4007	12	14
5310-045-4007	12	19
5310-045-4007	12	29
5310-045-4007	13	5

STOCK NUMBER	FIGURE NO.	ITEM NO.
5310-045-4007	16	6
5310-045-4007	20	7
5310-045-4007	20	27
5310-045-4007	23	26
5310-045-4007	28	11
5310-045-4007	31	3
5310-045-4007	34	2
5310-045-4007	37	3
5310-045-5001	39	68
5310-080-6004	5	24
5310-080-6004	20	19
5310-080-6004	28	3
5310-080-6004	31	10
5310-080-6004	31	38
5310-080-6004	31	59
5310-080-6004	37	29
5310-080-6004	37	50
5310-081-4219	5	40
5310-081-4219	12	3
5310-081-4219	13	42
5310-081-4219	18	2
5310-081-4219	23	18
5310-082-1404	7	17
5310-082-1404	12	11
5310-082-1404	12	15
5310-082-1404	12	20
5310-082-1404	17	25
5310-082-1404	18	20
5310-082-1404	21	7
5310-082-1404	31	4
5310-082-1404	34	3
5310-082-1404	37	4
5310-087-7493	21	3
5310-088-0552	34	10
5310-088-0552	34	17
5310-099-6878	39	52
5310-118-6423	25	21
5310-133-4130	6	15
5310-167-0661	7	21
5310-167-0661	12	41
5310-167-0661	12	54
5310-167-0661	14	49
5310-167-0661	18	28
5310-167-0680	36	2
5310-167-0680	38	2
5310-167-0682	8	7
5310-167-0682	8	24
5310-167-0682	10	51
5310-167-0682	36	6
5310-177-0978	4	3
5310-182-5753	7	5
5310-182-5754	13	49
5310-182-5754	14	15
5310-182-5754	16	21
5310-182-5805	13	29
5310-184-9161	39	67
5310-209-5116	39	2
5310-247-4196	23	9
5310-247-4298	34	35
5310-261-7340	39	44
5310-261-7340	40	2
5310-262-4814	24	5
5310-262-8337	34	26
5310-275-0904	33	8
5310-276-2698	39	66
5310-308-6051	40	28
5310-402-2789	13	27
5310-402-2789	13	52
5310-402-2789	14	18
5310-402-2789	14	27
5310-402-2789	16	22
5310-402-2799	16	31
5310-407-9566	4	2
5310-407-9566	12	2
5310-407-9566	13	12
5310-407-9566	13	22
5310-407-9566	13	31
5310-407-9566	13	41
5310-407-9566	14	6
5310-407-9566	14	32
5310-407-9566	14	36
5310-407-9566	16	9
5310-407-9566	16	38
5310-407-9566	16	45
5310-407-9566	17	12
5310-407-9566	23	17
5310-407-9566	31	14
5310-407-9566	31	34
5310-407-9566	31	44
5310-407-9566	33	15
5310-407-9566	37	7
5310-407-9566	37	17
5310-407-9566	37	35
5310-407-9566	38	24
5310-497-3895	10	5
5310-543-2560	15	5
5310-543-2628	2	2
5310-543-2628	3	15
5310-543-2628	5	13
5310-543-2628	5	26
5310-543-2628	5	35
5310-543-2628	17	5
5310-543-2628	17	39
5310-543-2628	21	1
5310-543-2628	23	31
5310-543-2628	31	8
5310-543-4911	10	33
5310-543-4971	10	38
5310-543-5089	5	10
5310-543-5089	18	4
5310-543-5089	35	1
5310-550-2329	20	18
5310-558-5960	6	16
5310-559-0070	1	8
5310-559-0700	13	62
5310-576-5752	1	2
5310-579-0079	17	16
5310-579-0079	17	20
5310-579-0079	17	23
5310-579-0079	17	32

STOCK NUMBER	FIGURE NO.	ITEM NO.
5310-579-0079	18	24
5310-579-0079	21	6
5310-582-5965	1	12
5310-582-5965	1	14
5310-582-5965	3	4
5310-582-5965	3	7
5310-582-5965	7	2
5310-582-5965	10	23
5310-582-5965	10	39
5310-582-5965	12	34
5310-582-5965	12	50
5310-582-5965	12	60
5310-582-5965	13	2
5310-582-5965	13	14
5310-582-5965	13	19
5310-582-5965	13	36
5310-582-5965	14	2
5310-582-5965	14	8
5310-582-5965	14	13
5310-582-5965	16	2
5310-582-5965	16	11
5310-582-5965	16	16
5310-582-5965	17	9
5310-582-5965	17	43
5310-582-5965	19	14
5310-582-5965	20	35
5310-582-5965	28	20
5310-582-5965	32	7
5310-582-5965	33	39
5310-582-5965	38	30
5310-582-5965	41	8
5310-582-5965	41	12
5310-582-5965	41	44
5310-582-5965	41	48
5310-584-5272	5	11
5310-584-5272	18	5
5310-584-5272	8	16
5310-584-5272	10	10
5310-584-5272	31	37
5310-584-5272	31	58
5310-584-5272	33	4
5310-584-5272	35	2
5310-584-5272	37	28
5310-584-5272	37	49
5310-584-7888	39	62
5310-595-7237	39	22
5310-616-8575	20	13
5310-618-1696	33	31
5310-637-9541	2	3
5310-637-9541	5	14
5310-637-9541	5	27
5310-637-9541	5	36
5310-637-9541	8	4
5310-637-9541	8	18
5310-637-9541	10	16
5310-637-9541	17	6
5310-637-9541	17	40
5310-637-9541	21	2
5310-637-9541	23	32
5310-637-9541	25	13
5310-637-9541	28	2
5310-637-9541	29	2
5310-637-9541	31	9
5310-637-9541	33	27
5310-637-9541	38	8
5310-639-0779	34	37
5310-646-9137	34	40
5310-655-9375	32	2
5310-655-9375	35	26
5310-682-5765	38	35
5310-685-8213	10	7
5310-721-5965	10	50
5310-722-5284	18	19
5310-753-5081	39	51
5310-754-2005	33	24
5310-761-6882	1	13
5310-761-6882	3	6
5310-761-6882	12	33
5310-761-6882	17	42
5310-761-6882	41	43
5310-761-6882	41	47
5310-763-8911	36	1
5310-768-0319	5	22
5310-768-0319	5	47
5310-802-4701	15	14
5310-809-3079	36	3
5310-809-4058	3	8
5310-809-4058	10	34
5310-809-4058	10	40
5310-809-4058	12	35
5310-809-4058	12	51
5310-809-4058	12	61
5310-809-4058	13	15
5310-809-4058	13	37
5310-809-4058	14	3
5310-809-4058	14	9
5310-809-4058	16	3
5310-809-4058	16	12
5310-809-4058	20	36
5310-809-4058	41	39
5310-809-4085	6	12
5310-809-5998	5	2
5310-809-5998	5	31
5310-809-8541	35	18
5310-809-8544	7	22
5310-809-8544	12	42
5310-809-8544	31	41
5310-809-8544	37	32
5310-809-8546	6	13
5310-809-8546	12	49
5310-809-8546	13	9
5310-809-8546	13	46
5310-809-8546	14	21
5310-809-8546	14	39
5310-809-8546	16	20
5310-809-8546	16	43
5310-809-8546	19	8
5310-813-0407	34	9
5310-823-8803	32	3
5310-832-9712	39	28

STOCK NUMBER	FIGURE NO.	ITEM NO.
5310-836-4310	13	10
5310-836-4310	14	31
5310-836-4310	16	37
5310-840-6151	38	15
5310-867-1465	22	28
5310-877-5795	35	40
5310-877-5797	20	22
5310-880-7744	12	1
5310-880-7744	17	11
5310-880-7744	17	37
5310-880-7744	18	1
5310-880-7744	23	16
5310-880-7744	33	14
5310-880-7745	6	11
5310-880-7746	4	1
5310-880-7747	38	23
5310-903-3994	31	36
5310-903-3994	31	57
5310-903-3994	37	27
5310-903-3994	37	48
5310-903-3996	15	11
5310-920-0838	22	1
5310-933-8118	12	56
5310-934-9755	18	23
5310-934-9755	21	5
5310-939-2653	15	2
5310-950-1310	12	57
5310-951-7209	35	27
5310-971-7990	33	23
5310-985-4181	1	7
5315-013-7214	39	50
5315-059-0491	8	20
5315-059-0491	10	19
5315-059-0491	34	8
5315-182-5734	22	7
5315-182-5735	13	29
5315-182-5735	14	29
5315-182-5735	16	33
5315-182-5736	41	37
5315-182-5755	7	31
5315-187-9389	38	34
5315-234-1863	5	23
5315-234-1863	5	33
5315-234-1863	5	39
5315-234-1863	23	11
5315-236-8359	23	14
5315-236-8359	32	1
5315-236-8359	41	34
5315-261-3585	30	14
5315-276-4347	5	19
5315-276-4347	5	43
5315-276-4347	6	5
5315-276-5713	33	10
5315-282-1448	8	1
5315-282-1448	27	1
5315-282-1448	35	16
5315-291-2098	5	9
5315-291-2098	5	25
5315-291-2098	23	12
5315-291-2098	38	4
5315-291-2098	38	10
5315-312-0840	39	41
5315-429-1561	3	2
5315-612-8745	7	30
5315-616-5515	20	38
5315-662-9585	19	3
5315-723-2586	34	27
5315-775-2523	30	10
5315-791-6108	38	5
5315-815-1405	3	1
5315-815-1405	5	8
5315-815-1405	5	18
5315-815-1405	5	42
5315-815-1405	6	4
5315-815-1405	10	1
5315-815-1405	19	2
5315-815-1405	38	3
5315-815-1405	38	9
5315-815-1405	38	14
5315-903-5943	5	41
5315-935-0632	19	10
5320-281-9044	41	31
5320-637-5645	40	20
5320-660-1091	41	27
5325-815-0004	18	31
5325-[illegible]76-6228	1	15
5330-[illegible]64-7779	33	46
5330-[illegible]78-5279	35	20
5330-464-0735	33	12
5330-168-5489	6	10
5330-168-5490	40	31
5330-168-5497	26	54
5330-168-5531	27	7
5330-168-5686	6	9
5330-168-5690	26	36
5330-168-5691	26	43
5330-168-5693	17	35
5330-168-5996	28	22
5330-181-3919	40	3
5330-358-9806	40	8
5330-358-9807	40	9
5330-588-0892	17	4
5330-588-0892	20	46
5330-588-0892	41	19
5330-599-3203	24	2
5330-737-6353	33	28
5330-960-9332	22	17
5330-960-9332	22	18
5330-960-9332	22	19
5330-960-9332	22	20
5330-960-9332	22	26
5330-960-9332	22	27
5330-960-9332	22	31
5330-960-9332	22	32
5330-960-9332	22	35
5330-960-9332	22	36
5330-995-6231	30	16
5335-182-6623	9	2
5340-118-6459	4	10
5340-168-6586	7	3

STOCK NUMBER	FIGURE NO.	ITEM NO.
5340-168-7031	33	17
5340-168-7032	33	40
5340-263-3831	13	26
5340-263-3831	14	26
5340-286-8020	11	3
5340-298-6572	34	25
5340-312-0820	39	3
5340-358-9942	40	12
5340-359-4042	30	12
5340-427-2282	39	69
5340-435-2455	23	22
5340-499-9353	33	11
5340-535-6469	23	2
5340-723-5437	34	41
5340-755-4991	13	28
5340-755-4991	14	28
5340-755-4998	7	11
5340-755-4999	7	26
5340-792-1591	25	20
5340-804-7634	13	58
5340-804-7634	14	53
5340-804-7634	16	55
5340-805-6002	30	11
5340-889-5209	22	22
5340-896-1513	30	3
5340-917-6631	5	21
5340-917-6631	5	46
5340-927-9076	22	2
5340-969-6407	6	6
5355-182-5103	22	4
5355-182-5103	22	6
5355-668-3768	7	6
5360-150-2656	19	1
5360-150-2657	23	10
5360-168-7101	6	14
5360-182-6679	8	14
5360-182-6680	5	30
5360-182-6697	39	39
5360-182-6698	22	29
5365-168-6587	40	15
5365-168-6588	9	18
5365-182-6713	22	16
5365-182-6714	30	5
5365-182-6719	9	20
5365-182-6722	40	15
5815-412-8824	33	19
5905-407-1919	20	20
5910-400-9874	12	27
5910-400-9875	12	26
5915-401-6384	17	26
5915-401-6384	18	22
5920-011-7142	17	14
5920-131-9842	15	4
5920-253-5219	12	30
5920-409-5630	41	40
5920-952-4080	15	13
5925-250-7913	12	39
5930-089-2203	41	20
5930-099-2203	21	9
5930-132-2870	18	30
5930-252-4133	21	10
5930-252-4133	41	21
5930-270-7044	17	36
5930-375-0373	7	27
5930-403-2621	20	28
5930-488-9967	7	
5930-488-9968	23	29
5930-488-9968	34	6
5930-614-7422	23	30
5930-614-7422	34	7
5930-823-2054	5	5
5930-823-2054	23	28
5930-823-2054	34	5
5930-959-0077	18	26
5935-384-0375	17	2
5940-168-3323	20	8
5940-406-7418	13	43
5940-488-5406	31	61
5940-488-5406	37	52
5940-840-5436	41	3
5940-955-0162	41	3
5940-983-6089	17	21
5945-250-7910	14	
5945-403-4163	20	40
5945-403-4164	20	41
5945-403-4180	17	30
5950-401-6387	12	52
5950-402-9162	14	55
5950-402-9163	16	
5950-402-9164	13	
5950-403-2641	13	59
5950-403-2641	14	55
5950-403-2641	16	56
5961-401-6388	12	46
5961-401-6389	12	17
5961-401-6391	12	45
5961-401-6392	12	21
5961-488-9960	12	
5961-488-9961	12	44
5962-489-5088	12	59
5970-156-7766	14	4
5970-156-7766	16	4
5970-406-7401	31	50
5970-406-7401	37	41
5975-152-1075	17	1
5975-152-1075	20	45
5975-488-5470	31	42
5975-488-5470	37	33
5975-804-0833	20	47
5975-847-1244	17	3
5975-847-1244	41	18
5977-406-7431	31	49
5977-406-7431	37	40
5977-449-0827	31	22
5977-449-0827	37	15
5977-838-0272	31	48
5977-838-0272	37	39
6105-156-4354	37	43

STOCK NUMBER	FIGURE NO.	ITEM NO.
6105-156-4355	37	19
6105-156-5842	31	52
6140-789-3725	41	4
6150-407-1017	15	19
6220-150-6375	1	18
6220-183-0363	1	17
6220-183-0742	1	5
6220-632-1538	7	10
6240-299-3985	1	20
6240-635-4406	1	6
6240-931-6679	1	19
6645-089-8842	17	34

REFERENCE NO.	MFG CODE	FIG NO.	ITEM NO.
ACK175	71400	15	4
ACK250	71400	15	13
AGC10AMP	71400	17	14
AN150-296	88044	30	10
AN178-13	88044	35	41
AN500-416-6	88044	33	38
AN504-6-10	88044	33	6
AN505-416-12	88044	15	6
AN505-416-12	88044	15	15
AN505-516-20	88044	31	53
AN505-516-20	88044	37	44
AN505UB416-10	88044	10	26
AN505UB416-10	88044	10	30
AN505UB416-10	88044	10	35
AN505UB416-12	88044	10	29
AN505UB416-18	88044	10	41
AN515-416-10	88044	28	19
AN515-416-16	88044	31	17
AN515-416-16	88044	37	10
AN515-6-16	88044	18	21
AN515-6-24	88044	5	6
AN515-6-24	88044	23	27
AN515-6-24	88044	34	4
AN515-6-24	88044	41	17
AN515-6-29	88044	21	8
AN515-6-3	88044	28	10
AN515-6-3	88044	31	2
AN515-6-3	88044	37	2
AN515-6-8	88044	17	33
AN515-6-9	88044	7	28
AN515-8-14	88044	31	40
AN515-8-14	88044	37	31
AN520-10-8	88044	7	4
AN520-10-8	88044	31	20
AN520-10-8	88044	37	13
AN530-10-8	88044	28	13
AN935-10	88044	12	23
AN935-10	88044	12	48
AN935-10	88044	13	8
AN935-10	88044	13	25
AN935-10	88044	13	45
AN935-10	88044	13	54
AN935-10	88044	14	20
AN935-10	88044	14	24
AN935-10	88044	14	38
AN935-10	88044	14	43
AN935-10	88044	14	46
AN935-10	88044	14	51
AN935-10	88044	16	19
AN935-10	88044	16	27
AN935-10	88044	16	42
AN935-10	88044	16	49
AN935-10	88044	16	53
AN935-10	88044	16	59
AN935-10	88044	17	29
AN935-10	88044	18	8
AN935-10	88044	18	11
AN935-10	88044	18	16
AN935-10	88044	19	7
AN935-10	88044	20	2
AN935-10	88044	20	5
AN935-10	88044	20	25
AN935-10	88044	31	21
AN935-10	88044	37	14
AN935-1016	88044	8	7
AN935-1016	88044	8	24
AN935-1016	88044	10	51
AN935-1016	88044	36	6
AN935-4	88044	12	56
AN935-416	88044	1	12
AN935-416	88044	1	14
AN935-416	88044	3	4
AN935-416	88044	3	7
AN935-416	88044	7	2
AN935-416	88044	10	23
AN935-416	88044	10	39
AN935-416	88044	12	34
AN935-416	88044	12	50
AN935-416	88044	12	60
AN935-416	88044	13	2
AN935-416	88044	13	14
AN935-416	88044	13	19
AN935-416	88044	13	36
AN935-416	88044	14	2
AN935-416	88044	14	8
AN935-416	88044	14	13
AN935-416	88044	16	2
AN935-416	88044	16	11
AN935-416	88044	16	16
AN935-416	88044	17	9
AN935-416	88044	17	43
AN935-416	88044	19	14
AN935-416	88044	20	35
AN935-416	88044	28	20
AN935-416	88044	32	7
AN935-416	88044	33	39
AN935-416	88044	38	30
AN935-416	88044	41	8
AN935-416	88044	41	12
AN935-416	88044	41	44

REFERENCE NO.	MFG CODE	FIG NO.	ITEM NO.
AN935-416	88044	41	48
AN935-418	88044	41	24
AN935-516	88044	4	2
AN935-516	88044	12	2
AN935-516	88044	13	12
AN935-516	88044	13	22
AN935-516	88044	13	31
AN935-516	88044	13	41
AN935-516	88044	14	6
AN935-516	88044	14	32
AN935-516	88044	14	36
AN935-516	88044	16	9
AN935-516	88044	16	38
AN935-516	88044	16	45
AN935-516	88044	17	12
AN935-516	88044	23	17
AN935-516	88044	31	14
AN935-516	88044	31	34
AN935-516	88044	31	44
AN935-516	88044	33	15
AN935-516	88044	37	7
AN935-516	88044	37	17
AN935-516	88044	37	35
AN935-516	88044	38	24
AN935-6	88044	7	29
AN935-6	88044	12	6
AN935-6	88044	12	10
AN935-6	88044	12	14
AN935-6	88044	12	19
AN935-6	88044	12	29
AN935-8	88044	18	28
AN935-816	88044	5	11
AN935-816	88044	8	16
AN935-816	88044	10	10
AN935-816	88044	18	5
AN935-816	88044	31	37
AN935-816	88044	31	58
AN935-816	88044	33	4
AN935-816	88044	35	2
AN935-816	88044	37	28
AN935-816	88044	37	49
AN935-916	88044	36	2
AN935-916	88044	38	2
A100-1V	12190	28	15
A100-2	12190	28	16
A100-3	12190	28	18
A100-4	12190	28	17
A100W	12190	28	14
A24S50-36V	21003	18	18
A2747C3	78500	39	40
A32371	41625	6	10
A34802-4	78500	40	19
A40820	41625	6	9
BE12-12NJ	13174	26	22
BL634	43334	10	4
BZE6-2RN2	91929	5	5
BZE6-2RN2	91929	23	28
BZE6-2RN2	91929	34	5
BZE6-2R0	91929	18	26
BZE6-2R08	91929	21	9
BZE6-2R08	91929	41	20
BZ2RN702	91929	23	30
BZ2RN702	91929	34	7
B19	01599	22	4
B19	01599	22	6
B2-2R0784	91929	21	10
B2-2R0784	91929	41	21
B3238-16	71041	35	47
CD3A	81487	7	
CM11N01R17D	62983	22	37
CM11NY1R17T	62983	22	38
CM11N01R17TDE21	62983	21	12
CR2940UM200AC	02989	18	30
C210-1	32676	27	11
C210-14	32676	27	5
C210-3	32676	27	18
C210-4	32676	27	16
C210-45	32676	27	17
C210-46	32676	27	9
C210-47	32676	27	14
C210-48	32676	27	13
C210-5	32676	27	15
C210-55	32676	27	8
C210-7	32676	27	7
C210-9	32676	27	12
C211-1	32676	9	15
C211-19	32676	9	20
C211-3	32676	9	22
C211-40	32676	9	1
C211-40A	32676	9	2

REFERENCE NO.	MFG CODE	FIG NO.	ITEM NO.
C211-45	32676	9	7
C211-46	32676	9	13
C211-47	32676	9	16
C211-48	32676	9	17
C211-5A	32676	9	19
C211-5B	32676	9	9
C211-55A	32676	9	12
C211-55B	32676	9	5
C211-8A	32676	9	11
C211-8B	32676	9	4
C211-9	32676	9	18
DD10002	91929	5	7
DD10002	91929	41	16
ES176R	76255	35	30
FC10901	63477	24	3
FC11744	63477	24	8
FC1311	63477	39	31
FC14297	63477	24	5
FC17	63477	23	9
FC2923	63477	24	6
FC2927	63477	24	4
FC368	63477	39	30
FC46370	63477	24	9
FC5735	63477	23	8
FC6019	63477	24	2
FC857	63477	39	32
FC860	63477	39	33
FD2108	63477	24	7
FD8832	63477	24	10
FE3081	63477	23	34
FI2300	63477	28	9
FI2300	63477	31	1
FI2300	63477	37	1
IC2800M120A414	02989	14	
IC2800M120K412X51	02989	16	
IC2800M124A412X52	02989	13	
IC4483F273X670G4	02989	12	
ID154G32A	02989	16	56
KG5520	78422	1	5
K1334581-006	01288	31	22
K1334581-006	01288	37	15
K2414	78500	39	50
K9404741G02	01288	37	21
K9432768G13	01288	31	47
K9432768G13	01288	37	38
LC059G12	84830	6	14
LE069F1MW	84830	23	10
LE69F8MW	84830	19	1
LHTE040	02989	13	49
LHTE040	02989	14	15
LHTE040	02989	16	21
LM67010	60038	35	22
LM67048	60038	35	19
LW1622	78500	40	21
MH18161	60399	35	39
MRIS800A	02989	20	28
MS15003-1	96906	32	5
MS15003-1	96906	35	5
MS15003-1	96906	41	41
MS15003-1	96906	41	41
MS15003-4	96906	35	29
MS15003-4	96906	35	46
MS15003-6	96906	35	49
MS15795-313	96906	15	14
MS16624-78	96906	30	11
MS16633-25	96906	13	26
MS16633-25	96906	14	26
MS16633-25	96906	16	30
MS16997-141	96906	10	13
MS16997-142	96906	5	1
MS16997-142	96906	10	9
MS16997-31	96906	7	20
MS16997-62	96906	32	6
MS16977-97	96906	8	3
MS20392-4C31	96906	3	2
MS20392-4C39	96906	5	41
MS20426A3-8	96906	41	27
MS20426A8-8	96906	41	31
MS21044N14	96906	10	5
MS21044N3	96906	20	22
MS21044N7	96906	34	10
MS21044N7	96906	34	17
MS21044N8	96906	35	40
MS21311-41	96906	31	51
MS21318-41	96906	37	42
MS21783-12	96906	13	42
MS219[illegible]9G3	96906	23	2
MS24665-145	96906	5	18
MS24665-145	96906	6	4
MS24665-148	96906	5	8
MS24665-148	96906	5	42
MS24665-148	96906	38	3
MS24665-148	96906	38	9
MS24665-15	96906	3	1
MS24665-150	96906	19	2
MS24665-151	96906	10	1
MS24665-151	96906	38	14
MS24665-299	96906	5	23
MS24665-299	96906	5	33
MS24665-299	96906	23	11
MS24665-300	96906	5	39
MS24665-370	96906	23	14
MS24665-370	96906	32	1
MS24665-370	96906	41	34
MS24665-372	96906	8	20
MS24665-372	96906	10	19
MS24665-372	96906	34	8
MS24665-372	96906	35	25
MS24665-396	96906	38	34
MS24665-515	96906	8	1
MS24665-515	96906	27	1
MS24665-515	96906	35	16
MS24677-8	96906	20	12
MS24679-63	96906	6	1
MS25082-7	96906	20	18
MS25440-5	96906	4	3
MS27183-10	96906	3	8
MS27183-10	96906	10	34
MS27183-10	96906	10	40
MS27183-10	96906	12	35

REFERENCE NO.	MFG CODE	FIG NO.	ITEM NO.
MS27183-10	96906	12	51
MS27183-10	96906	12	61
MS27183-10	96906	13	15
MS27183-10	96906	13	37
MS27183-10	96906	14	3
MS27183-10	96906	14	9
MS27183-10	96906	16	3
MS27183-10	96906	16	12
MS27183-10	96906	20	36
MS27183-12	96906	41	39
MS27183-12	96906	5	40
MS27183-12	96906	12	3
MS27183-12	96906	13	42
MS27183-12	96906	18	2
MS27183-13	96906	23	18
MS27183-14	96906	21	3
MS27183-14	96906	5	24
MS27183-14	96906	20	19
MS27183-14	96906	28	3
MS27183-14	96906	31	10
MS27183-14	96906	31	38
MS27183-14	96906	31	59
MS27183-14	96906	37	29
MS27183-16	96906	37	50
MS27183-18	96906	6	12
MS27183-18	96906	5	2
MS27183-19	96906	5	31
MS27183-21	96906	36	3
MS27183-22	96906	32	3
	96906	35	27

REFERENCE NO.	MFG CODE	FIG NO.	ITEM NO.
MS35206-228	96906	12	28
MS35206-228	96906	17	22
MS35206-228	96906	20	6
MS35206-230	96906	12	5
MS35206-230	96906	13	4
MS35206-230	96906	16	5
MS35206-231	96906	17	15
MS35206-231	96906	17	19
MS35206-234	96906	17	24
MS35206-236	96906	12	18
MS35206-243	96906	1	9
MS35206-243	96906	12	40
MS35206-243	96906	18	27
MS35206-245	96906	12	53
MS35206-261	96906	17	28
MS35206-265	96906	23	1
MS35206-277	96906	2	1
MS35206-280	96906	17	8
MS35207-261	96906	13	53
MS35207-261	96906	14	23
MS35207-261	96906	16	26
MS35207-261	96906	16	48
MS35207-261	96906	18	7
MS35207-261	96906	20	1
MS35207-261	96906	20	10
MS35207-261	96906	20	16
MS35207-263	96906	13	7
MS35207-263	96906	13	24
MS35207-263	96906	13	63
MS35207-263	96906	14	19

MS27183-27	96906	35	18
MS27183-4	96906	12	57
MS27183-6	96906	7	17
MS27183-6	96906	12	11
MS27183-6	96906	12	15
MS27183-6	96906	12	20
MS27183-6	96906	17	25
MS27183-6	96906	18	20
MS27183-6	96906	21	7
MS27183-6	96906	31	4
MS27183-6	96906	34	3
MS27183-7	96906	37	4
MS27183-7	96906	7	22
MS27183-7	96906	12	42
MS27183-7	96906	31	41
MS27183-8	96906	37	32
MS27183-8	96906	6	13
MS27183-8	96906	12	49
MS27183-8	96906	13	9
MS27183-8	96906	13	46
MS27183-8	96906	14	21
MS27183-8	96906	14	39
MS27183-8	96906	16	20
MS27183-8	96906	16	43
MS35140-9	96906	19	8
MS35190-307	96906	41	13
MS35206-226	96906	14	1
MS35206-228	96906	20	26
MS35206-228	96906	12	12
	96906	12	13

MS35207-263	96906	14	50
MS35207-263	96906	16	18
MS35207-263	96906	16	58
MS35207-263	96906	18	12
MS35207-263	96906	20	24
MS35207-264	96906	18	17
MS35207-264	96906	19	6
MS35207-266	96906	20	4
MS35207-266	96906	13	44
MS35207-266	96906	14	37
MS35223-25	96906	20	23
MS35223-42	96906	20	9
MS35223-42	96906	13	61
MS35223-42	96906	14	48
MS35240-7	96906	16	54
MS35297-1	96906	35	14
MS35297-162	96906	13	18
MS35297-26	96906	8	6
MS35297-3	96906	17	38
MS35297-3	96906	7	1
MS35297-34	96906	41	7
MS35297-34	96906	13	21
MS35297-34	96906	23	19
MS35297-36	96906	38	25
MS35297-36	96906	12	4
MS35297-60	96906	17	38
MS35297-64	96906	8	17
MS35297-8	96906	10	15
MS35299-33	96906	13	1
	96906	31	12

REFERENCE NO.	MFG CODE	FIG NO.	ITEM NO.
MS35309-367	96906	31	39
MS35309-367	96906	31	60
MS35309-367	96906	37	30
MS35309-367	96906	37	51
MS35309-39	96906	15	16
MS35333-37	96906	17	16
MS35333-37	96906	17	20
MS35333-37	96906	17	23
MS35333-37	96906	17	32
MS35333-37	96906	18	24
MS35333-37	96906	21	6
MS35333-38	96906	1	8
MS35333-38	96906	13	62
MS35333-39	96906	1	2
MS35333-88	96906	39	67
MS35335-37	96906	39	2
MS35338-41	96906	7	16
MS35338-46	96906	10	16
MS35338-52	96906	33	24
MS35340-50	96906	39	68
MS35393-9	96906	35	13
MS35393-84	96906	39	7
MS35489	96906	1	15
MS35489-40	96906	18	31
MS35649-42	96906	18	19
MS35649-62	96906	7	15
MS35649-62	96906	12	9
MS35649-62	96906	17	31
MS35649-62	96906	23	25
MS35649-62	96906	34	1
MS35649-62	96906	41	15
MS35650-62	96906	18	23
MS35650-62	96906	21	5
MS35690-1005	96906	10	50
MS35690-411	96906	10	33
MS35690-411	96906	10	38
MS35690-502	96906	38	23
MS35690-602	96906	2	2
MS35690-602	96906	3	15
MS35690-602	96906	5	13
MS35690-602	96906	5	26
MS35690-602	96906	5	35
MS35690-602	96906	17	5
MS35690-602	96906	17	39
MS35690-602	96906	21	1
MS35690-602	96906	23	31
MS36590-602	96906	31	8
MS35690-802	96906	5	10
MS35690-802	96906	18	4
MS35690-802	96906	35	1
MS35690-922	96906	36	1
MS35691-1422	96906	10	7
MS35691-602	96906	33	1
MS35691-602	96906	38	12
MS35691-622	96906	23	23
MS35691-69	96906	33	23
MS35692-1022	96906	32	2
MS35692-1022	96906	35	26
MS35692-1422	96906	34	9
MS35692-1422	96906	34	13
MS35692-1422	96906	34	19
MS35756-5	96906	20	38
MS35812-1	96906	6	6
MS49005-2	96906	9	21
MS49005-4	96906	28	5
MS49006-8	96906	40	33
MS51017-103	96906	35	33
MS51017-139	96906	11	2
MS51017-45	96906	27	6
MS51017-47	96906	19	5
MS51017-49	96906	27	10
MS51017-63	96906	9	3
MS51017-63	96906	9	10
MS51017-63	96906	9	14
MS51017-65	96906	29	3
MS51017-67	96906	27	4
MS51967-2	96906	1	13
MS51967-2	96906	3	6
MS51967-2	96906	12	33
MS51967-2	96906	17	42
MS51967-2	96906	41	43
MS51967-2	96906	41	47
MS51967-5	96906	12	1
MS51967-5	96906	17	11
MS51967-5	96906	17	37
MS51967-5	96906	18	1
MS51967-5	96906	23	16
MS51967-5	96906	33	14
MS51968-11	96906	6	11
MS51968-2	96906	5	22
MS51968-2	96906	5	47
MS51968-5	96906	4	1
MS51969-1	96906	15	2
MS51969-2	96906	15	11
MS51969-3	96906	31	36
MS51969-3	96906	31	57
MS51969-3	9690o	37	27
MS51969-3	96906	37	48
MS90725-1	96906	14	12
MS90725-1	96906	16	15
MS90725-1	96906	41	11
MS90725-109	96906	18	6
MS90725-109	96906	33	3
MS90725-111	96906	5	12
MS90725-123	96906	35	3
MS90725-174	96906	36	5
MS90725-3	96906	3	3
MS90725-3	96906	38	29
MS90725-3	96906	41	23
MS90725-3	96906	41	38
MS90725-31	96906	40	30
MS90725-4	96906	3	16
MS90725-42	96906	33	16
MS90725-5	96906	1	11
MS90725-5	96906	19	13
MS90725-58	96906	28	1
MS90725-58	96906	38	7
MS90725-6	96906	3	9
MS90725-6	96906	10	22
MS90725-6	96906	17	44

REFERENCE NO.	MFG CODE	FIG NO.	ITEM NO.
MS90725-62	96906	17	7
MS90725-62	96906	21	4
MS90725-62	96906	29	1
MS90725-62	96906	31	11
MS90725-66	96906	5	37
MS90725-69	96906	2	4
MS90725-71	96906	23	33
MS90725-8	96906	16	1
MS90725-8	96906	41	45
MS90725-8	96906	41	49
MS90726-35	96906	31	33
MS90726-35	96906	37	16
MS90726-36	96906	31	13
MS90726-39	96906	37	6
MS90726-9	96906	38	16
MS90726-90	96906	34	11
MS90726-90	96906	34	18
MS90727-142	96906	36	4
MS90728-113	96906	8	15
MS90728-5	96906	3	10
MS90728-59	96906	17	41
MS90728-59	96906	25	12
MS90728-60	96906	39	43
M306	27473	28	8
M5600	74400	17	34
N110-1	78500	39	66
N112-1	78500	39	61
N179P210586	02989	20	33
N18-1	78500	39	1
N26P210088G	02989	12	36
N26P210108G	02989	13	13
N26P210108G	02989	13	35
N26P210108G	02989	14	7
N26P210108G	02989	16	10
N26P230088G	02989	13	11
N26P230088G	02989	13	40
N26P230088G	02989	14	5
N26P230088G	02989	14	35
N26P230088G	02989	16	8
N26P230088G	02989	16	44
N26P23008C6	01288	31	43
N26P23008C6	01288	37	34
N3400P606	01288	31	23
N401P69	02989	14	44
N401P69	02989	16	50
N5000-150	79136	34	50
N57P160648G	02989	12	47
N57P160748G	02989	12	24
N57P210108G	02989	20	34
N57P901888G	02989	12	55
N70P210488G	02989	20	32
N712	78500	39	59
PP86	71041	19	9
P212	78500	40	34
RV7610	78500	40	20
SN714-1	78500	39	48
SV26-3	07443	10	8
S11219-1	78500	39	60
S256	78500	39	27
S269-1	78500	40	1
TT1800-1	70901	35	36
TYPESJ0-16-4	82879	41	10
WA15	78500	39	28
WA16	78500	39	44
WA16	78500	40	2
WA17	78500	39	36
WH112	78500	39	62
0FM101-25	62983	25	14
1C30128H733AE01	02989	19	15
1C4484A170	02989	12	59
1D154G32A	02989	13	59
1D154G32A	02989	14	55
1D154G33A	02989	14	55
10-37-13	92985	26	51
10-37-15	92985	25	2
10-37-15	92985	25	5
10-37-15	92985	26	25
10-37-15	92985	26	33
10-37-15	92985	26	39
10-37-2	92985	25	9
10-37-2	92985	28	6
10-37-4	92985	26	23
10-37-4	92985	26	37
10-37-6	92985	25	10
10-37-6	92985	26	46
10SA2	92985	26	29
10SW6	92985	26	27
10X526	78500	39	23
100R3	92985	26	36
1009	77915	33	9
101ABC	22132	8	10
1038	22132	8	13
103868	52788	33	45
103897	52788	33	48
105ABC	22132	8	12
106ABC	22132	8	14
107ABC	22132	8	11
109975	62983	30	12
110	02989	1	19
112867	52788	33	19
114495	52788	33	30
1150	02989	1	20
117717	62983	22	31
119A4259P3	02989	13	6
119A4259P3	02989	16	7
1199J1336	78500	39	25
12-208C12	92985	28	7
121D395-008	01288	31	52
121D395GC001	01288	37	43
12103	63477	24	1
1221H34	78500	40	17
1228N66	78500	40	13
1229E421	78500	39	22
1229S825	78500	40	24
1229V828	78500	40	11
1229Y1299	78500	40	12
1229Z1196	78500	40	28
1246D290	78500	39	69
1246V334	78500	39	3
125C582-001	01288	31	49

REFERENCE NO.	MFG CODE	FIG NO.	ITEM NO.
125C582-001	01288	37	40
12716	09704	4	9
129B5712P1	02989	13	47
129B5712P1	02989	14	40
129B5712P1	02989	16	46
129B5712P3	02989	13	33
129B5712P4	02989	13	34
129B5712P4	02989	14	34
129B5712P4	02989	16	40
129B5713G1	02989	14	56
129B5713G2	02989	13	64
129B5713G2	02989	13	67
129B5713G4	02989	14	57
129B5713G4	02989	16	34
129B5713G4	02989	16	36
129B5795P1	02989	14	52
129B5795P1	02989	16	60
129B5795P2	02989	13	65
13X113	78500	39	21
1329	62983	30	1
1329Y363	78500	39	52
14557	78500	39	51
141	59730	17	1
141	59730	20	45
145111	52788	33	21
1454	62983	22	14
146A264-004	01288	31	25
146A264-004	01288	37	18
146A264-005	02989	31	24
146A264-005	02989	37	9
148A315-001	01288	31	42
148A315-001	01288	37	33
148B6203G14	02989	17	27
148B6203G22	02989	17	26
148B6203G22	02989	18	22
149B3008P1	02989	20	3
15X249	78500	40	22
151A1247P6	02989	12	58
151A7814P1	02989	13	56
151A7814P1	02989	14	30
151A7814P1	02989	16	35
151A7816P1	02989	13	10
151A7816P1	02989	16	25
151A7822P2	02989	13	50
151A7822P2	02989	14	16
151A7822P2	02989	16	24
152A201-001	01288	31	50
152A201-001	01288	37	41
152256	52788	33	25
153A623-001	01288	31	61
153A623-001	01288	37	52
154004	62983	34	46
154008	62983	22	32
154012	62983	34	43
154090	62983	30	6
154129	62983	22	11
154131	62983	22	9
155A106	01288	31	45
155A106-001	01288	37	36
15782744G1	02989	12	52
15782895P2	02989	20	37
159A299G01	01288	31	46
159A299G01	01288	37	37
16-8HB	92985	25	11
161A7306	02989	13	27
161A7306	02989	13	52
161A7306	02989	14	18
161A7306	02989	14	27
161A7306	02989	16	22
161A7306	02989	16	31
161A8482P3	02989	14	47
161A8482P3	02989	16	52
1651	62983	34	48
1656	62983	22	34
167A5789G1	02989	13	32
167A5789G1	02989	14	33
167A5789G1	02989	16	39
167A8468P2	02989	20	8
167A8468P4	02989	12	7
167A9807P1	02989	13	48
167A9807P1	02989	14	41
167A9807P1	02989	16	47
167A9807P2	02989	14	45
167A9807P2	02989	16	51
167A9808	02989	13	38
167A9938P1	02989	13	29
167A9938P1	02989	14	29
167A9938P1	02989	16	33
17X161	78500	40	10
170255	62983	34	44
17181956P1	02989	20	20
1718D108	78500	39	11
1744D4	78500	39	34
1745M13	78500	39	13
177C869P500	02989	20	40
177C869P60	20989	20	41
1779M377	78500	39	37
1805B340	78500	39	46
1805D134	78500	40	6
1805W309	78500	40	3
1807A1	78500	39	9
181A3197P3	02989	20	14
181A5694P2	02989	20	39
1827T228	78500	38	35
1828D108	78500	40	14
1828Y311	78500	39	71
1829W673	78500	40	7
1844D472	78500	40	5
1846Z78	78500	39	41
1850095	78500	39	5
1850R96	78500	39	6
1854C237	78500	40	16
1864	62983	34	34
186580	62983	22	10
187000	62983	22	26
1874N86	78500	39	72
188A5137P1	02989	12	25
188A5258P1	02989	20	11
188A6348P1	02989	20	31
188A6348P2	02989	20	30
1898C679	78500	39	16
1898C679	78500	39	16

REFERENCE NO.	MFG CODE	FIG NO.	ITEM NO.
1898C680	78500	39	24
1898C683	78500	39	19
1898E1149	78500	39	26
1898E993	78500	39	15
1898F1150	78500	39	26
1898J686	78500	39	20
1893K687	78500	39	18
194A7547P1	02989	12	27
194A7582P1	02989	12	38
194A7950	02989	12	8
2012-1	43766	5	17
2012-1	43766	5	34
20400L	14859	28	12
20400L	14859	31	5
20400L	14859	37	5
205A4008P2	02989	20	42
205A4009P1	02989	20	15
205A4760P6	02989	12	32
205A5943P2	02989	20	29
205A5963G4	02989	12	63
205A5968P1	02989	13	17
205A5968P1	02989	14	11
205A5968P1	02989	16	14
205A5981P1	02989	12	46
205A5981P10	02989	12	17
205A5981P13	02989	12	44
205A5981P15	02989	12	45
205A5986G2	02989	12	21
205A7104G1	02989	12	39
205A7105P1	02989	12	43
205A7105P2	02989	12	16
205A7130P1	02989	12	26
205A7156P1	02989	20	43
205A7157P1	02989	20	21
205A7159G3	02989	20	48
205A7159G3	02989	20	49
205A7162G1	02989	20	17
205584	62983	34	52
205585	62983	34	55
214268	62983	34	53
214269	62983	34	51
214672	62983	22	15
215680	62983	34	33
218585	24617	39	55
219232	62983	34	29
219233	62983	34	31
219234	62983	34	37
219236	62983	34	40
219238	62983	34	14
219238	62983	34	20
219240	62983	34	15
219242	62983	34	41
219243	62983	34	30
219245	62983	34	47
2208Y389	78500	40	4
220939	62983	34	45
221589	62983	34	22
222640	62983	22	30
222778	62983	34	49
2233T124	78500	40	27
223388	62983	22	33
2234B210	78500	40	23
223489	62983	22	18
223493	62983	22	19
224567	62983	34	24
225680	62983	34	54
226161	62983	22	20
2268	59730	17	3
2268	59730	41	18
2269	59730	20	67
229235	62983	30	16
231780	62983	22	29
232798	62983	22	13
2338316P1	02989	13	5
2338316P2	02989	14	4
2338316P2	02989	16	4
2358X6	81487	7	5
237736	62983	22	17
238894	62983	34	36
24XSP	09704	4	10
2419480	02989	13	51
2419480	02989	14	17
2419480	02989	16	23
2422VN	98403	17	30
245482	62983	22	1
245492	62983	22	2
248959	62983	22	7
2523	59730	17	2
252993	52788	33	10
254968	62983	22	8
25520	60038	35	23
25580	60038	35	21
256853	52788	33	8
259871	62983	12	12
262250	52788	33	11
262288	52788	33	13
262474	52788	33	12
263231	62983	25	19
263549	52788	33	22
266034	52788	33	29
266678	52788	33	32
266800	52788	33	43
266905	52788	33	31
268298	52788	33	20
27-3026	92850	23	20
270248	52788	33	33
270537	52788	33	28
2708-1-2-1A	71843	5	19
2708-1-2-1A	71843	5	43
2708-1-2-1A	71843	6	5
2708-1-2-2A	71843	19	3
2708-1-2-3A	71843	38	5
2708-1-2-4A	71843	5	9
2708-1-2-4A	71843	5	25
2708-1-2-4A	71843	23	12
2708-1-2-4A	07443	38	4
2708-1-2-4A	07443	38	10
2708-2A	71843	5	21
2708-2A	71843	5	46
2708-4A	71843	23	22

REFERENCE NO.	MFG CODE	FIG NO.	ITEM NO.
2708-4A	07443	38	11
2720	78500	39	54
2747Z182	78500	39	38
275672	62983	30	3
2758K11	78500	39	39
2758L12	78500	39	8
275958	62983	34	26
275959	62983	34	28
276057	62983	34	27
2788	78500	39	53
28Q8P614	78500	39	70
280261	62983	30	4
280267	62983	30	5
2803N1938	78500	40	15
2803P1940	78500	40	15
280484	62983	30	9
2805Y597	78500	40	8
2805Z598	78500	40	9
280689	62983	30	17
2808N716	78500	39	45
2808X596	78500	39	70
281279	62983	30	7
282027	62983	22	21
282971	62983	22	27
283295	62983	34	21
283256	62983	22	36
284154	62983	22	22
284155	62983	22	23
284156	62983	22	28
284309	62983	34	38

REFERENCE NO.	MFG CODE	FIG NO.	ITEM NO.
3X359	78500	35	11
3042	78422	1	18
306D3X18	81487	7	24
307198	62983	22	16
311250	14892	38	20
311267-2	14892	38	28
311506	14892	38	21
313997	14892	38	19
31502	70903	41	14
32876	41625	6	7
3235F266	78500	40	25
3278L64	78500	40	26
3278400A	01288	37	23
33821	78500	39	56
33891	78500	39	55
35394	63477	23	24
36A280790G02	01288	31	35
36A280790G02	01288	31	56
36A280790G02	01288	37	26
36A280790G02	01288	37	47
36A280790G06	01288	31	62
36A285925-002	01288	31	48
36A285925-002	01288	37	39
36B545821AE001	01288	37	8
36B546167	01288	37	19
36B546170-001	01288	31	15
362A	78500	39	74
368A	78500	39	73
3722A105	78500	39	12
3735D264	78500	40	29

REFERENCE NO.	MFG CODE	FIG NO.	ITEM NO.
2847R850X	78500	39	17
2858M91	78500	39	10
286C479G06	01288	37	53
286C553G01	01288	31	19
286C553G01	01288	37	12
286C553G02	01288	31	18
286C553G02	01288	37	11
286669	62983	22	35
2870B3X2	81487	7	9
2870B5C1	81487	7	25
2870B8G2	81487	7	33
2870C1G1	81487	7	32
2870C3G1	81487	7	27
2870C5G1	81487	7	5
2870C9X2	81487	7	3
2870D1G1	81487	7	10
2870D23X1	81487	7	18
2870D24G1	81487	7	19
2870D5G1	81487	7	13
2870D5G2	81487	7	14
2870X1	81487	7	11
2870X10	81487	7	23
2870X2	81487	7	26
2870X4	81487	7	31
2870X6	81487	7	30
287694	62983	34	42
293373	62983	30	2
3X195	78500	39	63
3X211701	62983	34	23
3X236827	62983	34	35

REFERENCE NO.	MFG CODE	FIG NO.	ITEM NO.
3736J36	78500	39	42
3761D4	78500	39	29
3761E5	78500	39	29
38T812	81349	17	21
3801A547	78500	40	32
3811X50	78500	39	64
3819L246	78500	39	4
3826R252	78500	40	18
3862J10	78500	39	49
3875D368	78500	39	47
3892J1388	78500	39	58
3897L3158	78500	39	14
3897M3159	78500	39	14
3897R1032	78500	39	75
3901-05546	85757	26	7
3901-05546	85757	26	10
3901-05546	85757	26	18
3901-05546	85757	26	20
3901-06548	85757	26	12
3901-06548	85757	26	16
3901-08550	85757	26	3
3901-08550	85757	26	5
3901-08550	85757	26	14
4HP	92985	26	45
4X1101	78500	39	57
4X389	78500	39	76
400X3	04255	23	7
404-16	43766	3	28
4456-1	07443	10	2
4589	80204	1	6

REFERENCE NO.	MFG CODE	FIG NO.	ITEM NO.
5014-2	07443	8	19
5024	07443	35	42
5024-3	07443	35	44
5025	07443	35	48
5026	07443	35	45
5027	07443	35	43
5030	07443	38	37
5031-1	07443	38	33
5031-4	07443	38	36
5031-5	07443	38	32
5032	07443	38	26
5033	07443	38	27
5034	07443	38	18
5034-1	07443	38	31
5034-2	07443	38	17
5034-3	07443	38	22
5037-1	07443	30	
5037-10	07443	26	48
5037-11	07443	26	49
5037-9	07443	26	47
5038	07443	29	4
5038-1	07443	29	6
5038-2	07443	29	7
5038-3	07443	29	5
5039	07443	8	2
5039	07443	27	2
5046-51	07443	26	1
5048-4	07443	41	42
5052	07443	5	33
5056	07443	38	6
5056	07443	38	6
5057	07443	38	13
5060-33	07443	26	44
5068	07443	5	4
5073	07443	5	29
5074	07443	23	21
5075	07443	23	15
5100-177	79136	11	3
5100-78	79136	14	53
5100-87	79136	13	58
5100-87	79136	16	55
5110	07443	28	21
5111	07443	28	22
5113	07443	2	5
5114	07443	22	3
5116	07443	22	5
5119-716-5692-8	07443	43	6
5120	07443	35	9
5123-11	07443	26	6
5123-12	07443	26	8
5123-14	07443	26	2
5123-43	07443	26	13
5123-44	07443	26	21
5123-45	07443	26	11
5123-46	07443	26	15
5123-47	07443	26	4
5123-7	07443	26	17
5123-8	07443	26	19
5136	07443	11	5
5137-05	07443	35	37
5137-06	07443	35	38

REFERENCE NO.	MFG CODE	FIG NO.	ITEM NO.
5147	07443	41	37
5155	07443	22	25
5165	07443	41	46
5179	07443	23	13
5184	07443	11	4
5197-1	07443	19	4
5262	59730	17	4
5262	59730	20	46
5262	59730	41	19
5302	07443	35	24
5303	07443	35	15
5304	07443	35	34
5311	07443	35	28
5311-1	07443	35	32
5311-3	07443	35	31
5319	07443	22	24
5328	07443	32	8
5337-1	07443	5	20
5338-1	07443	5	45
54107	59730	41	3
54140	59730	31	7
54142	59730	41	3
5501	07443	35	7
5501-2	07443	35	6
5556	07443	15	1
5556-1	07443	15	9
5566	07443	15	8
5566	07443	15	17
5600-28	07443	35	4
5600-54	07443	35	8
5600-59	07443	41	40
5601	07443	37	
5601-42	07443	37	25
5601-42N	01288	31	27
5601-42N	07443	37	20
5601-52	07443	37	45
5601-53	07443	37	46
5602	07443	31	
5602-46	07443	31	28
5602-47	07443	31	30
5602-48	07443	31	26
5602-49	07443	31	32
5602-59	07443	31	54
5602-60	07443	31	55
5603	07443	27	3
5604	07443	8	9
5605	07443	9	
5605-7	07443	9	6
5605-9	07443	9	8
5606	07443	8	8
5608	07443	35	10
5608-16	07443	35	35
5608-7	07443	35	17
5609	07443	35	12
5610	07443	28	4
5617	07443	36	7
5617-25-26-34-37	07443	25	3
5617-27	07443	26	35
5617-30	07443	26	9
5617-31	07443	26	28
5619-23	07443	40	31

REFERENCE NO.	MFG CODE	FIG NO.	ITEM NO.
5619-24	07443	49	
5619-36	07443	39	75
5619-38	07443	39	65
5621	07443	35	50
5625	07443	17	45
5626	07443	17	
5626-35	07443	17	17
5626-45	07443	17	36
5626-69	07443	1	17
5626-73	07443	1	4
5626-73	07443	1	10
5632-1	07443	3	12
5632-2	07443	3	17
5632-3	07443	3	13
5632-6	07443	3	14
5635	07443	10	53
5636	07443	10	46
5640-	07443	11	7
5642	07443	41	51
5644	07443	41	26
5644-1	07443	41	33
5644-2	07443	41	29
5644-4	07443	41	30
5644-5	07443	41	32
5644-8	07443	41	28
5645-1	07443	41	5
5645-2	07443	41	6
5646-1	07443	41	1
5646-2	07443	41	2
5650-30	07443	10	3
5650-33	07443	11	6
5661	07443	8	25
5662967	52788	33	47
5665	07443	17	18
5666	07443	10	49
5669	07443	10	17
5670	07443	32	4
5670-1-2	07443	32	11
5670-3	07443	32	10
5670-5	07443	32	9
5672842	52788	33	49
5672849	52788	33	17
5672852	52788	33	34
5672854	52788	33	35
5672855	52788	33	46
5673	07443	10	18
5673	07443	10	27
5674	07443	30	15
5679	07443	10	11
5680	07443	10	14
5681-12	07443	31	6
5682	07443	6	2
5682-5	07443	34	
5682-53	07443	18	3
5682-81	07443	5	16
5685	07443	4	
5686	07443	17	46
5688416	52788	33	44
5688417	52788	33	41
5688418	52788	33	40
5688985	52788	33	36
5689	07443	17	10
5689053	52788	33	7
5691	07443	17	13
5693	07443	19	12
5694	07443	10	47
5696	07443	15	11
5697	07443	18	9
5698	07443	21	11
5699	07443	18	
5700	07443	18	29
5701	07443	15	19
5702	07443	1	16
5703	07443	33	5
5704	07443	5	48
5708	07443	3	5
5711	07443	17	35
5712	07443	41	36
5713	07443	41	35
5714	07443	18	32
5718	07443	5	3
5722	07443	10	43
5724	07443	10	24
5725	07443	41	22
5726-1	07443	10	6
5727	07443	10	36
5728	07443	10	42
5729	07443	10	32
573A389P1	02989	12	31
573A392P16	02989	12	30
5731	07443	10	28
5732	07443	8	21
5732	07443	10	20
5733	07443	10	37
5734	07443	10	25
5736-1	07443	34	32
5737	07443	41	25
574A746	02989	13	28
574A746	02989	14	28
574A746	02989	16	32
5751	07443	8	5
5752-1	07443	10	45
5752-2	07443	10	48
5757	07443	10	44
5762	07443	11	1
5764	07443	15	10
5764-1	07443	15	18
5765	07443	18	13
5768	07443	10	12
5769	07443	8	23
5769	07443	10	52
578A552P2	02989	13	55
578A552P2	02989	14	25
578A552P2	02989	16	28
5816B	80495	41	9
5881	62983	30	24
6PA2	91929	23	29
6PA2	91929	34	6
6SA6	92985	26	42
6SA9	92985	26	41

REFERENCE NO.	MFG CODE	FIG NO.	ITEM NO.
60R3	92985	26	43
6100C26-599	92867	5	38
63X1357	73680	35	20
6732WR	09704	4	11
7-196	09704	4	4
7-55	09704	4	7
702X3	04255	23	3
7115R80	02989	12	62
7807009	52788	33	26
7809183	52788	33	42
7809191	52788	33	18
796C400AC001	01288	31	16
8-10SA6	92985	26	55
8-8-37-2	92985	26	50
8SALX6	92985	26	52
8SA6	92985	26	53
80R3	92985	26	54
86034	62983	34	25
8626009P3	02989	13	60
8626009P3	02989	14	54
8626009P3	02989	16	57
9-1648-11	15840	5	30
901803K6	14892	38	15
905-15447B	09704	4	6
905-15447C	09704	4	5
905-15447K	43334	8	8
907194TYPEIV	43334	10	22
907194TYPEIV	02989	13	21
909239584	02989	14	16
9092395P1	02989	16	10
9092395P1	02989	20	13
9098839			44

REFERENCE NO.	MFG CODE	FIG NO.	ITEM NO.
9203W7	81487	7	6
922688	62983	34	12
922788	62983	25	17
922944	62983	34	16
922978	62983	30	8
9368349ED036	01288	31	29
936R349ED036	01288	37	22
9368349ED071	01288	31	31
936R349ED071	01288	37	24
936855	62983	25	20
936920	62983	34	56
936944	62983	25	23
936947	62983	25	15
936949	62983	25	16
936955	62983	25	18
936967	62983	25	24
938375	62983	25	21
939000	62983	25	22
964494281	62983	13	23
9723634P1	02989	13	39
9729158P4	02989	13	57
9729158P4	02989	14	22
9729158P4	02989	16	29
9729159G1	02989	13	66
9729159G1	02989	14	58
9729159G1	02989	16	61
9756574G1	02989	13	20
9756574G1	02989	14	14
9756574G1	02989	16	17
97556578P8	02989	13	43
98574	62983	30	13

PARTS NOT ILLUSTRATED

STOCK NUMBER	GROUP
2530-359-0347	12
2530-489-5794	12
2530-805-6322	12
2530-986-7605	12
5930-407-4932	12
5930-407-4933	07
4710-488-8556	12
5330-960-9332	05
5940-073-6683	05
5940-106-9756	05
5940-143-4774	

STOCK NUMBER	GROUP
5940-180-8053	05
5940-283-5280	05
5940-283-5281	05
5940-406-7411	06
5940-557-1627	05
5940-557-4341	05
5940-988-5076	05
5940-998-6126	12
5945-410-7666	12
5945-433-1720	12
5945-433-1721	

STOCK NUMBER	GROUP
5975-941-5039	05
6145-023-3625	11
6145-170-3521	06
6145-177-4620	05
6145-177-4653	05
6145-177-4677	11
6145-194-9829	05
6145-284-0067	05
6145-889-1145	05
6145-889-1491	

REFERENCE NO.	MFG CODE	GROUP
FR14-250F	59730	05
FC11301	63477	12
MT105	03890	05
MS25036-123	96906	05
MS25036-53	96906	06
MS25036-6	96906	06
RB14-250	59730	05

REFERENCE NO.	MFG CODE	GROUP
260-616	88486	05
31504	70903	05
5046-51	07443	05
54139	59730	05
54140	59730	12
5603-26	07443	12
5605-26	07443	

REFERENCE NO.	MFG CODE	GROUP
STF125	03743	05
TYPEEF1-1-4	03743	05
TYPESJ0-16-2	82879	05
TYPESJ0-16-3	82879	05
TYPES016-5	82879	05
14RB14	59730	05
14RB516	59730	05
14RB6	59730	05
14RB8	59730	05
2350-3-8	07443	05

REFERENCE NO.	MFG CODE	GROUP
5619-51	07443	12
5626-100	07443	12
5626-101	07443	12
5626-102	07443	12
5626-86	07443	05
5650	07443	04
922625	62983	12
922627	62983	12
922906	62983	12
922983	62983	12

By Order of the Secretary of the Army:

W. C. WESTMORELAND,
General, United States Army,
Chief of Staff.

Official:

VERNE L. BOWERS,
Major General, United States Army,
The Adjutant General.

Distribution:

To be distributed in accordance with DA Form 12–25, (qty rqr block no. 191) Section I, Direct and General Support Maintenance requirements for Truck, Fork Lift, Electrical.

☆U. S. GOVERNMENT PRINTING OFFICE : 1990 - 262-912 (30684)

PIN : 028296-000